

Passenger and Light Commercial

Vehicles

Platinum-Ir Fusion

Platinum Plus

Super Plus



**Spark Plugs
For Australia**

2013 | 2014



BOSCH

Invented for Life



From the very beginning, Bosch's history has been characterised by a drive for innovation and social commitment. Environmental and social responsibilities are core values at Bosch. Our slogan "Invented for life" conveys the ambitious standards we have set ourselves and the values that we have long stood for. "Invented for life" stands for reliable technology designed and built to last. At the same time, it embodies innovations and technology that contribute to the conservation of resources, sustainable development, and helping people improve their quality of life.

The Robert Bosch Stiftung (Robert Bosch Foundation) was established in 1964 to keep alive the philanthropic and social endeavours of its founder Robert Bosch. Through its programs and institutes, the foundation has since issued 840 million euros in project funds. In 2007, it made available 58.9 million euros for non-profit projects. Education, international understanding, and public welfare are the top priorities stated in Robert Bosch's will and are the pillars of our work today.

Responsibility for the environment is a core value at Bosch and is firmly anchored in our principles for safety and environmental

protection. Our environmental focuses are on renewable energies, energy efficiency, and emissions reduction. At Bosch we believe we have an obligation to develop innovative and beneficial technology and in order to meet such demands, considerable amounts of money are spent each year on research and development. We employ more than 25,000 research and development associates worldwide, all working towards the creation of technology that is innovative, beneficial and environmentally friendly.

© COPYRIGHT 2013 – Robert Bosch (Australia) Pty Ltd

All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or otherwise including, without limitation, photocopying or recording without permission in writing from the copyright owner. All details, illustrations and specifications contained in this publication are based on the latest information available at the time of printing. Whilst every precaution is taken to ensure the accuracy of the content, Robert Bosch (Australia) Pty Ltd accepts no responsibility for any errors or omissions.

Spark Plugs



Product Range

- A2** The Bosch Automotive Story
- A4** Platinum - Ir Fusion
- A6** Platinum Plus
- A8** Super Plus
- A10** Double Platinum
- A11** LPG Double Platinum
- A12** Cross Reference Table
- A14** Technical Information
- A20** Frequently Asked Questions
- A24** Bosch Spark Plug Retail Program
- A26** Bosch Spark Plug Program
- A36** Warranty



Application Data

- B1** How To Use This Catalogue
- B2** Passenger Vehicles



Cross Reference

- C1** Cross Reference

An explanation of the special cases in the applications section (section B) can be found on the inside back cover.



The Bosch Automotive Story



The Bosch Group is a leading global supplier of technology and services, with more than 300 subsidiaries and regional companies in over 50 countries.

The beginnings were humble. In 1898 Robert Bosch developed a magneto ignition device and adapted it to suit a vehicle engine. In doing this he developed the first reliable ignition system, solving one of the greatest technical problems faced by the automotive industry at that time. This key innovation was the first chapter in the success story of Bosch as an automotive supplier.

From 1902 Bosch developed a high voltage magneto ignition system incorporating spark plugs. While the magneto ignition has long since been replaced by battery ignition systems, Bosch today manufactures more than 300 million spark plugs per year, using the very latest precious metal technology.

As cars became a product for the masses, Bosch recognised the prospects for developing motor vehicle lighting. Research in this area resulted in the launch of the Bosch automotive lighting system, comprising of headlights, a generator, a regulator and a battery. This was a significant milestone for both Bosch and the industry, being the first all-in-one system available to consumers, and also the basis for components such as starters, horns, windshield wipers, indicators and car heating systems to be developed and added to the business.

From about 1920, the growth of diesel engines in trucks was a concern at Bosch, because diesel engines did not need an ignition system, the company's main sales driver. To capitalise on this technological advance, Bosch began developing diesel injection pumps and in 1936 launched the first diesel injection pump for passenger cars. Today, Bosch is the global leader in diesel technology, whether it be for passenger cars, trucks or injection systems for ships.

In the years that followed, Bosch made numerous developments with other automotive products. Gasoline injection systems were developed from 1935 and by 1967 had all but displaced the

carburettor. Braking systems have also been part of the Bosch offering since 1927. The introduction of the Bosch ABS antilock braking system in 1978 was a significant development in vehicle safety, laying a foundation for the development of further systems, such as Traction Control and the Electronic Stability Program (ESP®).

In today's market, vehicle manufacturers and service organisations face the worldwide challenge of efficient service for highly evolved vehicle systems. This includes not only mastering the electronic systems in today's automobiles, but also utilising the latest state-of-the-art diagnostics technologies to improve servicing efficiencies. The growing range of Bosch diagnostic and service equipment delivers a sophisticated solution for today's workshops to meet these challenges.

Bosch spends billions of dollars annually in research and development to preserve its position as a technological leader. The company's technological competence is evident in the fact that Bosch is world leader in the number of automotive technology patent applications it submits each year. Every hour Bosch research teams create new patents to make Bosch products safer, more efficient and more environmentally friendly.

As one of the world's largest independent manufacturers of automotive parts and systems, Bosch products and technology, supplied through a global network of factories, can be found on virtually every make of car currently produced throughout the world. This strong link to original equipment development and innovation means Bosch is able to deliver a superior aftermarket offering to its customers.

With most vehicles on the road incorporating many Bosch manufactured components, it made sense for Bosch to support these products with local service centres. Bosch Authorised Service Dealers are a group of over 14,000 independent workshops worldwide, offering the latest technical expertise, tools and equipment to motorists.



i

In just over a hundred years, Bosch successfully transformed from a small automotive supplier into a modern, multinational group, which today has a workforce of more than 300,000 people worldwide.

Bosch employs over 1,500 associates in Australia and New Zealand with activities spanning three business sectors: Automotive Technology, Consumer Goods and Building Materials, and Industrial Technology.

During the past five decades Bosch has grown into a major force in the Australian automotive industry. Today, Robert Bosch Australia is no longer a local company manufacturing automotive components only for Australian customers. It is truly an integrated member of the Bosch global network supplying overseas customers in Europe, Asia and America.

In the automotive industry the name Bosch is now synonymous with leading technology, sophisticated service solutions and high quality replacement parts.



Platinum - Ir Fusion

PLATINUM
FUSION



Bosch's ultimate performance

If you are looking for the very latest in spark plug technology, look no further than Bosch Platinum - Ir Fusion.

Bosch Platinum-Ir Fusion features a patented fused iridium and platinum centre electrode, combined with exclusive air surface gap firing technology to produce a longer, more powerful spark.

Its four, yttrium-enhanced, ground electrode design significantly reduces gap wear.

Features

- ▶ Heat-fused platinum and iridium centre electrode
- ▶ Four yttrium-enhanced ground electrodes
- ▶ Revolutionary air surface gap firing technology
- ▶ Factory-set electrode gap

This means less stress on the ignition system, allowing quicker starts, more efficient fuel combustion, and longer performance life.

In addition, Bosch Platinum-Ir Fusion's voltage requirement increases less over time compared with other spark plugs for longer, more reliable performance of the vehicle's ignition system.

Benefits

- ▶ Exceptional performance and wear resistance
- ▶ Enables multiple spark paths for the most powerful spark
- ▶ Optimum access to air fuel mixture to provide efficient combustion
- ▶ Provides ease of installation - never requires adjustment





Card Number
F9-4

Type Number
HGR9BQI



Yttrium ground electrode

Platinum -
Iridium centre
electrode

Only available in blister packs containing either
4 or 6 plugs.

**For turbocharged vehicles Bosch recommends using Double
Platinum spark plugs - see page A10.**

Platinum Plus



PLATINUM *plus*



Premium value over standard platinum plugs

Exclusive Bosch Platinum technology with an enhanced design for 25% longer service life compared to standard platinum plugs.

Bosch Platinum Plus spark plugs feature a pure platinum centre electrode which is heat-fused into an extended ceramic insulator to eliminate air gaps which exist in platinum alloy-tipped plugs.

Features

- ▶ Exclusive platinum technology with yttrium-enhanced ground electrode
- ▶ Pure platinum centre electrode, heat-fused into an extended insulator
- ▶ Heavy duty tapered ground electrode
- ▶ Lower ignition voltage requirement compared with many other plug designs

The innovative design also utilises a tapered, yttrium-enhanced 'v'-profile electrode, which reaches its self-cleaning temperature faster than a traditional design. There is also a lower voltage requirement, creating more reliable starting in hot and cold extremes, whilst maximising high-RPM performance.

Benefits

- ▶ 25% longer performance life over standard platinum plugs
- ▶ Self-cleaning temperature reached seconds after starting, significantly reducing risk of misfire and subsequent engine damage
- ▶ Reduces electrode temperature and improves access to air-fuel mixture for increased efficiency, smoother idling and acceleration
- ▶ Reliable starting and superior operation under all driving conditions

Exclusive platinum technology with a tapered yttrium-enhanced v-profile ground electrode.





**Card Number
P7-4**

**Type Number
WR8DPX**



Available in blister packs containing either 4 or 6 plugs.

Super Plus

SUPER plus



Better value, better performance

Comprehensive testing performed by Bosch's engineers has confirmed the durability of the yttrium-enhanced electrode, which is why this technology is now utilised in the Super Plus range.

One of its key benefits is a 50% increased service life over traditional copper-core spark plugs. Reliability has also been proven in some of the most sophisticated racing engines in the world, lapsing the most demanding racing circuits.

Features

- ▶ Precious metal performance at non-premium prices
- ▶ Nickel chromium tapered ground electrode protects against high temperatures and extends service life
- ▶ Metal glass fused resistor
- ▶ Angular, five-ribbed insulator design

Benefits

- ▶ 50% longer lasting than OE copper core spark plugs
- ▶ Extended plug durability and engine protection
- ▶ Maximum interference suppression
- ▶ Prevents misfiring caused by current leakage





Card Number
S11-4

Type Number
FR7DCX



Trade packaging available as a box of 10, or a single box of one



Nickel-chromium ground electrode
Yttrium centre electrode

Available in blister packs containing either 4 or 6 plugs.

Double Platinum



DOUBLE PLATINUM



The choice for performance vehicles

For vehicles that demand the longest service life and continuous performance, Bosch recommends fitting Double Platinum spark plugs.

Bosch Double Platinum spark plugs have the centre

electrode made from pure platinum and the ground electrode laser alloyed with pure platinum.

The result is an outstanding service life, even in vehicles with forced induction systems.

Features

- ▶ Ground electrode with laser welded platinum inlay
- ▶ 360 degree^o continuous laser welding to fuse the platinum firing pin in centre electrode
- ▶ Ribbed insulator design
- ▶ Nickel-plated shell with rolled threads

Benefits

- ▶ Provides outstanding service life
- ▶ Promotes durability and longer life
- ▶ Prevents misfires due to flash-over
- ▶ Provides complete anti-seize and corrosion protection



Dedicated LPG Double Platinum



Bosch Double Platinum spark plugs for LPG engines require no re-gapping, allowing you to “fit and forget”

LPG servicing becomes simpler as you can have the right plug with the right gap – saving you time and money on every service.

Bosch Double Platinum offers extended life for spark plugs. The average life of most standard plugs fitted to an LPG engine is 15,000 kms, but with Bosch Double Platinum spark plugs, the life will exceed 30,000 kms in most cases.

Benefits:

- ▶ Optimum ignition characteristics
- ▶ Higher sparking efficiency
- ▶ Extreme resistance to material erosion
- ▶ Less sensitive to chemical effects in the combustion chamber

Dedicated LPG spark plug program

Double Platinum spark plug

Super Plus spark plug





LPG Spark Plugs



BOSCH

Note: please refer to the Bosch LPG Spark Plug catalogue for specific LPG Spark Plug range.

Cross Reference Table



PLATINUM PLUS											
FR7DPX	WR8DP	FR8DPX	WR8DPX	WR7DP	WR7DPX	FR8DP	FR7DP	-	-	-	WR9DP
SUPER PLUS											
FR7DCX+	WR8DC+	FR8DCX+	WR8DCX+	WR7DC+	WR7DCX+	FR8DC+	FR7DC+	FR7LDC+	FLR8LDCU+	WR9DC+	
NGK SPARK PLUG (equivalent)											
BCPR 6ES-11	BPR 5ES	BCPR 5ES-11	BPR 5EA-11	BPR 6E	BPR 6ES-N-11	BCPR 5E	BCPR 6E	BKR 6EK	BKR 5EKC	BPR 4E	
BCPR 6E-11	BPR 5E	BCPR 5EY-11	BPR 5ES-11	BPR 6ES	BPR 6ES-11	BCPR 5ES	BCPR 6ES	BKR 6EKB-11	BKR 5EKU	BPR 4ES	
BCP 6ES-11	BPR 5EA	BCPR 5E-11	BPR 5ES-15	BPR 6EY	BPR 6ES-13	BCPR 5EY	BCPR 6ET	BKR 6EKC	BKR 5ET-10	BPR 4EY	
BCP 6E-11	BPR 5EY	BCP 5ES-11	BPR 5EY-11	B6EW	BPR 6EY-11	BCP 5ES	BCP 6E	BKR R6EK	BKR 5ET-10	BP 4ES	
BKR 6E-N-11	BP 5E	BKR 5E-11	BP 5EA-11	BP 6E	BP6ES-11	BKR 5E	BCP 6ES	BKR 6ET	BKR 5EKB-11	BP 4ES-11	
BKR 6ES-11	BP 5EA	BK 5E-11	BP 5ES-11	BP 6ES	BPR 6E-11	BKR 5EZ	BCP 6ET	BKUR 6ETB-10		BP 4ES-13	
BKR 6E-11	BP 5ES	BKR 5EN-11	BP 5ES-13	BP 6EY	BP 6ES-13	BK 5E	BCP 6EY		BKR 6ET-10	BP 4EY	
BK 6E-11	BP 5ESZ	BKR 5ES-SS	BP 5ET	BP 6EZ	BP 6EY-11	BK 5ES	BKR 6E	BKUR 6ET-10	BKR 6 EKB	BP 4EY-11	
	BP 5EY		BP 5EY-11	BP 6ESZ			BKR 5EK		BKR 6EKPA		
	BP 5EZ		BP 5ET-10				BKR 5ES		BKR 6EN		
									BKR 6ES		
									BKR 6EZ		
									BK 6E		
									BCPR 6E-11		
									BCPR 6ES-11		
									BKR 6E-11		
									BKR 6EN-11		
									BKR6 ES-11		



PLATINUM PLUS

FR7LPX	HR8DPX	WR9DPX	HR9BP	FR7KPx	HR9DPY	HR8DPV	WR9LP	WR8LP	WR9LPV	
---------------	---------------	---------------	--------------	---------------	---------------	---------------	--------------	--------------	---------------	--

SUPER PLUS

FR7LCX+	HR8DCX+	WR9DCX+	HR9BC+	FR7KCX+	HR9DCY+	HR8DCV+	WR9LCX+	WR8LC+	WR9LEV+	
----------------	----------------	----------------	---------------	----------------	----------------	----------------	----------------	---------------	----------------	--

NGK SPARK PLUG (equivalent)

ZFR5F-11	BPR 6EF	BPR 4EY-11 BPR 4ES-11	BPR 4 FS	BKR 6EY-11 BKR 6EYA-11	BPR 6EFS-15	BPR 6EFS-13	BPR 5EY-11	ZGR 5A ZG 5A	IGR 5C-13	
----------	---------	--------------------------	----------	---------------------------	-------------	-------------	------------	-----------------	-----------	--


The information provided in this table is to be used as a guide only. Due to differences in competitor spark plug construction, the application listings contained in the B-section of this catalogue are to be used as the primary reference, over and above the cross-reference table on this page.

The following catalogue section lists part numbers of non-Bosch equipment for which there are interchangeable Bosch products or components available. Since a wide range of different designation systems are used, the non-Bosch part



numbers are listed in a uniform, alphanumerical order; this is unlike the customary order used by most manufacturers. Reconversion of Bosch numbers back to the numbers of other manufacturers is not permitted. For definitive application information, please refer to the B-section pages of this catalogue.

Note: the laws governing competition stipulate that only Bosch-type numbers may be used vis-à-vis the final consumer for the identification of Bosch parts.

Type Code Explanation



* The thread length for spark plugs with seat shape D and spark position A or B is 10.9mm.



	0 Differences from basic design	1 PO design with Ni electrode	2 Binary ground electrode
	3 Special length thread	4 Extended insulator nose	9 PSA design
10	●	-	-
15	●	-	-
22	●	-	-
222	●	-	-
23	-	●	-
232	-	●	-
30	-	●	-
302	-	●	-
33	-	●	-
332	-	●	-

1) Double hexagon.

Spark Plug Functionality



Spark Plugs with AIR-GAP technology



Front electrode
Centre electrode

When the arc forms directly between the centre electrode and the ground electrode, the ignition spark passes through the air-fuel mixture located between the electrodes.

The advantages

- ▶ High levels of ignition reliability throughout the plug's entire service life.
- ▶ Strong cold starting behaviour.
- ▶ Low engine voltage requirements.



Side electrode
Centre electrode

The advantages

- ▶ High levels of ignition reliability due to the instantaneous arcing of the spark and immediate ignition of the air-fuel mixture.
- ▶ Additional cold start reliability even when battery voltage is low.
- ▶ Improved combustion protects the engine and in particular the catalytic converter.
- ▶ Since misfiring is avoided, fuel consumption drops even further.



Shaped ground
electrode,
Centre electrode

Together with the increased space between the electrodes, the sharp v-groove edges resulting from the ground electrode's shape ensure that the ignition spark's thermal energy is transferred easily and more effectively into the air-fuel mixture. This leads to a pronounced flame core and complete combustion irrespective of operating conditions.

Spark plugs with SURFACE-GAP technology



Side electrode,
Centre Electrode
or
Side electrode,
insulator centre
electrode

The ground electrodes are arranged so that only particularly long and powerful surface-gap sparks are generated.

The advantages

- ▶ Improved ignition reliability throughout the spark plug's entire service life.
- ▶ Optimum protection of the catalytic converter(s).
- ▶ Particularly low level of ignition voltage required.
- ▶ Self cleaning effects in case of sooting.

Spark plugs with AIR-SURFACE technology



Side electrode,
Centre Electrode
or
Side electrode,
insulator centre
electrode

Spark plugs featuring the air-surface spark principle are being used increasingly in Original Equipment applications. For reliable ignition, the ignition spark selects the best route to take from the centre electrode.



It either functions as an air spark or as an air-surface spark. With an air spark, when ignition takes place the arc jumps across directly from the centre to the ground electrode. On the other hand, the air-surface gap uses existing charge carriers to travel to the insulator nose from where it then jumps across, as an air spark, to the ground electrode.

The advantages

- ▶ Increased ignition reliability throughout the spark plug's entire service life.
- ▶ Improved cold start characteristics.
- ▶ Low ignition voltage requirement.
- ▶ Self-cleaning effects in case of sooting.
- ▶ Optimum protection of the catalytic converter(s).
- ▶ The configuration with several ground electrodes increases the plug's life.

Technical Information

Quick Tips





Correct installation of spark plugs with torque wrench:

Tightening torques (Nm)

10Nm = 1 kpm

Please Note:

The specified tightening torques listed apply for dry, non greased and non oiled threads.



Correct installation of spark plugs without torque wrench:

Screw in spark plug by hand until it is seated in the cylinder head. New spark plugs with flat seats are then screwed in by a further 90° (approx.) using the spark plug wrench.

Spark plugs with conical seats are screwed in by a further 15° degrees (approx.). Used spark plugs are screwed in by hand until seated and then screwed in by a further 15 degrees (approx.).



Precise installation for spray-guided direct injection engines:


Incorrect positioning of the ground electrode in the cylinder due to inaccurate spark plug torque settings can lead to:

- ▶ Poor starting
- ▶ Misfiring
- ▶ Damage to the motor and catalytic convertor

Spark plug Connection nuts:

Spark plugs may be installed in the engine which differ in length from the Bosch spark plugs. In this case:

- ▶ Screw out old spark plugs
- ▶ Compare to new Bosch spark plugs
- ▶ If the existing spark plugs are longer than the Bosch replacements, replace the screw-on terminals with the longer versions supplied in the individual Bosch spark plug boxes



Technical Information

Alternative Fuels



LPG

When operating on LPG, the internal combustion pressures and temperatures are higher, this results in a higher voltage requirement for ionisation. With older contact ignition systems, a reduction in the spark plug gap compensates for this higher voltage requirement.

LPG operation also causes less deposits and fouling, so the heat range selection can be one range colder than in a petrol operation.

The correct spark plug will depend on whether the vehicle is run completely on LPG or is dual fuel. Special attention should be paid to older contact ignition systems:
Where the vehicle is not listed in the LPG catalogue, follow the guidelines given on this page.

In high energy ignition systems the recommendation generally remains unchanged between LPG/Petrol.
However your driving conditions and LPG Petrol ratio may affect this.

Using Platinum Plus Spark Plugs in LPG

Platinum Plus spark plugs are also ideal for vehicles converted to LPG.
Please refer to the Bosch LPG spark plug catalogue for specific vehicle applications where we have performed the analysis to give you the recommended Double Platinum or Super Plus spark plugs.

However, if you decide to use Platinum Plus spark plugs in vehicles converted to LPG, please refer to the guidelines given on this page under the Dual Fuel heading.

LPG Only (retrofit)

In older cars the electrode gap needs to be set 0.1 - 0.2 mm smaller and the heat range should be one range colder. Misfiring due to carbon fouling is unlikely and the colder plug should increase service life.

Eg : WR8DC+ 0.8mm (petrol) to WR7DC+ 0.7mm (LPG).

Dual Fuel

The spark plug is usually measured in petrol mode and you will need to make a compromise between the operation on both fuel types.

If you mainly use LPG, the electrode gap should be reduced by 0.1 - 0.2 mm and one colder heat range is to be selected.

Eg : WR8DC+ 0.8mm (petrol) to WR7DC+ 0.7mm (LPG).

Please note:

Vehicles which run on petrol in stop / start traffic can misfire if using the LPG plug.

Electrode gap changes greater than 0.2 mm should be avoided.

Lead Replacement Fuel

LRP has taken the place of leaded petrol in most service stations around Australia. This fuel burns at a lower combustion temperature so self-cleaning of the spark plug must be increased to burn off the chemical residue.

Ongoing testing in the Australian market shows that it may be beneficial in some vehicles to use a higher heat range spark plug than currently recommended.

i.e. :


Ford Laser KA, KB 1.3, 1.5L 1981-1985
Current recommendation: WR8DC+

If problems are experienced due to LRP, we suggest trying WR9DC+. If no problems have been experienced in the change from leaded petrol LRP or ULP then no changes should be made to the application.

However, if you have fouling (mainly in stop / start driving conditions) this change may be beneficial.

Note: Please refer to the Bosch LPG Spark Plug catalogue for specific LPG Double Platinum spark plug range.

Spark Plug Faces



i

1 + 2 Normal

Insulator nose greyish-yellow to russet brown.

Engine is in order. Heat range of plug correct.

Mixture setting and ignition timing are correct: no misfiring, cold starting device functions correctly.

No deposits from fuel additives containing lead or from alloying constituents in the engine oil.

No overheating.

3 + 4 Soot - carbon fouled

Insulator nose, electrodes and spark-plug shell covered with velvet-like, dull black soot deposits.

Cause: incorrect mixture setting (carburettor, fuel injection) mixture too rich, air filter very dirty, automatic choke not in order or manual choke pulled too long, mainly short distance driving, spark plug too cold, heat range code number too low.

Effect: misfiring, poor cold-starting performance.

Remedy: set mixture and cold-starting device correctly, check air filter.

5 + 6 Oil-fouled

Insulator nose electrodes and spark-plug shell covered with shiny soot or carbon residue.

Cause: too much oil in combustion chamber. Oil level too high, badly worn piston rings, cylinders or valve guides. In two stroke gasoline engines, too much oil in mixture.

Effect: misfiring, poor starting performance.

Remedy: overhaul engine, correct fuel-oil mixture, replace spark plugs.

7 + 8 Lead deposits

Insulator nose glazed brownish yellow, or may also tend towards green.

Cause: fuel additives which contain lead. The glaze appears in the case of heavy engine loading after lengthy part-load operation.

Effect: under heavy loading, deposits become electrically conductive and cause misfiring.

Remedy: replace spark plugs.

9 + 10 Heavy lead deposits

Insulator nose is thickly-glazed brownish-yellow, or may also tend towards green.

Cause: fuel additives which contain lead. The glaze appears in the case of heavy engine loading after lengthy part-load operation.

Effect: under heavy loading, deposits become electrically conductive and cause misfiring.

Remedy: replace spark plugs.

11 + 12 Heavy lead deposits

Heavy ash deposits from oil and fuel additives on the insulator nose, in the scavenging area and on the ground electrode. The structure of the ash is loose to cinder-like.

Cause: alloying constituents, in particular from oil, can deposit this ash in the combustion chamber and on the spark-plug face.

Effect: can lead to auto ignition with loss of power and engine damage.

Remedy: repair engine. New spark plugs. Possibly use other oil.

13 Partially-melted centre electrode

Centre electrode partially melted, blistered, spongy insulator tip.

Cause: overheating due to auto-ignition, eg: due to overadvanced ignition timing, combustion deposits in combustion chamber, defective valves, defective ignition distributor, inadequate fuel quality, heat range possibly too low.

Effect: misfiring, loss of power (engine damage).

Remedy: check engine, ignition and mixture formation. New spark plugs with correct heat range.

14 Centre electrode melted away

Centre electrode melted away, ground electrode also severely attacked.

Cause: overheating due to auto-ignition.

Eg: due to over-advanced ignition timing, combustion deposits in combustion chamber, defective valves, defective ignition distributor, inadequate fuel quality.

Effect: misfiring, loss of power, possibly engine damage. Overheated centre electrode may result in insulator nose cracking.

Remedy: check engine, ignition and mixture formation. New spark plugs.

15 Partially-melted electrodes

Cauliflower-like appearance of the electrodes.

Possibly deposition of foreign matter.

Cause: overheating due to auto-ignition.

Eg: due to over-advanced ignition timing, combustion deposits in combustion chamber, defective valves, defective ignition distributor, inadequate fuel quality.

Effect: loss of power prior to complete failure. (engine damage).

Remedy: check engine, ignition and mixture formation. Replace spark plugs.

16 Heavy wear on centre electrode

Cause: recommended interval between spark plug changes not complied with.

Effect: misfiring, particularly when accelerating. Ignition voltage no longer sufficient for large electrode gap.

Poor starting performance.

Remedy: New spark plugs.

17 Heavy wear on ground electrode

Cause: aggressive fuel and oil additives. Unfavourable influence of gas turbulence in the combustion chamber, possibly caused by deposits or detonation.

Effect: misfiring particularly when accelerating (ignition voltage no longer sufficient for large electrode gap).

Poor starting performance.

Remedy: Replace spark plugs.

18 Cracking of insulator nose

Cause: mechanical damage due to impact, dropping or pressure on the centre electrode resulting from incorrect handling. In marginal cases - especially after excessively long use - the insulator nose may crack due to deposits between the centre electrode and insulator nose, and due to corrosion of the centre electrode.

Effect: misfiring, sparkover at points not reliably supplied with fresh mixture.

Remedy: replace spark plugs.

Frequently Asked Questions



Q - Why no more non-resistor spark plugs?

A - Since the early 80s, fuel injection systems have been designed by manufacturers to be fitted with resistor spark plugs. Fitting non-resistor plugs in a resistor application can:

- ▶ Affect sophisticated electronics
- ▶ Damage expensive components
- ▶ Create radio interference
- ▶ Affect overall performance
- ▶ Increase fuel consumption

Resistor spark plugs can be fitted in non-resistor applications. Bosch recommends fitting a resistor type spark plug for every application.

Q - Why should you choose Bosch Super Plus spark plugs?

A -

- ▶ Bosch Super Plus spark plugs have a new optimised design with yttrium allowing a pointed ground electrode to be produced
- ▶ Bosch Super Plus spark plugs allow improved and more efficient performance
- ▶ Bosch Super Plus spark plugs increase the protection of your catalytic converter, reducing the risk of costly damage

Q - What are the advantages of using a spark plug with yttrium?

A -

- ▶ Less electrode erosion
- ▶ Outstanding protection against corrosion
- ▶ Excellent ignition reliability
- ▶ Optimum performance throughout entire service life

Q - Do yttrium spark plugs have a longer life?

A - The electrode with yttrium alloy shows significantly less wear than an electrode without yttrium, increasing service life of the spark plug.

Q - What is the function of a spark plug and why is it a vital engine component?

A - The function of a spark plug is to introduce the ignition energy into the combustion chamber and to initiate combustion of the compressed air/fuel mixture.

It does this task by generating a spark between its electrodes, which then generates the required heat to ignite a smooth burn of the air/fuel mixture. The spark plug is an important factor in determining optimal performance and reliable functioning of an engine. It must permit reliable cold starting, guarantee no misfiring during acceleration, and withstand the engine operating for hours at maximum power. These requirements apply throughout the entire service life of the spark plug.

For 110 years, Bosch spark plugs have been designed for optimal performance, reliable functioning and to withstand extreme operating conditions. Today, the continuously developing spark plug is a key engine system component. It plays a major role in fuel economy, clean, efficient combustion, and the reliable operation of engines and catalytic converters.

Q - What are the different types of spark plugs?

A - There is a large range of different spark plug designs with over 1,400 variations. Design variants and special materials such as platinum, silver or yttrium allow Bosch spark plugs to be used in a wide variety of applications today. Bosch has developed more than 20,000 different types of spark plugs over the last 110 years.

Q - Why do we need to change spark plugs?

A - During operation, the spark plug is subjected to both wear and to fouling and should be replaced at regular intervals. In the course of its service life, the spark plug undergoes changes that increase the required ignition voltage. When the required voltage reaches a level that can no longer be compensated for by the voltage reserve, the result is misfiring. These changes can be caused by:

- ▶ Electrode wear
- ▶ Engine wear
- ▶ Abnormal operating conditions (pre-ignition/detonation, high oil consumption).

Q - How do I 'read' a spark plug? Does the Bosch part number have meaning to help determine the specifications of the plug?

A - Reading spark plugs provides valuable information on engine operating conditions. Refer to page A14-A15 in this catalogue.

Frequently Asked Questions



Q - How should spark plugs be tightened for best performance?

A - Bosch recommends when installing spark plugs to use a torque wrench and the correct torque in Nm. as listed below. If a torque wrench is not available, tighten the plug by hand until it is seated in the cylinder head. Spark plugs with gaskets should be tightened an additional 90°. Spark plugs with tapered seats should be tightened an additional 15°.

Note: avoid over-tightening or under-tightening as this might result in spark plug or engine damage.

	10 mm with gasket	12 mm with gasket	14 mm with gasket
Torque Nm	10-15	15-25	20-30
	14 mm tapered seat	18 mm with gasket	18 mm tapered seat
Torque Nm	20-40	30-45	30-45

Q - Are Bosch spark plugs pre-gapped at the factory?

A - Most Bosch spark plugs are factory pre-gapped for popular vehicle applications. The gap measurements are indicated either on the box or by the part number located on the spark plug shell.

- i. S suffix = 0.7 mm
- ii. U suffix = 1.0 mm
- iii. X suffix = 1.5 mm

Bosch Super Plus, Platinum Plus and resistor spark plugs also have factory-set gaps. For most plugs, the setting is shown on the plug packaging. These gaps are correct for the most popular applications of these plugs. There are applications, however, for which the gap setting has to be adjusted according to the vehicle manufacturer's specification. To avoid damage to a spark plug in the process of adjusting the gap, it is important to follow these guidelines:

- ▶ To widen the electrode gap, use a tool that only pulls back the ground electrode, without applying pressure to the centre electrode. The tool must not be wedged between the electrodes as that may cause damage to the insulator nose.
- ▶ To close the electrode gap, carefully tap the plug electrode first on a hard surface.

Q - What is detonation?

A - Detonation or "knocking" is uncontrolled combustion with a very steep rise in pressure. It is caused by spontaneous ignition of the fuel mixture, which has not yet been reached by the ignition spark. As the high pressure waves hit the walls of the combustion chamber, their impact produces a metallic knocking sound. Failure to recognise and deal with knocking will inevitably lead to serious engine damage.

Q - What is pre-ignition?

A - Pre-ignition is an uncontrolled ignition process in which the temperatures in the combustion chamber can rise to such an extent as to cause serious damage to the engine and the spark plug. Full-throttle operation can generate localised hot spots and cause pre-ignition at the following locations:

- ▶ At the tip of the spark plug's insulator nose
- ▶ On the exhaust valve
- ▶ On the protruding sections of the head gasket
- ▶ On loose deposits (ash and carbon residue)

Pre-ignition of the air-fuel mixture can cause severe damage to an engine and this is one reason why the heat range of a spark plug is so important.

Q - What is a heat range?

A - The spark plug's heat range is an index of its capacity to dissipate thermal energy. The different characteristics of automotive engines regarding operating load, compression, engine speed, cooling, and fuel, make it impossible to run all engines with a standard spark plug. The same spark plug may get very hot in one engine type, but may reach only a relatively low temperature in another. In the first case, the air-fuel mixture would ignite on the glowing parts of the spark

Frequently Asked Questions



plug projecting into the combustion chamber (pre-ignition) and, in the second case, the insulator tip would soon become so badly fouled by combustion deposits, that misfiring would occur. To ensure that the plug runs between the desired temperatures, plugs with different heat capacities are developed.

The so called "heat range", which is assigned to each spark plug, is used to characterise these heat dissipation capacities. A plug with a low heat range number (e.g. 2-4) indicates a cold plug that quickly dissipates heat to the engine block and cooling system, while a high code (e.g. 7-10) indicates a hot plug that retains heat.

By properly selecting the heat range of the plug, it ensures that the plug will operate between its desired operating range of 500-900 degrees celsius. In this range, the spark plug will be self-cleaning, yet will not be hot enough to pre-ignite the air/fuel mixture.

Q - How does Bosch test engines to determine heat range?

A - To ensure optimum performance in all vehicles, Bosch has tested each vehicle model and the various engines using ionic current measurement techniques to determine the heat ranges listed in our catalogue. Using a special spark plug with a built-in thermocouple, Bosch engineers find the hottest cylinder in an engine and then test various spark plugs in that cylinder until the ideal plug is found. This ensures that you will always get the best performance possible.

Q - I want to use Bosch spark plugs, but have modified my engine significantly, can I still use the plug listed in the catalogue for my vehicle??

A - No. Fitting standard plugs to modified engines can often result in engine damage. This is due to the plug being too hot for the modified engine. If the spark plug is too hot this can cause detonation in the combustion chamber. Bosch recommends seeking professional advice on heat range.

Q - How often do I need to change my plugs?

A - As a rule, Bosch recommends that you follow the replacement interval listed in your vehicle owner's manual. However, we highly recommend that you inspect (read) your spark plugs annually and replace as required, to ensure optimum engine performance.

Q - Do Bosch spark plugs meet original equipment requirements?

A - Yes. Bosch spark plugs meet or exceed warranty requirements of all vehicle and engine manufacturers, and when properly installed, in accordance with the recommended application, will not adversely affect the emission control system of any vehicle.

Q - What about vehicle manufacturer warranties?

A - Consumers are sometimes told by an automobile dealer's service advisor or mechanic that a brand of replacement spark plug cannot be used in the consumer's vehicle during the warranty period. The claim is made that use of the brand will "void the warranty"; with the statement or implication that only the original equipment brand of spark plugs may be used. This, of course, tends to cast doubt on the quality of the replacement spark plug. That claim is not true. Under the Competition & Consumer Act 2010 (Cth), a manufacturer may not require the use of any brand of spark plug (or any other article). The use of a different brand of replacement spark plug will not void a new car warranty, as long as it is genuine and of an appropriate quality.

Q - Does technology used in racing plugs find its way into Bosch spark plugs?

A - Yes. Racing provides a great developmental impetus and test bed for spark plug durability and performance. Bosch's state-of-the-art research and development centres use racetracks around the world as testing grounds to continually enhance the performance of spark plugs in the world's most sophisticated racing engines. Bosch

Frequently Asked Questions



invented the spark plug more than 110 years ago. With such a long history of spark plug development projects in close collaboration with the world's major vehicle manufacturers, Bosch remains one of the world's leading suppliers of spark plugs. Bosch's ongoing investment in research and development means continual testing in the harshest environment possible for a car: the race track.

Q - Does the Bosch part number have meaning to help determine the specifications of the plug?

A - Yes. Refer to page A14-A15 of this catalogue for details.


Q - What are the advantages of air surface gap plugs? (eg. FLR8LDCU+)

A - Extensive testing has been conducted in the laboratory and the field to validate the improved performance of air-surface gap plugs with multiple ground electrodes.


- ▶ The first test measured the energy transfer efficiency of the two-electrode plug compared to conventional and other premium plugs with a single ground electrode.
- ▶ This certified laboratory test measured the additional pressure generated by the spark discharge in a pressure chamber. Higher pressure equals a higher energy transfer by the spark. The test showed that the two electrode plugs transferred more energy to the air-fuel mixture resulting in improved driveability and lower emissions.

- ▶ As a spark plug wears, erosion and corrosion increases the gap between the centre and ground electrodes. The larger the gap, the more voltage is required to produce a spark, until the capability of the ignition system is exceeded and the plug misfires.
- ▶ Tests for carbon fouling were simulated in a cold cell by repeatedly cooling, starting, and operating the engine without letting the spark plugs reach their self-cleaning temperature.
- ▶ The tests found that multiple ground electrode spark plugs had better cold restart reliability than conventional plugs.

Widening the electrode gap.
Values in mm 0.7 → 0.8
 Actual Target



Narrowing the electrode gap.
Values in mm 0.9 → 0.8
 Actual Target



Specified electrode gap:


If spark plugs with the specified electrode gap are not available, the electrode must be adjusted by using a spark plug gap gauge.

Bosch Spark Plug Retail Program

Super Plus			Platinum Plus			Platinum-Ir Fusion		
Single Box	Blister Pack	Blister Pack size	Single Box	Blister Pack	Blister Pack size	Single Box	Blister Pack	Blister Pack size
FGR7DQE+								
FLR8LDCU+	S9-4	4						
FR6DC+	-	-	FR6DP	-	-			
FR7DC+	S8-4	4	FR6DPX	P14-4	4			
FR7DCX+	S11-4	4	FR7DP	P6-4	4			
FR7DPP+			FR7DPX	P1-4	4			
FR7KCX+	S31-4	4	FR7DPX	P1-6	6			
FR7KPP33U+	S38-6	6	FR7HP	-	-			
FR7LCX+	S32-4	4	FR7KP	P10-4	4			
FR7LDC+	-	-	FR7KPX	P3-4	4			
FR8DC+	-	-	FR7LPX	P5-4	4			
FR8DCX+	S19-4	-	FR8DP	-	-			
FR8HDC+	-	-	FR8DPX	P4-4	4			
HR6DC+	-	-	FR8DPX	P4-6	6			
HR7DC+	S37-6	6	FR8HPX	P9-4	4			
HR7MPP+	-	-	FR8HPX	P9-6	6			
HR8DC+	-	-	FR8LP	-	-			
HR8DCV+	S30-6	6	FR8LPX	P19-4	4			
HR8DCX+	S35-4	4	FR8NP	P11-4	4			
HR9BC+	S25-4	4	HR7DP	-	-			
HR9BC+	S25-6	6	HR7DPX	P21-6	6			
HR9BCY+	-	-	HR8DPV	P15-6	6			
HR9DCY+	S26-6	6	HR8DPX	P16-4	4			
WR5DC+	-	-	HR8DPY	-	-			
WR6DC+	-	-	HR9BPY	P17-4	4			
WR7BC+	-	-	HR9DPY	P12-6	6			
WR7DC+	S1-4	4	WR6DP	-	-			
WR7DCX+	S21-4	4	WR7DP	P8-4	4			
WR7LTC+	-	-	WR7DPX	-	-			
WR8BC+	-	-	WR8AP	-	-			
WR8DC+	S3-4	4	WR8DP	P2-4	4			
WR8DC+	S3-6	6	WR8DPX	P7-4	4			
WR8DCX+	S22-4	4	WR9DP	-	-			
WR8LC+	-	-	WR9DPX	-	-			
WR8LTC+	-	-	WR9LP	P13-6	6			
WR9DC+	S16-4	4	WR9LPV	P20-6	6			
WR9DCX+	S27-6	6						
WR9LCX+	S28-6	6						
WR9LEV+	S29-6	6						



See legend on following pages for descriptions



Spark Plug Program

Type	Fig.	Fig.	R	mm	mm	mm	mm	mm	Fig.
D									
DR									
DR 6	BC	0,7	3	Super	R	M 18x1,5	10,9	20,8	• Ma
DR 7	BC	0,8	3	Platinum	R	M 18x1,5	10,9	20,8	• Ma
DR 8	BC	0,9	3	Super	R	M 18x1,5	10,9	20,8	• Ma
	BPX	1,1	1	Platinum	R	M 18x1,5	10,9	20,8	• Ma
DR 9	BC	0,9	3	Super	R	M 18x1,5	10,9	20,8	• Ma
	BPX	1,1	1	Platinum	R	M 18x1,5	10,9	20,8	• Ma
DR 10	BC	0,9	3	Super	R	M 18x1,5	10,9	20,8	• Ma
F									
F 08	CS	—	—	Silver		M 14x1,25	19	16	• SAE Racing
F 09	CS	0,6	6	Silver		M 14x1,25	19	16	• SAE Racing
F 2	CS	0,6	6	Silver		M 14x1,25	19	16	• SAE Racing
F 3	CS	0,6	6	Silver		M 14x1,25	19	16	• SAE Racing
F 4	CS	0,6	6	Silver		M 14x1,25	19	16	• SAE Racing
F 5	DP OR	0,6	7	Platinum	R	M 14x1,25	19	16	• Ma Special platinum electrode
FGR									
FGR 5	KQE0	1,6	20	Nickel-Yttrium	R	M14 x 1.25	19	16	SAE
FGR 6	DQI			Fusion					F8-4
	KQE 0	1,4	25	Nickel-Yttrium	R	M 14x1,25	19	16	• SAE
	KQE	1,6	20	Nickel-Yttrium	R	M 14x1,25	19	16	• SAE
	NQE0	1,5	20	Nickel-Yttrium	R	M 14x1,25	26,5	16	SAE
FGR 7	DQE+	1,35	23	Super+	R	M 14x1,25	19	16	• SAE Ni-Yt centre electrode
	DQI			Fusion	R				F1-4 F1-6
	DQP+	1,6	27	Platinum	R	M 14x1,25	19	16	• SAE
	KQE 0	1,6	20	Nickel-Yttrium	R	M 14x1,25	19	16	• SAE
	MQPE	1,6	new	Platinum	R	M 14x1,25	25	16	• SAE
FGR 8	DQI				R				F3-4
	KQE	1,6	20	Nickel-Yttrium	R	M 14x1,25	19	16	• SAE
	KQUE 0	1,4	20	Nickel-Yttrium	R	M 14x1,25	19	16	• SAE
FLR									
FLR 8	LDCU+	1,0	12	Super+	R	M 14x1,25	19	16	• SAE S9-4 Ni-Yt centre electrode
FQR									
FQR 7	ME	0,9	3	Nickel-Yttrium	R	M14 x 1.25	26,5	16	SAE
FQR 8	DE	0,9	19	Nickel-Yttrium	R	M 14x1,25	19	16	SAE
	LE 2	0,8	19	Nickel-Yttrium	R	M 14x1,25	19	16	• SAE
	LEU 2	1,0	19	Nickel-Yttrium	R	M 14x1,25	19	16	• SAE
FR									
FR 5	DC	0,8	3	Super	R	M 14x1,25	19	16	• Ma
	DCX	1,1	3	Super	R	M 14x1,25	19	16	• Ma
	DP	0,6	1	Platinum+	R	M 14x1,25	19	16	• Ma
	DPP 222	1,0	21	Platinum	R	M 14x1,25	19	16	• SAE Double platinum
	DTC	0,8	11	Super	R	M 14x1,25	19	16	• SAE
	KI332S	0,7	30	Double Platinum	R	M 14x1,25	19	16	SAE
	NI332S	0,7	30	Double Platinum	R	M 14x1,25	26,5	16	SAE
	LDC	0,8	12	Super	R	M 14x1,25	19	16	• M4
FR 6	DC+	0,8	3	Super+	R	M 14x1,25	19	16	• Ma Ni-Yt centre electrode

- 1) Spark plug gap
- 2) Refer page A25 for illustration
- 3) Terminal type

Spark Plug Program

Type	Fig.	Fig.	R	mm	mm	mm	mm	3)		i
FR										
FR 6										
DCX	1,1	3	Super	R	M 14x1,25	19	16	•	Ma	
DDC	0,8	12	Super	R	M 14x1,25	19	16	•	SAE	
DP	0,6	1	Platinum+	R	M 14x1,25	19	16	•	Mb	
DPX	1,1	1	Platinum+	R	M 14x1,25	19	16	•	Ma	P14-4
DTC	0,7	11	Super	R	M 14x1,25	19	16	•	Ma	
KDC+	1,0	12	Super	R	M 14x1,25	19	16	•	SAE	
KI332S	0,7	30	Double Platinum	R	M 14x1,25	19	16		SAE	
KPP33+	0,8	30	Double Platinum	R	M 14x1,25	19	16		SAE	
KPP332S	0,7	30	Double Platinum	R	M 14x1,25	19	16		SAE	
KTC	0,8	22	Super	R	M 14x1,25	19	16	•	SAE	
KPP33X+	1,1	21	Super+	R	M 14x1,25	19	16		SAE	
LDC	0,9	12	Super	R	M 14x1,25	19	16	•	SAE	
LES	0,7	12	Nickel-Yttrium	R	M 14x1,25	16	16		SAE	
LI332S	0,7	12	Double Platinum	R	M 14x1,25	19	16		SAE	
LTC	1,0	22	Super	R	M 14x1,25	19	16	•	Ma	
MES	0,7	3	Nickel-Yttrium	R	M 14x1,25	26,5	16		SAE	
MPP 332	0,8	30	Platinum+	R	M 14x1,25	26,5	16	•	SAE	Double platinum
NI332S	0,7	30	Double Platinum	R	M 14x1,25	26,5	16		SAE	
FR 7										
DC+	0,9	3	Super+	R	M 14x1,25	19	16	•	Ma	S8-4 Ni-Yt centre electrode
DCX+	1,1	3	Super+	R	M 14x1,25	19	16	•	Ma	S11-4 Ni-Yt centre electrode
DE2	0,9	3	Nickel-Yttrium	R	M 14x1,25	19	16		SAE	
DP	0,6	1	Platinum+	R	M 14x1,25	19	16	•	Mb	P6-4
DPP+	0,7	21	Platinum+	R	M 14x1,25	19	16	•	SAE	Double platinum
DPP 332	0,7	21	Platinum	R	M 14x1,25	19	16	•	SAE	Double platinum
DPX	1,1	1	Platinum+	R	M 14x1,25	19	16	•	Ma	P1-4 P1-6
HCOX	1,1	10	Super	R	M 14x1,25	19	16	•	SAE	
HE02	0,9	10	Nickel-Yttrium	R	M 14x1,25	19	16		SAE	
HP	0,8	1	Platinum+	R	M 14x1,25	19	16	•	SAE	
HPP33+	1,0	28	Double Platinum	R	M 14x1,25	19	16		SAE	
KC+	0,9	31	Nickel-Yttrium	R	M 14x1,25	19	16		SAE	
KCX+	1,1	3	Super+	R	M 14x1,25	19	16	•	Ma	S31-4
KI332S	0,7	30	Double Platinum	R	M 14x1,25	19	16		SAE	
KTC	1,0	22	Super	R	M 14x1,25	19	16	•	Ma	
KP	0,8	1	Platinum+	R	M 14x1,25	19	16	•	SAE	P10-4
KPP 33+	0,7	21	Platinum+	R	M 14x1,25	19	16	•	SAE	Double platinum
KPP 33U+	0,7	21	Super+	R	M 14x1,25	19	16		SAE	S38-6
KPP332	1,0	30	Double Platinum	R	M 14x1,25	19	16		SAE	
KPX	1,1	1	Platinum+	R	M 14x1,25	19	16	•	Ma	P3-4
LC 2	0,7	19	Super	R	M 14x1,25	19	16	•	SAE	Copper core in centre and ground electrode
LCX+	1,1	19	Super+	R	M 14x1,25	19	16	•	SAE	S32-4
LDC+	1,0	12	Super+	R	M 14x1,25	19	16	•	SAE	Ni-Yt centre electrode
LI332S	0,7	30	Double Platinum	R	M 14x1,25	19	16		SAE	
LPX	1,1	1	Platinum+	R	M 14x1,25	19	16	•	SAE	P5-4
ME	0,9	3	Nickel-Yttrium	R	M 14x1,25	26,5	16	•	SAE	
MPP10	0,7	30	Double Platinum	R	M 14x1,25	26,5	16		SAE	
NES	0,7	30	Nickel-Yttrium	R	M 14x1,25	26,5	16		SAE	
NI33	0,7	30	Double Platinum	R	M 14x1,25	26,5	16		SAE	
NI332S	0,7	30	Double Platinum	R	M 14x1,25	26,5	16		SAE	
NPP33	1,1	30	Double Platinum	R	M 14x1,25	26,5	16		SAE	

1) Spark plug gap

2) Refer page A25 for illustration

3) Terminal type

Spark Plug Program

Type	Fig.	1)	2)	3)	R	M14x1.25	26.5	16		SAE	
FR7	NPP332	1.0	30	Double Platinum	R	M14x1.25	26.5	16		SAE	
	SE	1.1	19	Nickel-Yttrium	R	M14x1.25	26.5	16		SAE	
	SI30	1.1	19	Double Platinum	R	M14x1.25	26.5	16		SAE	
FR8	DC+	0,8	3	Super+	R	M14x1.25	19	16	•	Ma	Ni-Yt centre electrode
	DCX+	1,1	3	Super+	R	M14x1.25	19	16	•	Ma	S19-4 Ni-Yt centre electrode
	DCY	1,5	3	Super	R	M14x1.25	19	16	•	Ma	
	DP	0,8	1	Platinum+	R	M14x1.25	19	16	•	Ma	
	DPP 33+	1,0	30	Platinum	R	M14x1.25	19	16	•	SAE	Double platinum
	DI30	1.0	21	Double Platinum	R	M14x1.25	19	16		SAE	
	DPX	1,1	1	Platinum+	R	M14x1.25	19	16	•	Ma	P4-4 P4-6
	DS	0,9	3	Silver	R	M14x1.25	19	16	•	Ma	
	HC	0,8	8	Super	R	M14x1.25	19	16	•	SAE	
	HDC+	1,0	12	Super	R	M14x1.25	19	16	•	Ma	
	HC O X	1,1	10	Super	R	M14x1.25	19	16	•	Mb	
	HP	0,9	17	Platinum	R	M14x1.25	19	16	•	Ma	
	HP 0	1,1	17	Platinum	R	M14x1.25	19	16	•	Ma	Special platinum electrode
	KCU	1,0	3	Super	R	M14x1.25	19	16	•	Ma	
	KC+	1.0	31	Nickel-Yttrium	R	M14x1.25	19	16		Ma	
	KDC	1,0	12	Super	R	M14x1.25	19	16	•	SAE	
	KTC+	1,0	22	Super	R	M14x1.25	19	16	•	Ma	
	LC	0,7	19	Super	R	M14x1.25	19	16	•	Ma	
	LCX	1,1	19	Super	R	M14x1.25	19	16	•	SAE	
	LI332S	0.7	30	Double Platinum	R	M14x1.25	19	16		SAE	
	LP	0.9	1	Platinum Plus	R	M14x1.25	19	16		SAE	
	LPX	1,1	1	Platinum+	R	M14x1.25	19	16	•	SAE	P19-4
	ME	0,9	3	Nickel-Yttrium	R	M14x1.25	26,5	16	•	SAE	
	NP	0,9	1	Platinum	R	M14x1.25	26,5	16	•	SAE	P11-4
	SC+	0,9	31	Nickel-Yttrium	R	M14x1.25	26,5	16		SAE	
	SPP 332	1.0	30	Platinum	R	M14x1.25	26,5	16	•	SAE	Double platinum
FR9	DC	0,8	3	Super	R	M14x1.25	19	16	•	Ma	
	DCX	1,1	3	Super	R	M14x1.25	19	16	•	Ma	
	HC	0,9	8	Super	R	M14x1.25	19	16	•	Ma	
	HP	0,9	17	Platinum+	R	M14x1.25	19	16	•	Ma	
	LCX	1,1	19	Super	R	M14x1.25	19	16	•	Ma	
H											
H2	CS	0,6	6	Silver		M14x1.25	17,5	16	•	Mb	Racing
H3	CS	0,6	6	Silver		M14x1.25	17,5	16	•	Mb	Racing
H4	CS	0,6	6	Silver		M14x1.25	17,5	16	•	Mb	Racing
HGR											
HGR 6	DQI			Fusion					•		F11-4
	KQC	1,6	20	Super	R	M14x1.25	17,5	16	•	SAE	
HGR 7	KQC	1,6	20	Super	R	M14x1.25	17,5	16	•	SAE	
HGR 8	DQI			Fusion					•		F7-4
											F7-6
HGR 8	MQI			Fusion							F10-6
HGR 9	BQI			Fusion							F9-4
	DQI			Fusion							F5-4
											F5-6
HLR											
HLR 8	STEX	1,1	22	Super	R	M14x1.25	25	16	•		

1) Spark plug gap

2) Refer page A25 for illustration

3) Terminal type

Spark Plug Program

Type	Fig.	Fig.	Fig.	Fig.	Fig.	Fig.	Fig.	Fig.	Fig.	Fig.	Fig.
HR											
HR 5	DC	0,6	3	Super	R	M 14x1,25	17,5	16	•	Ma	
	KI332S	0,7	21	Double Platinum	R	M 14 x 1,25	19	16		SAE	
HR 6	BC	0,9	3	Super	R	M 14x1,25	11,2	16	•	Ma	
	DC+	0,8	3	Super+	R	M 14x1,25	17,5	16	•	Ma	Ni-Yt centre electrode
	DP	0,7	1	Platinum+	R	M 14x1,25	17,5	16	•	Mb	
	DPP33V	1,3	21	Double Platinum	R	M 14 x 1,25	17,5	16		SAE	
	DS	0,6	3	Silver	R	M 14x1,25	17,5	16	•	Mb	
	KI332S	0,7	21	Double Platinum	R	M 14 x 1,25	17,5	16		SAE	
HR 7	DC+	0,8	3	Super+	R	M 14x1,25	17,5	16	•	Ma	Ni-Yt centre electrode
	DCX+	1,1	3	Super	R	M 14x1,25	17,5	16	•	SAE	
	DCY	1,5	3	Super	R	M 14x1,25	17,5	16	•	Ma	
	DCY+	1,5	3	Super+	R	M 14x1,25	17,5	16	•	Ma	S37-6
	DP	0,7	1	Platinum+	R	M 14x1,25	17,5	16	•	Ma	
	DPX	1,1	1	Platinum	R	M 14x1,25	17,5	16	•	SAE	P21-6
	KI332S	0,7	21	Double Platinum	R	M 14 x 1,25	17,5	16		SAE	
	KPP33+	1,2	21	Double Platinum	R	M 14 x 1,25	17,5	16		SAE	
	ME2	1,1	3	Nickel-Yttrium	R	M 14 x 1,25	25	16		SAE	
	MEW	0,9	3	Nickel-Yttrium	R	M 14 x 1,25	25	16		SAE	
	MPP+	1,0	21	Super+	R	M 14x1,25	25	16	•	SAE	Double platinum
	MPP 302	1,1	21	Platinum	R	M 14x1,25	25	16	•	SAE	Double platinum
	NI332W	0,9	21	Double Platinum	R	M 14 x 1,25	25	16		SAE	
HR 8	AC	0,9	4	Super	R	M 14x1,25	11,2	16	•	Ma	
	BC	0,9	3	Super	R	M 14x1,25	11,2	16	•	Ma	
	BCY	1,5	3	Super	R	M 14x1,25	11,2	16	•	Ma	
	BP	0,9	1	Platinum+	R	M 14x1,25	11,2	16	•	Ma	
	BPX	1,1	1	Platinum+	R	M 14x1,25	11,2	16	•	Ma	
	DC+	0,8	3	Super+	R	M 14x1,25	17,5	16	•	Ma	Ni-Yt centre electrode
	DCV+	0,8	3	Super+	R	M 14x1,25	17,5	16	•	Ma	S30-6 Ni-Yt centre electrode
	DCX+	1,1	3	Super+	R	M 14x1,25	17,5	16	•	Ma	S35-4
	DCY	1,5	3	Super	R	M 14x1,25	17,5	16	•	Ma	
	DP	0,8	1	Nickel-Yttrium	R	M 14 x 1,25	17,5	16		SAE	
	DPP 15 V	1,3	21	Platinum	R	M 14x1,25	17,5	16	•	SAE	Double platinum
	DPP 22 U	1,0	21	Platinum	R	M 14x1,25	17,5	16	•	SAE	Double platinum
	DPV	1,3	1	Platinum+	R	M 14x1,25	17,5	16	•	SAE	
	DPX	1,1	1	Platinum+	R	M 14x1,25	17,5	16	•	Ma	P16-4
	DPY	1,5	1	Platinum Plus	R	M 14 x 1,25	17,5	16		SAE	
	KI332W	0,9	21	Double Platinum	R	M 14 x 1,25	19	16		SAE	
	LPX	1,1	1	Platinum+	R	M 14x1,25	17,5	16	•	Ma	
	MCV+	1,3	31	Nickel-Yttrium	R	M 14 x 1,25	25	16		SAE	
	MPV	1,3	1	Platinum+	R	M 14x1,25	25	16	•	SAE	P18-4
	NPP302	1,1	30	Double Platinum	R	M 14 x 1,25	25	16		SAE	
HR 9	AC	0,9	4	Super	R	M 14x1,25	11,2	16	•	Ma	
	BC+	0,8	3	Super+	R	M 14x1,25	11,2	16	•	Ma	S25-4 Ni-Yt centre electrode
										S25-6	Ni-Yt centre electrode
	BCY+	1,5	3	Super+	R	M 14x1,25	11,2	16	•	Ma	
	BP	0,9	1	Platinum+	R	M 14x1,25	11,2	16	•	Ma	
	BPX	1,1	1	Platinum+	R	M 14x1,25	11,2	16	•	Ma	
	BPY	1,5	1	Platinum+	R	M 14x1,25	11,2	16	•	Ma	P17-4
	BPZ	2,0	1	Platinum+	R	M 14x1,25	11,2	16	•	Ma	
	DC	0,9	3	Super	R	M 14x1,25	17,5	16	•	Ma	
	DCY+	1,5	3	Super	R	M 14x1,25	17,5	16	•	Ma	S26-6 Ni-Yt centre electrode

1) Spark plug gap

2) Refer page A25 for illustration

3) Terminal type

Spark Plug Program

Type	Fig.	1)	2)	3)	R	M 14x1,25	17,5	16	•	Ma	P12-6	Double platinum
HR9	DPX	1,1	1	Platinum+	R	M 14x1,25	17,5	16	•	Ma		
	DPY	1,5	1	Platinum+	R	M 14x1,25	17,5	16	•	Ma	P12-6	
	LPP22Y	1,5	19	Platinum	R	M 14x1,25	17,5	16	•	SAE		
	LPX	1,1	1	Platinum+	R	M 14x1,25	17,5	16	•	Ma		
HR10	AC	0,9	4	Super	R	M 14x1,25	11,2	16	•	Ma		
	ACY	1,5	4	Super	R	M 14x1,25	11,2	16	•	Ma		
	BC	0,9	3	Super	R	M 14x1,25	11,2	16	•	Ma		
	BCX	1,1	3	Super	R	M 14x1,25	11,2	16	•	Ma		
	BCY	1,5	3	Super	R	M 14x1,25	11,2	16	•	Ma		
	BCZ	2,0	3	Super	R	M 14x1,25	11,2	16	•	Ma		
	DCX	1,1	3	Super	R	M 14x1,25	17,5	16	•	Ma		
	HC 0	1,4	10	Super	R	M 14x1,25	17,5	16	•	Ma		
HS												
HS 5	E	0,5	4	-		M 14x1,25	9,5	16	•	Ma		Chrome-nickel centre electrode; for low-output engines
HS 6	E	0,5	4	-		M 14x1,25	9,5	16	•	Ma		Chrome-nickel centre electrode; for low-output engines
HS 7	E	0,5	4	-		M 14x1,25	9,5	16	•	Ma		Chrome-nickel centre electrode; for low-output engines
	F	0,7	3	-		M 14x1,25	9,5	16	•	Ma		Chrome-nickel centre electrode; for low-output engines
HS 8	E	0,5	4	-		M 14x1,25	9,5	16	•	Ma		Chrome-nickel centre electrode; for low-output engines
M												
M 4	AC	0,5	4	Super		M 18x1,5	12,7	26	•	Mb		
M 5	AC	0,5	4	Super		M 18x1,5	12,7	26	•	Mb		
M 7	AC	0,5	4	Super		M 18x1,5	12,7	26	•	Mb		
		0,7	4	Super		M 18x1,5	12,7	26	•	Ma		
M 8	AC	0,5	4	Super		M 18x1,5	12,7	26	•	Mb		
M 10	AC	0,5	4	Super		M 18x1,5	12,7	26	•	Mb		
	AC 0	0,7	4	Super		M 18x1,5	12,7	20,8	•	Ma		
M 12	B	0,7	3	Super		M 18x1,5	12,7	26	•	Ma		
U												
U3	CC	0,7	4	Super		M 10x1	19	16	•	Ma		
U4	AC	0,6	4	Super		M 10x1	12,7	16	•	M4		
U5	AC	0,6	4	Super		M 10x1	12,7	16	•	M4		
U6	AC	0,7	4	Super		M 10x1	12,7	16	•	Ma		
UH												
UH 5	CC	0,8	4	Super		M 10x1	19	16	•	Ma		
UR												
UR 2	CC	0,7	4	Super	R	M 10x1	19	16	•	Ma		
UR 3	AC	0,7	4	Super	R	M 10x1	12,7	16	•	Mb		
	AS	0,7	6	Silver	R	M 10x1	12,7	16	•	Ma		
	CC	0,7	4	Super	R	M 10x1	19	16	•	Ma		
UR 4	AC	0,6	4	Super	R	M 10x1	12,7	16	•	Mb		
	AS	0,7	6	Silver	R	M 10x1	12,7	16	•	Mb		
UR 5	AC	0,6	4	Super	R	M 10x1	12,7	16	•	Mb		
UR 6	AC	0,7	4	Super	R	M 10x1	12,7	16	•	Ma		
	DE	0,6	3	Super	R	M 10x1	19	16	•	Ma		

1) Spark plug gap

2) Refer page A25 for illustration

3) Terminal type

Spark Plug Program

Type	Fig.	Fig.	R	mm	mm	mm	Fig.	Fig.	Fig.	
USR										
USR 7 AC	0,5	4	Super	R	M 10x1	12,7	16	•	SAE	
VR										
VR7 SES	0,7	19	Nickel-Yttrium	R	M 12 x 1,25	26,5	14		SAE	
SI332S	0,7	19	Double Platinum	R	M 12 x 1,25	26,5	14		SAE	
VR8 SE	0,9	19	Nickel-Yttrium	R	M 12x1,25	26,5	14	•	SAE	
W										
W 07 AS	0,6	6	Silver		M 14x1,25	12,7	20,8	•	Ma	
CS	0,6	6	Silver		M 14x1,25	19	20,8	•	Ma	
W 08 AS	0,6	6	Silver		M 14x1,25	12,7	20,8	•	Ma	
CS	0,6	6	Silver		M 14x1,25	19	20,8	•	Ma	
W 2 AC	0,5	4	Super		M 14x1,25	12,7	20,8	•	Mb	
AS	0,6	6	Silver		M 14x1,25	12,7	20,8	•	Ma	
CC	0,5	4	Super		M 14x1,25	19	20,8	•	Mb	
CS	0,6	6	Silver		M 14x1,25	19	20,8	•	Ma	
W 3 AC	0,5	4	Super		M 14x1,25	12,7	20,8	•	Ma	
AS	0,6	6	Silver		M 14x1,25	12,7	20,8	•	Ma	
CC	0,5	4	Super		M 14x1,25	19	20,8	•	Ma	
CS	0,6	6	Silver		M 14x1,25	19	20,8	•	Ma	
DDP OR	0,3	-	Platinum	R	M 14x1,25	19	20,8	•	Ma	For stationary gas engines
DP O	0,6	7	Platinum		M 14x1,25	19	20,8	•	Mb	Special platinum electrode
W 4 AC	0,5	4	Super		M 14x1,25	12,7	20,8	•	Mb	
	0,7	4	Super		M 14x1,25	12,7	20,8	•	Mb	
AS	0,6	6	Silver		M 14x1,25	12,7	20,8	•	Ma	
BC	0,6	3	Super		M 14x1,25	12,7	20,8	•	Ma	
CC	0,5	4	Super		M 14x1,25	19	20,8	•	Ma	
W 4 CC	0,7	4	Super		M 14x1,25	19	20,8	•	Mb	
CS	0,6	6	Silver		M 14x1,25	19	20,8	•	Ma	
DP O	0,6	7	Platinum		M 14x1,25	19	20,8	•	Mb	Special platinum electrode
	0,8	7	Platinum		M 14x1,25	19	20,8	•	Mb	Special platinum electrode
W 5 AC	0,5	4	Super		M 14x1,25	12,7	20,8	•	Ma	
	0,7	4	Super		M 14x1,25	12,7	20,8	•	Mb	
AS	0,6	6	Silver		M 14x1,25	12,7	20,8	•	Ma	
CC	0,5	4	Super		M 14x1,25	19	20,8	•	Ma	
	0,7	4	Super		M 14x1,25	19	20,8	•	Mb	
DP O	0,6	7	Platinum		M 14x1,25	19	20,8	•	Mb	Special platinum electrode
EC	0,7	4	Super		M 14x1,25	9,5	20,8	•	Ma	
W 6 AC	0,7	4	Super		M 14x1,25	12,7	20,8	•	Ma	
CC	0,7	4	Super		M 14x1,25	19	20,8	•	Ma	
W 7 AC	0,5	4	Super		M 14x1,25	12,7	20,8	•	Ma	
	0,6	4	Super		M 14x1,25	12,7	20,8	•	Mb	
DSR	0,7	3	Silver	R	M 14x1,25	19	20,8	•	Mb	
EC	0,7	4	Super		M 14x1,25	9,5	20,8	•	Ma	
FC	0,9	3	Super		M 14x1,25	9,5	20,8	•	Ma	
W 8 AC	0,5	4	Super		M 14x1,25	12,7	20,8	•	Ma	
	0,6	4	Super		M 14x1,25	12,7	20,8	•	Mb	
CC	0,7	4	Super		M 14x1,25	12,7	20,8	•	Mb	
EC	0,7	4	Super		M 14x1,25	9,5	20,8	•	Mb	

1) Spark plug gap

2) Refer page A25 for illustration

3) Terminal type

Spark Plug Program

Type	Fig.	1)	2)	3)	R	mm	mm					
W 9	AC	0,7	4	Super		M 14x1,25	12,7	20,8	•		Mb	
	CC	0,7	4	Super		M 14x1,25	19	20,8	•		Mb	
	EC	0,9	4	Super		M 14x1,25	9,5	20,8	•		Ma	
	EC 0	0,7	4	Super		M 14x1,25	9,5	20,8	•		Ma	
	LDCR	0,8	12	Super	R	M 14x1,25	19	20,8	•		Mb	
W 10	AC	0,5	4	Super		M 14x1,25	12,7	20,8	•		Ma	
		0,7	4	Super		M 14x1,25	12,7	20,8	•		Mb	
	CC	0,7	4	Super		M 14x1,25	19	20,8	•		Mb	
	DC	0,7	3	Super		M 14x1,25	19	20,8	•		Ma	
	EC	0,7	4	Super		M 14x1,25	9,5	20,8	•		Ma	
	LCX	1,1	19	Super		M 14x1,25	19	20,8	•		Ma	
WC												
WC 7	A	0,5	4	-	R	M 14x1,25	12,7	20,8	•		5/8≤ Shielded, waterproof for ignition cable Ø 7 mm connection 5/8≤-24UNEF2A Chrome-nickel centre electrodes	
	D	0,7	3	-	R	M 14x1,25	19	20,8	•		5/8≤ Shielded, waterproof; for ignition cable Ø 7 mm connection 5/8≤-24UNEF-2A, Chrome-nickel centre electrodes	
WC 8	DC	0,7	3	Super	R	M 14x1,25	19	20,8	•		5/8 Shielded, waterproof; for ignition cable Ø 7 mm connection 5/8≤-24UNEF-2A, Chrome-nickel centre electrodes	
WEA												
WEA		1,2	-	-	-	M 14x1,25	12,7	20,8	•		Ma	
WR												
WR 2	CC	0,5	4	Super	R	M 14x1,25	19	20,8	•		M4	
WR 3	AP	0,7	2	Platinum+	R	M 14x1,25	12,7	20,8	•		Ma	
	CC	0,7	4	Super	R	M 14x1,25	19	20,8	•		Ma	
	CP	0,7	2	Platinum+	R	M 14x1,25	19	20,8	•		Ma	
	CS	0,6	6	Silver	R	M 14x1,25	19	20,8	•		SAE	
	CTC	1,4	11	Super	R	M 14x1,25	19	20,8	•		SAE	
	KI322	0,3	19	Double Platinum	R	M 14x1,25	19	20,8			SAE	
WR 4	AC	0,7	4	Super	R	M 14x1,25	12,7	20,8	•		Ma	
	AP	0,7	2	Platinum+	R	M 14x1,25	12,7	20,8	•		Ma	
	CC	0,7	4	Super	R	M 14x1,25	19	20,8	•		Ma	
	CP	0,6	2	Platinum+	R	M 14x1,25	19	20,8	•		Ma	
	DP 0	0,6	7	Platinum	R	M 14x1,25	19	20,8	•		Ma	Special platinum electrode
WR 5	AC	0,5	4	Super	R	M 14x1,25	12,7	20,8	•		Mb	
	AP	0,6	2	Platinum+	R	M 14x1,25	12,7	20,8	•		Ma	
	BC	0,7	3	Super	R	M 14x1,25	12,7	20,8	•		Ma	
	CC	0,8	4	Super	R	M 14x1,25	19	20,8	•		Mb	
	CP	0,7	2	Platinum+	R	M 14x1,25	19	20,8	•		Ma	
	DC+	0,8	3	Super+	R	M 14x1,25	19	20,8	•		Ma	Ni-Yt centre electrode
	DP	0,6	1	Platinum+	R	M 14x1,25	19	20,8	•		Mb	
	DS	0,3	3	Silver	R	M 14x1,25	19	20,8	•		M4	
		0,8	3	Silver	R	M 14x1,25	19	20,8	•		Mb	

1) Spark plug gap

2) Refer page A25 for illustration

3) Terminal type

Spark Plug Program

Type	Fig.									
	1)	2)								3)



WR

WR 6	AC	0,7	4	Super	R	M 14x1,25	12,7	20,8	•	Ma
	BC	0,7	3	Super	R	M 14x1,25	12,7	20,8	•	Ma
	CC	0,7	4	Super	R	M 14x1,25	19	20,8	•	Ma
	DC+	0,8	3	Super+	R	M 14x1,25	19	20,8	•	Ma
	DP	0,7	1	Platinum+	R	M 14x1,25	19	20,8	•	Mb
	DP O	0,6	7	Platinum	R	M 14x1,25	19	20,8	•	SAE
	DS	0,5	3	Silver	R	M 14x1,25	19	20,8	•	Mb
	KI33S	0,7	19	Double Platinum	R	M 14x1,25	19	20,8		SAE
WR 7	AP	0,6	2	Platinum+	R	M 14x1,25	12,7	20,8	•	Ma
	BC+	0,8	3	Super+	R	M 14x1,25	12,7	20,8	•	Ma
	BP	0,7	1	Platinum+	R	M 14x1,25	12,7	20,8	•	Mb
	CC	0,8	4	Super	R	M 14x1,25	19	20,8	•	Mb
	CP	0,7	2	Platinum+	R	M 14x1,25	19	20,8	•	Mb
	DC+	0,8	3	Super+	R	M 14x1,25	19	20,8	•	Ma
	DCX+	1,1	3	Super+	R	M 14x1,25	19	20,8	•	Ma
	DP	0,8	1	Platinum+	R	M 14x1,25	19	20,8	•	Mb
	DPX	1,1	1	Platinum+	R	M 14x1,25	19	20,8	•	Ma
	DS	0,7	3	Silver	R	M 14x1,25	19	20,8	•	Mb
		0,9	3	Silver	R	M 14x1,25	19	20,8	•	Ma
	EC	0,7	4	Super	R	M 14x1,25	9,5	20,8	•	Ma
	KI33S	0,7	19	Double Platinum	R	M 14x1,25	19	20,8		SAE
	LC	0,7	19	Super	R	M 14x1,25	19	20,8	•	Ma
	LTC+	1,0	22	Super+	R	M 14x1,25	19	20,8	•	Ma
										Ni-Yt centre electrode
WR 8	AC	0,6	4	Super	R	M 14x1,25	12,7	20,8	•	Ma
	AP	0,8	2	Platinum+	R	M 14x1,25	12,7	20,8	•	Ma
	BC+	0,8	3	Super+	R	M 14x1,25	12,7	20,8	•	Ma
	BP	0,7	1	Platinum+	R	M 14x1,25	12,7	20,8	•	Ma
	CC	0,8	4	Super	R	M 14x1,25	19	20,8	•	Mb
	CP	0,9	2	Platinum+	R	M 14x1,25	19	20,8	•	Ma
	DC+	0,8	3	Super+	R	M 14x1,25	19	20,8	•	Ma
	DCX+	1,1	3	Super+	R	M 14x1,25	19	20,8	•	Ma
	DP	0,9	1	Platinum+	R	M 14x1,25	19	20,8	•	Mb
	DPX	1,1	1	Platinum+	R	M 14x1,25	19	20,8	•	Ma
	DS	0,8	3	Silver	R	M 14x1,25	19	20,8	•	Mb
	EC	0,9	4	Super	R	M 14x1,25	9,5	20,8	•	Ma
	FC	0,9	3	Super	R	M 14x1,25	9,5	20,8	•	Ma
	KI33S	0,7	19	Double Platinum	R	M 14x1,25	19	20,8		SAE
	LP	0,7	1	Platinum+	R	M 14x1,25	19	20,8	•	Ma
	LC+	0,8	19	Super+	R	M 14x1,25	19	20,8	•	Ma
	LTC+	1,0	22	Super+	R	M 14x1,25	19	20,8	•	Mb
										Ni-Yt centre electrode
WR 9	DC+	0,8	3	Super+	R	M 14x1,25	19	20,8	•	Ma
	DCX+	1,1	3	Super+	R	M 14x1,25	19	20,8	•	Ma
	DCY	1,5	3	Super	R	M 14x1,25	19	20,8	•	Ma
	DP	0,8	1	Platinum+	R	M 14x1,25	19	20,8	•	Ma
	DPX	1,1	1	Platinum+	R	M 14x1,25	19	20,8	•	Ma
	DS	0,7	3	Silver	R	M 14x1,25	19	20,8	•	Mb
	EC	0,9	4	Super	R	M 14x1,25	9,5	20,8	•	Ma
	FC	0,9	3	Super	R	M 14x1,25	9,5	20,8	•	Ma
	FP	0,9	1	Platinum+	R	M 14x1,25	9,5	20,8	•	Ma
	HC	0,9	8	Super	R	M 14x1,25	19	20,8	•	Mb

1) Spark plug gap

2) Refer page A25 for illustration

3) Terminal type

Spark Plug Program

 Type	Fig.	1)	2)									
		1)	2)									
WR 9	LCX+	1,1	19	Super+	R	M 14x1,25	19	20,8	•	Ma		Ni-Yt centre electrode
	LE	0,8	19	Nickel-Yttrium	R	M 14x1,25	19	20,8	•	Ma		
	LEV+	1,3	19	Super+	R	M 14x1,25	19	20,8	•	Ma		Ni-Yt centre electrode
	LP	0,9	1	Platinum+	R	M 14x1,25	19	20,8	•	Mb		
	LPV	1,3	17	Platinum+	R	M 14x1,25	19	20,8	•	Mb		
	LS	0,7	19	Silver	R	M 14x1,25	19	20,8	•	Mb		
WR 10	AC	0,5	4	Super	R	M 14x1,25	12,7	20,8	•	M4		
	BC	0,8	3	Super	R	M 14x1,25	12,7	20,8	•	Ma		
	DC	0,8	3	Super	R	M 14x1,25	12,7	20,8	•	Ma		
	DCX	1,1	3	Super	R	M 14x1,25	19	20,8	•	Ma		
	FC	0,5	3	Super	R	M 14x1,25	9,5	20,8	•	Ma		
		0,9	3	Super	R	M 14x1,25	9,5	20,8	•	Ma		
	FCY	1,5	3	Super	R	M 14x1,25	9,5	20,8	•	Ma		
	LC	0,9	19	Super	R	M 14x1,25	19	20,8	•	SAE		
	LCV	1,3	19	Super	R	M 14x1,25	19	20,8	•	SAE		
WR 11	E 0	0,8	4	-	R	M 14x1,25	9,5	20,8	•	Ma		Chrome-nickel centre electrode; for low-output engines
	F	0,5	3	-	R	M 14x1,25	9,5	20,8	•	Ma		Chrome-nickel centre electrode; for low-output engines
WR 12	EC	0,7	4	Super	R	M 14x1,25	9,5	20,8	•	Ma		
WS												
WS 5	E	0,5	4	-		M 14x1,25	9,5	19	•	Ma		Chrome-nickel centre electrode; for low-output engines
WS 5	F	0,5	3	-		M 14x1,25	9,5	19	•	Ma		Chrome-nickel centre electrode; for low-output engines
WS 6	E	0,5	4	-		M 14x1,25	9,5	19	•	Ma		Chrome-nickel centre electrode; for low-output engines
WS 6	F	0,5	3	-		M 14x1,25	9,5	19	•	Ma		Chrome-nickel centre electrode; for low-output engines
WS 7	E	0,5	4	-		M 14x1,25	9,5	19	•	Ma		Chrome-nickel centre electrode; for low-output engines
	F	0,5	3	-		M 14x1,25	9,5	19	•	Ma		Chrome-nickel centre electrode; for low-output engines
WS 8	F	0,5	3	-		M 14x1,25	9,5	19	•	Ma		Chrome-nickel centre electrode; for low-output engines
WS 9	EC	0,6	4	Super		M 14x1,25	9,5	19	•	Ma		
WS 12	E	0,7	4	-		M 14x1,25	9,5	19	•	Ma		Chrome-nickel centre electrode; for low-output engines
WSR												
WSR 5	F	0,5	3	-	R	M 14x1,25	9,5	19	•	SAE		Chrome-nickel centre electrode; for low-output engines
WSR 6	E	0,5	4	-	R	M 14x1,25	9,5	19	•	Ma		Chrome-nickel centre electrode; for low-output engines
	F	0,5	3	-	R	M 14x1,25	9,5	19	•	Ma		Chrome-nickel centre electrode; for low-output engines
WSR 7	F	0,5	3	-	R	M 14x1,25	9,5	19	•	Ma		Chrome-nickel centre electrode; for low-output engines

1) Spark plug gap

2) Refer page A25 for illustration

3) Terminal type

Spark Plug Program

Type	Fig. 1) 2)	Fig. 2)	Fig. 3)	R	mm	mm	mm	mm	mm	SAE	
WSR											
WSR 8 E	0,5	4	-	R	M 14x1,25	9,5	19	•	Ma		Chrome-nickel centre electrode; for low-output engines
F	0,5	3	-	R	M 14x1,25	9,5	19	•	Ma		Chrome-nickel centre electrode; for low-output engines
WSR 9 EC	0,6	4	Super	R	M 14x1,25	9,5	19	•	Ma		
X											
X 4 DC	0,9	3	Super		M 12x1,25	19	17,5	•	Ma		
X 5 DC	0,6	3	Super		M 12x1,25	19	17,5	•	M4		
	0,7	3	Super		M 12x1,25	19	17,5	•	Ma		
DTC	0,8	11	Super		M 12x1,25	19	17,5	•	SAE		
XR											
XR 2 CS	0,7	6	Silver	R	M 12x1,25	19	17,5	•	SAE		
XR 4 CS	0,7	6	Silver	R	M 12x1,25	19	17,5	•	Mb		
XR 5 DC	0,6	3	Super	R	M 12x1,25	19	17,5	•	SAE		
	0,9	3	Super	R	M 12x1,25	19	17,5	•	Ma		
XR 6 CC	0,7	4	Super	R	M 12x1,25	19	17,5	•	Ma		
XR 7 CC	0,7	4	Super	R	M 12x1,25	19	17,5	•	Ma		
DC	0,9	3	Super	R	M 12x1,25	19	17,5	•	Ma		
LDC	0,8	12	Super	R	M 12x1,25	19	17,5	•	SAE		
Y											
Y 5 DDC	0,8	12	Super		M 12x1,25	19	16	•	SON		
Y 6 DC	0,6	3	Super		M 12x1,25	19	16	•	SAE		
YR											
YR 5 DDE	0,8	12	Nickel-Yttrium	R	M 12 x 1.25	19	16		SAE		
LDE	0,8	12	Nickel-Yttrium	R	M 12 x 1.25	19	16		SAE		
NI332S	0,7	30	Double Platinum	R	M 12 x 1.25	26,5	16		SAE		
YR 6 DES	0,7	12	Nickel-Yttrium	R	M 12 x 1.25	19	16		SAE		
KI332S	0,7	12	Double Platinum	R	M 12 x 1.25	19	16		SAE		
LDE	0,8	12	Nickel-Yttrium	R	M 12 x 1.25	19	16	•	SAE		
NI332S	0,7	12	Double Platinum	R	M 12 x 1.25	26,5	16		SAE		
YR 7 DC+	0,9	31	Nickel-Yttrium	R	M 12 x 1.25	19	16		SAE		
DE	0,9	3	Nickel-Yttrium	R	M 12 x 1.25	19	16	•	SAE		
LPP332W	0,9	30	Platinum	R	M 12 x 1.25	19	16	•	SAE		Double Platinum
MPP33	0,8	30	Double Platinum	R	M 12 x 1.25	26,5	16		SAE		
ZR											
ZR 8 TPP 15	1,0	29	Platinum	R	M 12x1,25	26,5	14	•	SAE		

1)

)

Spark plug gap

2)

Refer page A25 for illustration

3)

Terminal type

 **For the Bosch Voluntary Warranty Statement,
please refer to our website www.bosch.com.au**

Application Listings

B2 ALFA ROMEO									
	Icon	Icon	Icon	Icon	Icon	Icon	Icon	Icon	Icon
1	ALFA ROMEO				Standard ¹⁾ 2)	Premium ¹⁾	Performance ³⁾		
2	Alfa 33								
3	907	01.90-03.92	1.7	79	AR30504	WR 7 DC+	WR 7 DP	F6-4	
				95	AR30558 <M3>	WR 5 DC+	WR 5 DP		
				77	AR30146	WR 5 DC+	WR 5 DP		
				1.7	AR30558 <M8>	WR 5 DC+	WR 5 DP		
				86	AR30550 <M7>	WR 6 DC+	WR 6 DP		
				1.7	AR30737 <M6>	WR 5 DC+	WR 5 DP		
				98	AR30746 <M8>	FR 7 DC+	FR 7 DP	F1-4	11
				95	AR30747 <M9>	FR 7 DC+	FR 7 DP	F1-4	8
				98	AR30747 <M9>	FR 7 DC+	FR 7 DP	F1-4	
4	Alfa 75	02.86-02.92	2.5	110-113	AR01911 KAT <M1>	WR 7 DC+	WR 7 DP		
		01.87-02.92	2.0	109	AR06224 <M10>	DOZ	FR 5 DC	FR 5 DP	
			3.0	133-136	AR06120 <M2>	WR 7 DC+	WR 7 DP		
			3.0	133-136	AR06124 KAT <M3>	WR 7 DC+	WR 7 DP		
			09.87-02.92	2.0	106	AR06166 KAT <M11>	DOZ	FR 5 DC	FR 5 DP
5	Alfa 90	10.84-01.87	2.5	115	AR01646 MPI-Bosch	WR 7 DC+	WR 7 DP		
		02.86-12.90	2.5	110-113	AR01911	WR 7 DC+	WR 7 DP		
A	Alfa 147	937	11.00→	2.0	110	AR32310 <M10>	DOV,W14	FR 7 DC+	
	Alfa 147 GTA	937	01.03→	3.2	184	932A000 <M20>		FR 5 DPP 222	
	Alfa 156	932	10.97-09.00	2.0	114	AR32301 <M3>	DOV,W14	FR 7 DC+	
			2.5	140	AR32401 <M4>		FR 5 DPP 222		
		09.00-12.01	2.0	114	AR32310 CF3 <M20>	DOV,W14	FR 7 DC+		
		01.02-10.05	2.0	121	AR32310 CF3 <M11>	DOV,W14	FR 7 DC+		
					937A1.000 <M10>		FR 7 DC+	FR 7 DP	
						BGB,W13	FR 6 KI 332 S		
							FR 5 DPP 222		
			2.5	141	AR32405 <M15>		FR 7 DC+	FR 7 DP	
		01.02-12.05	2.0	121	937A1.000 <M10>	BGB,W13	FR 6 KI 332 S		
							FR 5 DPP 222		
			03.02-10.05	3.2	184	932A000 <M20>			
	Alfa 159	939	06.05→	2.2	136	939A5000 <M50 E4>		FR 8 DPP 33+	
		01.06→	3.2	191-195	939A000 <M61>		HR 7 MPP 302		
		03.06→	2.2	136	939A5000 <M50 E4>		FR 8 DPP 33+		
			3.2	191-195	939A000 <M61>		HR 7 MPP 302		
	Alfa 164	164	04.88-09.92	3.0	132	AR06412 <M4>		WR 5 DC+	WR 5 DP
	Alfa 166	936	10.98-09.00	3.0	166	AR34301 <M15>		F 5 D P O R	
		09.00-10.07	3.0	166	AR36101 <M17>		F 5 D P O R		

¹⁾ Detail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)
²⁾ Original equipment (or) equivalent recommendation
³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

This catalogue contains data from the vehicles, engines and equipment for the Australian and New Zealand markets from the year of manufacture 1960 up to and including January 2013. This data has been assembled from information provided by manufacturers and importers, Bosch documentation as well as from investigations made on vehicles as at the date of publication. It reflects the status as at January 2013.

Whilst every care has been taken in the preparation of this catalogue, it is not possible for Bosch to guarantee its sources or to avoid discrepancies caused by technical changes to vehicles, engines and equipment due to the conditions and regulations applying in Australia and New Zealand. Except in respect of any implied warranties which cannot be excluded by law, Bosch does not make any representation or warranty as to the accuracy, completeness or suitability of the information in this catalogue.

Bosch reserves the right to alter specifications and its product range without notice.

To the extent permitted by law, Bosch is not liable for any loss or damage whatsoever (including special, direct, consequential or incidental damages for loss of profits or loss of revenue) arising out of or relating to this catalogue whether arising in tort, contract, under statute, at law or otherwise.

Before relying on this catalogue, users may wish to carefully evaluate the information for their purpose and obtain further advice relevant to their circumstances. From time to time, Bosch may (at its discretion) issue bulletins containing updates to this information to which users of this catalogue should have regard.

					Type						
									Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
ALFA ROMEO											
Alfa 33											
905	06.83 - 10.84	1.5	62	AR30504			WR 7 DC+	WR 7 DP	F6-4		
	06.83 - 03.88	1.3	64	AR30168 <M3>			WR 5 DC+	WR 5 DP			
	06.84 - 12.90	1.5	77	AR30...			WR 5 DC+	WR 5 DP			
	10.86 - 12.90	1.7	84	AR30550 <M7>			WR 6 DC+	WR 6 DP	F14-4		
	10.87 - 12.89	1.7	77	AR30558 <M8>			WR 5 DC+	WR 5 DP			
	03.88 - 12.89	1.7	84-95	AR30550 <M7>			WR 6 DC+	WR 6 DP	F14-4		
907	01.90 - 03.92	1.7	79	AR30737 <M6>			WR 5 DC+	WR 5 DP			
			98	AR30746 <M8>			FR 7 DC+	FR 7 DP	F1-4		
	01.90 - 10.94	1.7	95	AR30747 <M9>			FR 7 DC+	FR 7 DP	F1-4		
Alfa 75											
162	02.86 - 02.92	2.5	110-113	AR 01911 KAT <M1>			WR 7 DC+	WR 7 DP			
	01.87 - 02.92	2.0	109	AR 06224 <M10>		DOZ	FR 5 DC	FR 5 DP			
		3.0	133-136	AR 06120 <M2>			WR 7 DC+	WR 7 DP			
	02.87 - 01.90	3.0	136	AR 06124 KAT <M3>			WR 7 DC+	WR 7 DP			
	09.87 - 02.92	2.0	106	AR 06166 KAT <M11>		DOZ	FR 5 DC	FR 5 DP			
Alfa 90											
162	10.84 - 01.87	2.5	115	AR 01646 MPI-Bosch			WR 7 DC+	WR 7 DP			
	02.86 - 12.90	2.5	110-113	AR 01911			WR 7 DC+	WR 7 DP			
Alfa 147											
937	11.00 - 12.10	2.0	110	AR 32310 <M10>		DOV,WI4	FR 7 DC+				
Alfa 147 GTA											
937	01.03 - 12.10	3.2	184	932A000 <M20>			FR 5 KI 332 S				
Alfa 156											
932	10.97 - 09.00	2.0	114	AR32301 <M3>		DOV,WI4	FR 7 DC+				
		2.5	140	AR32401 <M4>			FR 5 KI 332 S				
	09.00 - 12.01	2.0	110	AR32310 CF3 <M20>		DOV,WI4	FR 7 DC+				
	01.02 - 10.05	2.0	110	AR32310 CF3 <M11>		DOV,WI4	FR 7 DC+				
		2.5	141	AR32405 <M15>			FR 5 KI 332 S				
	01.02 - 12.05	2.0	121	937 A1.000 <M10>			FR 7 DC+	FR 7 DP			
	03.02 - 10.05	3.2	184	932 A.000 <M20>			FR 5 KI 332 S				
Alfa 159											
939	06.05 - 12.08	2.2	136	939 A5.000 <M50 E4>			FR 8 DPP 33+				
	01.06 - 12.08	3.2	191-195	939 A.000 <M61>			HR 7 MPP 302 X				
Alfa 164											
164	04.88 - 09.92	3.0	132	AR 06412 <M4>			WR 5 DC+	WR 5 DP			
Alfa 166											
936	10.98 - 09.00	3.0	166	AR 34301 <M15>			FR 5 KI 332 S				
	09.00 - 10.07	3.0	166	AR 36101 <M17>			FR 5 KI 332 S				
Alfasud											
	06.72 - 09.84	1.2	46	AR 30102			WR 7 DC+	WR 7 DP			
	12.73 - 12.77	1.2	50	301.04			WR 4 CC	WR 4 CP			
	05.78 - 02.80	1.5	61-63	301.24			WR 6 DC+	WR 6 DP			

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					
								Standard ^{1) 2)}	Premium ¹⁾
									Performance ³⁾
09.78 - 06.83	1.5	63	301.24				WR 5 DC+	WR 5 DP	
03.80 - 06.83	1.5	61	301.24				WR 6 DC+	WR 6 DP	F14-4
03.80 - 12.84	1.3	63	301.68				WR 5 DC+	WR 5 DP	
	1.5	70	301.28				WR 5 DC+	WR 5 DP	
09.80 - 12.85	1.5	71	301.28				WR 5 DC+	WR 5 DP	
01.83 - 12.84	1.5	77	301.46				WR 5 DC+	WR 5 DP	
Alfetta									
01.75 - 12.84	1.8	85	016.78				WR 7 DC+	WR 7 DP	
09.76 - 12.85	2.0	112		09.76 - 10.85			WR 5 DC+	WR 5 DP	
07.78 - 12.84	2.0	96	016.55				WR 7 DC+	WR 7 DP	F6-4
04.83 - 12.84	2.0	96	017.13				WR 7 DC+	WR 7 DP	F6-4
Berlina									
01.68 - 03.72	1.8	84	005.48				WR 5 DC+	WR 5 DP	
04.71 - 12.77	2.0	98	005.15				WR 7 DC+	WR 7 DP	
Brera									
939	01.06 →	2.2	136	939 A5.000 <M50>			FR 8 DPP 33+		
		3.2	191	939 A.000 <M61>			HR 7 MPP 302 X		
Giulia									
06.62 - 12.68	1.6	68					WR 5 DC+	WR 5 DP	
08.64 - 09.71	1.3	57	005.06				WR 6 DC+	WR 6 DP	
03.65 - 09.71	1.6	72	005.26				WR 5 DC+	WR 5 DP	
10.65 - 09.71	1.3	60	005.39				WR 6 DC+	WR 6 DP	
01.69 - 10.78	1.6	75	005.26				WR 5 DC+	WR 5 DP	
116	10.82 - 04.85	2.0	96	116.71			WR 5 DC+	WR 5 DP	
Giulietta									
116	10.77 - 04.85	1.6	80	016.00			WR 7 DC+	WR 7 DP	F6-4
	04.79 - 04.85	1.8	90	016.78			WR 7 DC+	WR 7 DP	F6-4
GT									
937	10.03 →	2.0	121	937A1000 <M5>			FR 7 DC+	FR 7 DP	
		3.2	176	936A000 <M10>			FR 5 KI 332 S		
GT Junior									
08.66 - 12.77	1.3	66	005.30s				WR 6 DC+	WR 6 DP	
06.71 - 12.77	1.6	80	005.26				WR 5 DC+	WR 5 DP	
06.72 - 08.75	1.6	80	005.26				WR 6 DC+	WR 6 DP	
GTV									
116	01.68 - 03.72	1.8	84	005.48			WR 5 DC+	WR 5 DP	
	07.78 - 01.86	2.0	96	016.55			WR 7 DC+	WR 7 DP	F6-4
	11.80 - 02.87	2.5	116-118	016.46			WR 7 DC+	WR 7 DP	
916	04.95 - 04.98	2.0	110	AR 16201 <M1>	DOV,WI4		FR 7 DC+		
	05.98 - 07.00	3.0	162	AR 16102 <M4/M7>			FR 5 KI 332 S		
	08.00 - 12.05	2.0	110	AR 32310 <M6>	DOV,WI4		FR 7 DC+		
		3.0	160	AR 16105 <M7>			FR 5 KI 332 S		
	04.03 - 12.05	2.0	121	937A1.000 <M8>			FR 7 DC+	FR 7 DP	
		3.2	176	936A6.000 <M9>			FR 5 KI 332 S		
Mito									
955	10.09 →	1.4	88	955 A6.000 <M16>			YR 7 DC+		

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable



A

				Type					
< ALFA ROMEO							Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
Montreal									
10.70 - 12.75 2.6 147 005.64								WR 5 DC+	WR 5 DP
Spider									
105	03.66 - 12.68	1.6	80	01600		WR 5 DC+	WR 5 DP		
	05.68 - 10.78	1.3	64-66	005.36		WR 5 DC+	WR 5 DP		
	04.71 - 12.89	2.0	89-98	005.15		WR 7 DC+	WR 7 DP		F6-4
	06.71 - 10.79	1.6	75-80	005.26		WR 5 DC+	WR 5 DP		
	01.72 - 12.80	2.0	82	016.84 Spica Inject.		WR 5 DC+	WR 5 DP		
916	04.95 - 04.98	2.0	110	AR 16201 <M1>	DOV,WI4	FR 7 DC+			
		3.0	141	AR 16101 <M2>		FR 5 DPP 222			
	08.00 - 03.03	3.0	160	AR 16105 CF3 <M7>		FR 5 KI 332 S			
	08.00 - 02.06	2.0	110	AR 32310 CF3 <M6>	DOV,WI4	FR 7 DC+			
	04.03 - 02.06	3.2	176	936A6.000 <M9>		FR 5 KI 332 S			
939	03.06 - 12.10	2.2	136	939 A5.000 <M50>		FR 8 DPP 33+			
	09.06 - 12.10	3.2	191	939 A.000 <M61>		HR 7 MPP 302 X			
Spider Duetto									
12.69 - 12.72 1.8 83 00.548								WR 5 DC+	WR 5 DP
Sprint									
	05.78 - 02.80	1.5	61	301.24		WR 6 DC+	WR 6 DP		
	07.79 - 12.82	1.5	70	301.28		WR 5 DC+	WR 5 DP		
	10.87 - 12.89	1.7	77	305.58 Kat.		WR 5 DC+	WR 5 DP		
ASIA (ASIA MOTORS)									
Rocsta									
CA	02.94 - 12.98	1.8	57	SOHC		WR 8 DC+	WR 8 DP		
ASTON MARTIN									
DBS									
11.70 - 12.72 5.3 243								WR 7 DC+	WR 7 DP
DB7									
	03.94 - 02.99	3.2	250	AJ6 Kompressor		FR 6 DC+			
	03.99 - 08.02	5.9	309			HR 7 KPP 33+			
Lagonda									
01.76 - 12.85 5.3 230 V8								WR 7 DC+	WR 7 DP
Vantage									
02.77 - 12.85 5.3 276 40HE								WR 7 DC+	WR 7 DP
Volante									
09.90 - 12.95 5.3 246								FR 7 DC+	FR 7 DP

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type							
									Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
AUDI											
A1											
8X1	05.10→	1.4	90	CAXA <D4X>			FR 6 HI 332				
8XA	01.12→	1.2	63	CBZA <DB1>			FR 6 HI 332				
A1 1.4 TFSI Sportback											
8XA	11.11→	1.4	90	CAXA <D4X>			FR 6 HI 332				
			136	CAVG <DP4>			FR 6 HI 332				
A3											
8L1	09.96 - 06.01	1.6	74	AEH			FR 7 LDC+			F1-4	
	09.96 - 06.03	1.8	92	AGN			FR 7 LDC+			F1-4	
	12.96 - 06.03	1.8	110	AGU			FR 7 KPP 33+				
	08.98 - 05.00	1.8	132	APP			FR 7 KPP 33+				
	08.98 - 04.03	1.8	92	APG			FR 7 LDC+			F1-4	
	05.00 - 04.02	1.6	75	AVU			FR 7 LDC+			F1-4	
	05.00 - 06.03	1.8	110	AUM			FR 7 KPP 33+				
	05.02 - 06.03	1.6	75	BFQ			FR 7 LDC+			F1-4	
8P1	05.03 - 05.05	1.6	75	BGU			FR 7 LDC+			F1-4	
	01.04 - 08.04	2.0	110	BMB			FR 7 DE 2				
	06.04 - 12.04	2.0	110	BLX			FR 7 HPP 332 W				
8PA	09.04 - 01.05	2.0	110	BLX			FR 7 HPP 332 W				
	09.04 - 05.05	1.6	75	BGU			FR 7 LDC+			F1-4	
	09.04 - 10.05	2.0	147	AXX			FR 5 KPP 332 S				
8P1	09.04 - 10.05	2.0	110	BLY			FR 7 DE 2				
8PA	06.05 - 08.12	1.6	75	BSE <MW6>			FR 7 LDC+			F1-4	
				BSF <MW6>			FR 7 LDC+				
8P1	06.05 - 08.12	1.6	75	BSE <MW6>			FR 7 LDC+			F1-4	
				BSF <MW6>			FR 7 LDC+				
8PA	09.05 - 05.09	2.0	147	BWA			FR 5 KPP 332 S				
	11.05 - 11.06	2.0	110	BVY			FR 7 HPP 332 W				
	11.06 - 06.07	1.8	118	BYT			FR 5 KPP 332 S				
8P1	11.06 - 06.07	1.8	118	BYT			FR 5 KPP 332 S				
8PA	06.07 - 06.08	1.8	118	BZB			FR 5 KPP 332 S				
	06.07 - 08.12	1.4	92	CAXC <D33>			FR 6 HI 332				
	07.08 - 08.12	1.8	118	CDAA <D67>			FR 5 KPP 332 S				
	05.10→	1.6	75	CMXA <MW6>			FR 7 LDC+				
8P1	05.10→	1.6	75	CMXA <MW6>			FR 7 LDC+				
A3 Cabriolet											
8P7	04.08 - 01.09	1.8	118	BZB <D67>			FR 5 KPP 332 S				
		2.0	147	CAWB <D2L>			FR 5 KPP 332 S				
	01.09→	1.8	118	CDAA <D67>			FR 5 KPP 332 S				
		2.0	147	CCZA <D2L>			FR 5 KPP 332 S				
A3 Quattro											
8L1	08.97 - 08.00	1.8	110	AGU			FR 7 KPP 33+				
	08.98 - 06.99	1.8	92	AGN			FR 7 LDC+			F1-4	
8P1	07.03 - 08.04	3.2	184	BDB			YR 7 LPP 332 W				
8PA	09.04 - 10.05	2.0	147	AXX			FR 5 KPP 332 S				
		3.2	184	BMJ			YR 7 LPP 332 W				
8P1	09.04 - 10.05	3.2	184	BMJ			YR 7 LPP 332 W				
8PA	11.05 - 05.09	2.0	147	BWA			FR 5 KPP 332 S				
		3.2	184	BUB <D6D>			YR 7 LPP 332 W				
	07.08→	2.0	147	CCZA <D2L>			FR 5 KPP 332 S				

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

					Type					
									Standard ^{1) 2)}	Premium ¹⁾
A4										Performance ³⁾
8D2, B5	11.94 - 07.98	1.8	110	AEB				FR 7 KPP 33+		
		2.6	110	ABC				FR 7 LDC+		
	11.94 - 04.99	1.8	92	ADR				FR 7 LDC+		F1-6
	03.96 - 12.98	2.8	142	ACK				FR 7 LDC+		F1-4
	08.97 - 07.98	2.4	121	AGA				FGR 7 DQE+		F1-6
				ALF				FGR 7 DQE+		F1-6
	08.97 - 12.98	1.8	132	AJL				FR 7 KPP 33+		
	08.98 - 07.99	2.4	121	APS				FGR 7 DQE+		F1-6
	08.98 - 06.00	2.8	142	APR				FGR 7 DQE+		F1-6
	06.00 - 10.00	2.4	120	AMM				FGR 7 DQE+		F1-6
8E2, B6	12.00 - 12.04	2.0	96	ALT				FLR 8 LDCU+		F3-4
		3.0	162	ASN				FGR 7 DQE+		F1-6
	04.01 - 12.04	3.0	160	BBJ				FGR 7 DQE+		F1-6
	09.01 - 02.07	2.4	125	BDV				FGR 7 DQE+		F1-6
8H7, B6	04.02 - 12.05	1.8	120	BFB				FR 7 KPP 33+		
		3.0	160	BBJ				FGR 7 DQE+		F1-6
8E2, B6	07.02 - 12.04	1.8	120	BFB				FR 7 KPP 33+		
	11.02 - 12.04	1.8	140	BEX				FR 7 KPP 33+		
8EC, B7	11.04 - 08.05	2.0	147	BGB				FR 5 KPP 332 S		
	11.04 - 05.06	3.0	160	BBJ				FGR 7 DQE+		
	11.04 - 06.08	1.8	120	BFB				FR 7 KPP 33+		
		2.0	96	ALT				FLR 8 LDCU+		F3-4
	09.05 - 06.08	2.0	147	BWE				FR 5 KPP 332 S		
8HE, B7	01.06 - 03.09	1.8	120	BFB				FR 7 KPP 33+		
		2.0	147	BWE				FR 5 KPP 332 S		
8K2, B8	06.08 →	1.8	118	CDHB <D67>				FR 5 KPP 332 S		
		2.0	132	CDNB <D64>				FR 5 KPP 332 S		
	11.09 →	2.0	132	CFKA <D64>				FR 5 KPP 332 S		
A4 Avant										
8D5, B5	11.94 - 07.98	2.6	110	ABC				FR 7 LDC+		F1-6
	11.94 - 04.99	1.8	92	ADR				FR 7 LDC+		F1-4
	10.95 - 07.98	1.8	110	AEB				FR 7 KPP 33+		
	03.96 - 07.98	2.8	142	ACK				FGR 7 DQE+		F1-6
	08.97 - 07.98	2.4	121	AGA				FGR 7 DQE+		F1-6
	08.97 - 09.01	1.8	132	AJL				FR 7 KPP 33+		
	08.98 - 06.00	2.4	121	APS				FGR 7 DQE+		F1-6
	08.98 - 09.01	1.8	110	APU				FR 7 KPP 33+		
	06.00 - 09.01	2.4	120	AMM				FGR 7 DQE+		F1-6
8E5, B6	09.01 - 12.04	2.0	96	ALT				FLR 8 LDCU+		F3-4
	07.02 - 12.04	1.8	120	BFB				FR 7 KPP 33+		
	11.02 - 12.04	1.8	140	BEX				FR 7 KPP 33+		
8ED, B7	11.04 - 08.05	2.0	147	BGB				FR 5 KPP 332 S		
	11.04 - 06.08	1.8	120	BFB				FR 7 KPP 33+		
		2.0	96	ALT				FLR 8 LDCU+		F3-4
8K5, B8	06.08 →	1.8	118	CDHB <D67>				FR 5 KPP 332 S		
		2.0	132	CDNB <D64>				FR 5 KPP 332 S		
			155	CDNC <D2D>				FR 5 KPP 332 S		
A4 Quattro										
8D2, B5	11.94 - 07.98	2.6	110	ABC				FR 7 LDC+		
	11.94 - 12.98	1.8	110	AEB				FR 7 KPP 33+		
	11.94 - 04.99	1.8	92	ADR				FR 7 LDC+		F1-4
	03.96 - 07.98	2.8	142	ACK				FGR 7 DQE+		F1-6
	08.97 - 07.98	2.4	121	AGA				FGR 7 DQE+		F1-6
	08.97 - 10.00	1.8	132	AJL				FR 7 KPP 33+		

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

					Type					Platinum	Platinum Performance
										Standard ^{1) 2)}	Premium ¹⁾
8D2, B5	02.99 - 06.00	2.8	142	APR						FGR 7 DQE+	
	02.99 - 10.00	2.4	121	APS						FGR 7 DQE+	
8E2, B6	12.00 - 12.04	3.0	162	ASN						FGR 7 DQE+	
	03.01 - 12.04	3.0	160	BBJ						FGR 7 DQE+	
	07.02 - 12.04	1.8	120	BFB						FR 7 KPP 33+	
8EC, B7	11.04 - 08.05	2.0	147	BGB						FR 5 KPP 332 S	
	11.04 - 05.06	3.0	160	BBJ						FGR 7 DQE+	
	11.04 - 06.08	1.8	120	BFB						FR 7 KPP 33+	
	09.05 - 06.08	2.0	147	BWE						FR 5 KPP 332 S	
8K2, B8	01.08 →	3.2	195	CALA						FR 7 KPP 332 U	
	06.08 →	2.0	155	CDNC <D2D>						FR 5 KPP 332 S	
A4 Quattro Avant											
8D5, B5	11.94 - 07.98	2.6	110	ABC						FR 7 LDC+	
	11.94 - 04.99	1.8	92	ADR						FR 7 LDC+	
	03.96 - 07.98	2.8	142	ACK						FGR 7 DQE+	
	08.97 - 09.01	1.8	132	AJL						FR 7 KPP 33+	
	08.98 - 09.01	2.4	121	APS						FGR 7 DQE+	
8E5, B6	09.01 - 06.02	1.8	110	AVJ						FR 7 KPP 33+	
8ED, B7	11.04 - 08.05	2.0	147	BGB						FR 5 KPP 332 S	
	09.05 - 06.08	2.0	147	BWE						FR 5 KPP 332 S	
8K5, B8	06.08 →	2.0	155	CDNC <D2D>						FR 5 KPP 332 S	
A5											
8T3	06.07 →	3.2	195	CALA <D6W>						FR 7 KPP 332 U	
	09.08 →	2.0	132	CDNB <D64>						FR 5 KPP 332 S	
A5 Cabriolet quattro											
8F7	03.09 →	2.0	155	CDNC <D2D>						FR 5 KPP 332 S	
		3.2	195	CALA <D6W>						FR 7 KPP 332 U	
A5 Quattro											
8T3	11.07 →	3.2	195	CALA <D6W>						FR 7 KPP 332 U	
	06.08 →	2.0	155	CDNC <D2D>						FR 5 KPP 332 S	
A5 Sportback Quattro											
8TA	09.09 →	2.0	155	CDNC <D2D>						FR 5 KPP 332 S	
A6											
4A2, C4	06.94 - 10.97	2.6	110	ABC						FR 7 LDC+	
		2.8	128	AAH						FR 7 LDC+	
4B2, C5	04.97 - 07.98	2.8	142	ACK						FGR 7 DQE+	
	04.97 - 01.99	2.4	121	AGA						FGR 7 DQE+	
	11.98 - 04.01	2.4	121	APS						FGR 7 DQE+	
		2.8	142	APR						FGR 7 DQE+	
	06.01 - 05.04	2.4	125	BDV						FGR 7 DQE+	
		3.0	160	BBJ						FGR 7 DQE+	
			162	ASN						FGR 7 DQE+	
4F2, C6	04.04 - 05.06	3.0	160	BBJ						FR 7 KPP 332	
	04.04 - 10.08	2.4	130	BDW						FR 7 KPP 332	
	06.05 →	2.0	125	BPJ <D6G>						FR 5 KPP 332 S	
	11.06 - 10.08	2.8	154	BDX						FR 7 KPP 332 U	
A6 Avant											
4A5, C4	06.94 - 06.96	2.6	110	ABC						FR 7 LDC+	
4B5, C5	04.97 - 01.99	2.4	121	AGA						FGR 7 DQE+	

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable



A

										Platinum Performance
◀ AUDI								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
4B5, C5	02.98 - 07.98 11.98 - 06.00	2.8 2.4	142 121	ACK APS			FGR 7 DQE+ FGR 7 DQE+			F1-6 F1-6
4F5, C6	03.05 - 10.08 06.05 →	2.4 2.0	130 125	BDW BPJ <D6G>			FR 7 KPP 332 FR 5 KPP 332 S			F1-6
A6 Quattro										
4A2, C4	06.94 - 10.97	2.6 2.8	110 128	ABC AAH			FR 7 LDC+ FR 7 LDC+			F1-6 F1-6
4B2, C5	04.97 - 12.98 11.98 - 06.99 01.99 - 05.01	2.8 2.4 2.8	142 121 142	ACK APS APR			FGR 7 DQE+ FGR 7 DQE+ FGR 7 DQE+			F1-6 F1-6 F1-6
4B4, C5	04.99 - 05.01 06.00 - 05.04	4.2 4.2	220 220	ARS ASG			FGR 7 KQE 0 FGR 7 KQE 0			
4B2, C5	06.01 - 06.02 06.01 - 05.04 07.02 - 05.04	2.7 3.0 2.7	184 162 184	ARE ASN BES			FR 7 KPP 33+ FGR 7 DQE+ FR 7 KPP 33+			F1-6
4F2, C6	04.04 - 05.06 11.06 - 10.08 10.08 →	3.0 4.2 2.8 3.0	160 246 154 162	BBJ BAT BDX CCEA <DB3>			FR 7 KPP 332 FGR 7 KQE 0 FR 7 KPP 332 U FR 7 KPP 332			F1-6
				CAJA <D12>			FR 5 KPP 332 S			
A6 Quattro Avant										
4B5, C5	02.98 - 12.98 11.98 - 06.99	2.8 2.4	142 121	ACK APS			FGR 7 DQE+ FGR 7 DQE+			F1-6 F1-6
4BH, C5	05.00 - 06.02 07.02 - 08.05	2.7 2.7 4.2	184 184 220	ARE BES BAS			FR 7 KPP 33+ FR 7 KPP 33+ FGR 7 KQE 0			
A6 2.0 FSI Avant										
4G5, C7	06.11 →	2.0	132	CDNB <D64>			FR 5 KPP 332 S			
A8										
4D2, D2	06.94 - 03.96 07.95 - 12.98 05.97 - 12.98	2.8 3.7 3.7	128 169 169	AAH AEW AKJ			FR 7 LDC+ HGR 7 KQC HGR 7 KQC			F1-6
A8 Quattro										
4D2, D2	06.94 - 12.98 10.98 - 02.01	4.2 4.2	220 228	ABZ AQF			HGR 7 KQC FGR 7 KQE 0			
4E, D3	11.02 - 05.06 02.04 - 07.10	3.7 4.2 6.0	206 246 331	BFL BFM BHT			FGR 7 KQE 0 FGR 7 KQE 0 FR 7 HPP 33+			
Cabriolet										
8G7, B4	01.93 - 09.98 01.94 - 08.00	2.0 2.6	85 110	ABK ABC			WR 7 LTC+ FR 7 LDC+			F6-4 F1-6
Fox										
	11.73 - 08.74 09.74 - 08.79	1.5 1.6	57 61	XV, XW YH			WR 7 DC+ WR 7 DC+	WR 7 DP WR 7 DP		
Q5										
8RB	11.08 - 09.12	2.0 3.2	155 199	CDNC <D2D> CALB <DC0>			FR 5 KPP 332 S FR 7 KPP 332 U			

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

					Type				Platinum	Platinum Performance	
									Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
RS4											
8D5, B5	05.00 - 10.00	2.7	280	ASJ		FR 6 KPP 33+					
	11.00 - 09.01	2.7	280	AZR		FR 6 KPP 33+					
8ED, B7	05.06 - 06.08	4.2	309	BNS		FR 5 KPP 332 S					
RS5											
8T3	03.10 →	4.2	331	CFSA		FR 5 KPP 332 S					
RS6											
4B6	05.02 - 04.04	4.2	331	BCY		FR 6 KPP 33+					
4B4	07.02 - 04.04	4.2	331	BCY		FR 6 KPP 33+					
4B6	04.04 - 09.04	4.2	353	BRV		FR 6 KPP 33+			F8-4		
4F2, C6	09.08 →	5.0	426	BUH		FR 6 KPP 332 S					
R8 Quattro											
423	04.07 - 09.10	4.2	309	BYH		FR 5 KPP 332 S					
	04.09 →	5.2	386	BUJ		FR 5 KPP 332 S					
429	09.10 →	4.2	316	CNDA <DH6>		FR 5 KPP 332 S					
S2											
8C2, B4	02.93 - 05.95	2.2	169	ABY		F5 DP 0 R					
S3											
8L1	08.98 - 08.00	1.8	154	APY		FR 7 KPP 33+					
	08.01 - 06.03	1.8	165	BAM		FR 7 KPP 33+					
8P1	11.06 - 06.08	2.0	195	BHZ		FR 6 KPP 332 S					
	02.07 - 06.08	2.0	188	BZC		FR 6 KPP 332 S					
	07.08 →	2.0	188	CDLC <D81>		FR 5 KPP 332 S					
S4											
4A2, C4	07.92 - 07.94	2.2	169	AAN		F5 DP 0 R					
8D2, B5	10.97 - 10.00	2.7	195	AGB		FR 7 KPP 33+					
8D5, B5	10.97 - 09.01	2.7	195	AGB		FR 7 KPP 33+					
8E2, B6	03.03 - 12.04	4.2	253	BBK		FGR 7 KQE 0					
8E5, B6	03.03 - 12.04	4.2	253	BBK		FGR 7 KQE 0					
8H7, B7	02.04 - 12.05	4.2	253	BBK		FGR 7 KQE 0					
8ED, B7	11.04 - 06.08	4.2	253	BBK		FGR 7 KQE 0					
S4 Quattro											
8K2, B8	03.09 →	3.0	245	CAKA <D11>		FR 5 KPP 332 S					
S5											
8T3	06.07 - 09.11	4.2	260	CAUA <D0A>		FGR 7 KQE 0					
S5 Cabriolet quattro											
8F7	06.09 - 09.11	3.0	245	CAKA <D11>		FR 7 KPP 332 U					
S5 Sportback Quattro											
8TA	01.10 - 09.11	3.0	245	CAKA <D11>		FR 5 KPP 332 S					
S6											
4B4, C5	09.99 - 05.01	4.2	250	AQJ		FGR 6 KQE					
	06.01 - 05.04	4.2	250	ANK		FGR 6 KQE					

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

A

					Type						
◀ AUDI									Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
S8											
4D2	09.96 - 12.98	4.2	250	AHC			HGR 6 KQC				
	09.00 - 09.02	4.2	265	AVP			FGR 6 KQE				
TT											
8N3	07.98 - 08.00	1.8	132	AJQ			FR 7 KPP 33+				
	07.98 - 08.01	1.8	165	APX			FR 7 KPP 33+				
	09.00 - 05.05	1.8	132	ARY			FR 7 KPP 33+				
	09.00 - 06.06	1.8	132	AUQ			FR 7 KPP 33+				
			165	BAM			FR 7 KPP 33+				
	01.01 - 06.06	1.8	110	AUM			FR 7 KPP 33+				
8J3	07.06 - 06.10	2.0	147	BWA <D2L>			FR 5 KPP 332 S				
	06.08→	1.8	118	CDAA <D67>			FR 5 KPP 332 S				
TT Quattro											
8N3	07.03 - 06.06	3.2	184	BHE			YR 7 LPP 332 W				
8J3	07.06 - 06.10	3.2	184	BUB <D6D>			YR 7 LPP 332 W				
	05.08→	2.0	200	CDLB <D14>			FR 5 KPP 332 S				
	06.08 - 06.10	2.0	147	CCTA <D2L>			FR 5 KPP 332 S				
				CCZA <D2L>			FR 5 KPP 332 S				
TT Quattro Roadster											
8N9	03.99 - 08.01	1.8	165	APX			FR 7 KPP 33+				
	09.00 - 05.05	1.8	132	ARY			FR 7 KPP 33+				
	09.00 - 06.06	1.8	165	BAM			FR 7 KPP 33+				
	07.03 - 06.06	3.2	184	BHE			YR 7 LPP 332 W				
8J9	02.07 - 06.10	3.2	184	BUB <D6D>			YR 7 LPP 332 W				
	05.08→	2.0	200	CDLB <D14>			FR 5 KPP 332 S				
TT Roadster											
8N9	08.00 - 06.06	1.8	132	AUQ			FR 7 KPP 33+				
8J9	02.07 - 06.10	2.0	147	BWA <D2L>			FR 5 KPP 332 S				
V8 Quattro											
44, 4C, D11	09.90 - 12.92	3.6	184	PT			HGR 7 KQC				
80											
80, 82, B1	05.72 - 07.78	1.3	44	ZF			WR 7 DC+	WR 7 DP			
81, 85, B2	08.78 - 07.81	1.6	55	YN			WR 7 DC+	WR 7 DP			
	10.80 - 08.83	2.2	85	WE			WR 7 DC+	WR 7 DP			
	08.81 - 07.83	1.6	55	WV			WR 7 DC+	WR 7 DP	F6-4		
	08.83 - 03.87	1.8	66	JN			WR 7 DC+	WR 7 DP	F6-4		
89, 8A2, B3	09.86 - 12.91	1.8	66	JN			WR 7 DC+	WR 7 DP	F6-4		
	02.87 - 07.88	1.9	83	SD			WR 7 DC+	WR 7 DP	F6-4		
	08.88 - 10.90	2.0	83	3A			WR 7 LTC+		F6-4		
8C2, B4	09.90 - 11.94	2.3	98	NG			WR 8 LTC+		F4-4		
	09.91 - 05.95	2.0	85	ABK			WR 7 LTC+		F6-4		
		2.8	128	AAH			FR 7 LDC+		F1-6		
	07.92 - 05.95	2.6	110	ABC			FR 7 LDC+		F1-6		
80 Quattro											
89, 8A2, B3	09.86 - 07.88	1.9	83	SD			WR 7 DC+	WR 7 DP	F6-4		
8C2, B4	09.91 - 11.94	2.3	98	NG			WR 8 LTC+		F4-4		
	09.91 - 12.94	2.0	85	ABK			WR 7 LTC+		F6-4		
	09.91 - 05.95	2.8	128	AAH			FR 7 LDC+		F1-6		
	07.92 - 05.95	2.6	110	ABC			FR 7 LDC+		F1-6		

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

					Type						
									Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
90											
B2	12.66 - 09.71	1.8	66								
89, 8A2, B3	04.87 - 12.91	2.3	98	NG						F4-4	
	08.88 - 12.91	2.3	125	7A							
90 Quattro											
89, 8A2, B3	04.87 - 09.91	2.3	98	NG						F4-4	
	07.88 - 09.91	2.3	125	7A							
100											
43, C1	09.71 - 07.76	1.9	82	ZJ							
43, C2	04.77 - 07.82	2.2	100	WC							
44, 44Q, C3	08.82 - 07.84	1.9	74	WH						F6-4	
	2.2	96	KF								
	08.82 - 10.86	1.8	55	DR						F4-4	
	08.84 - 12.88	2.2	101	HX							
	09.84 - 12.90	2.2	101	KU						F14-4	
	08.86 - 08.91	2.3	100	NF						F6-4	
4A2, C4	12.90 - 07.94	2.8	128	AAH						F1-6	
	04.92 - 07.94	2.6	110	ABC						F1-6	
100 Quattro											
44, 44Q, C3	08.84 - 11.90	2.2	101	KU						F14-4	
4A2, C4	03.92 - 07.94	2.6	110	ABC						F1-6	
200											
44, C3	08.83 - 09.86	2.2	134	JY							
	08.85 - 12.91	2.2	121	MC							
200 Quattro											
44, C3	01.85 - 12.90	2.2	121	MC							
200 2.2											
43, C2	10.79 - 09.82	2.2	100	WC							
200 2.2 Turbo											
43, C2	10.79 - 09.82	2.2	125	WJ							
BEDFORD											
HA 110											
	09.78 - 08.82	1.3	55								
HA 130											
	09.78 - 08.82	1.3	55								
BENTLEY											
Arnage											
	04.02 - 08.08	6.8	336								



¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

²⁾ Original equipment (or) equivalent recommendation

³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

◀ BENTLEY						Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾	
Azure									
08.99 - 06.06	6.8	313	L410MT 1T			WR 8 DC+	WR 8 DP		
Brooklands									
07.92 - 08.97	6.8	182	L 410 MN 1T			WR 8 DC+	WR 8 DP	F4-4	
09.92 - 07.93	6.8	165	L 410 I			WR 9 DCX+	WR 9 DPX		
Continental									
03.91 - 08.99	6.8	265	L 410 IT			WR 9 DC+	WR 9 DP		
Corniche									
03.71 - 06.84	6.8					WR 8 DC+	WR 8 DP	F4-4	
Mulsanne									
01.81 - 08.87	6.8		V8 <OHV>			WR 9 DC+	WR 9 DP		
10.86 - 05.90	6.8	232	V8 <OHV>			WR 8 DC+	WR 8 DP		
T 2-Serie									
08.65 - 12.78	6.8					WR 8 DC+	WR 8 DP		
Turbo R									
11.91 - 03.93	6.8	232	V8 <OHV>			WR 9 DCX+	WR 9 DPX		
04.93 - 07.95	6.8	265	L 410 MT			WR 8 DC+	WR 8 DP		
07.95 - 07.99	6.8	286	L 410 MT 1T			WR 8 DC+	WR 8 DP		
BMW									
M 135 i									
F 20	07.12 →	3.0	235	N55 B30A		ZR 5 TPP 33-S			
M3									
E 36	09.92 - 12.94	3.0	210	30 6S 1 <S50 B30>		Y 5 DDC			
	09.92 - 09.95	3.0	210	30 6S 1 <S 50 B 30..>		Y 5 DDC			
E 46	09.00 - 05.06	3.2	252	32 6S 4 <S 54 B 32>		YR 6 LDE			
M3 Cabriolet									
E 46	04.01 - 08.06	3.2	252	32 6S 4 <S 54 B 32>		YR 6 LDE			
M3 CSL									
E 46	03.03 - 12.03	3.2	265	32 6S 4 <S 54 B 32>		YR 6 LDE			
M5									
E 34	10.88 - 12.94	3.6	232	36 6S 1 <S 38 B 36..>		Y 6 DC			
E 39	10.98 - 07.03	5.0	294	50 8S 1 <S 62 B 50>		FGR 7 DQP+		F1-4	
X1 sDrive									
E 84	03.10 →	2.0	100-110	N46 B20B		FR 7 KPP 332			
X3									
E 83	01.04 - 08.06	3.0	170	30 6S 3 <M 54>		FGR 7 DQP+		F1-6	
	03.04 - 08.06	2.5	141	25 6S 5 <M 54>		FGR 7 DQP+		F1-6	
	09.06 - 08.08	2.5	160	N52 B25... <NG6>		FR 7 NPP 332			

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

					Type				Platinum	Platinum Performance
E 83	09.06 - 08.08	3.0	200	N52 B30... <NG6>		FR 7 NPP 332	Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾	
X3 xDrive										
E 83	09.08 - 08.10	2.5	160	N52 B25... <NG6>		FR 7 NPP 332				
		3.0	200	N52 B30... <NG6>		FR 7 NPP 332				
X5										
E 53	03.99 - 09.03	4.4	210	44 S2 <M 62 B 44>		FGR 7 DQP+			F1-4	
	10.99 - 09.06	3.0	170	30 S3 <M 54>		FGR 7 DQP+			F1-6	
	02.02 - 09.03	4.6	255	46 S1 <M 62 B 46>		FGR 7 DQP+			F1-4	
	10.03 - 10.06	4.4	235	N62 B44A <NGV8>		FGR 7 DQP+			F1-4	
	03.04 - 10.06	4.8	265	N62 B48A <NGV8>		FR 7 KPP 332			F1-4	
E 70	11.06 - 09.08	3.0	200	N52 B30... <NG6>		FR 7 NPP 332				
		4.8	261	N62 B48B <NGV8>		FR 7 KPP 332			F1-4	
X5 xDrive										
E 70	10.08 - 03.10	3.0	200	N52 B30... <NG6>		FR 7 NPP 332				
		4.8	261	N62 B48B <NGV8>		FR 7 KPP 332			F1-4	
X6 xDrive										
E 71	03.08 - 03.10	3.0	225	N54 B30A		ZGR 6 STE 2				
	05.08 →	4.4	300	N63 B44A		ZR 5 TPP 33				
Z3										
E 36/7	09.95 - 12.99	1.9	103	19 S1 <M 44 B 19>	WI1	FGR 7 DQP+			F1-4	
	11.96 - 08.00	2.8	142	28 S1/2 <M 52 B 28>	WI1	FGR 7 DQP+			F1-6	
	04.99 - 12.00	2.0	110	20 S4 <M 52 B 20>	WI1	FGR 7 DQP+			F1-6	
					WI4	FR 7 LDC+				
	05.00 - 06.02	3.0	170	30 S3 <M 54>		FGR 7 DQP+			F1-6	
	09.00 - 09.02	2.2	125	22 S1 <M 54>		FGR 7 DQP+			F1-6	
Z4										
E 85	10.02 - 01.06	2.5	141	25 S5 <M 54>		FGR 7 DQP+			F1-6	
		3.0	170	30 S3 <M 54>		FGR 7 DQP+			F1-6	
	02.06 - 08.08	3.0	195	N52 B30... <NG6>		FR 7 NPP 332				
		3.2	252	32 S4 <S 54>		YR 6 LDE				
E 86	03.06 - 08.08	3.0	195	N52 B30... <NG6>		FR 7 NPP 332				
Z4 sDrive										
E 89	04.09 - 08.11	2.5	150	N52 B25...		FR 7 NPP 332				
		3.0	190	N52 B30...	04.09 - 11.09	FR 7 NPP 332				
	04.09 →	3.0	225	N54 B30A		ZGR 6 STE 2				
3.0CS										
E 9	05.71 - 03.76	3.0	132	<M 30 B 30>		WR 7 DC+	WR 7 DP			
3.0CSi										
E 9	07.71 - 03.76	3.0	147	<M 30 B 30>		WR 7 DC+	WR 7 DP			
3.0S										
E 3	05.71 - 04.77	3.0	132	<M 30 B 30>		WR 7 DC+	WR 7 DP			
3.0Si										
E 3	02.72 - 11.75	3.0	144-147	30 ED A <M 30 B 30>		WR 7 DC+	WR 7 DP			

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

BMW							Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
E3	10.75 - 04.77	3.0	143	30 EL A <M 30 B 30>			WR 7 DC+	WR 7 DP	
3.3L									
E3	01.74 - 09.75	3.3	140	<M 30 B 33>			WR 7 DC+	WR 7 DP	
116i									
E87	09.04 - 06.11	1.6	85	N45 B16A <NG4>			FGR 7 KQE 0		
118i									
E87	11.04 - 03.07	2.0	95	N46 B20B <NG4>			FR 7 KPP 332		F1-4
	03.07 - 06.11	2.0	100	N46 B20B <NG4>			FR 7 KPP 332		F1-4
			105	N43 B20A <NG4>			ZGR 6 STE 2		
120i									
E87	09.04 - 03.07	2.0	110	N46 B20... <NG4>			FR 7 KPP 332		F1-4
	03.07 - 06.11	2.0	115	N46B20... <NG4>			FR 7 KPP 332		F1-4
120i Cabriolet									
E88	03.08 →	2.0	115	N46 B20... <NG4>			FR 7 KPP 332		F1-4
125i Cabriolet									
E88	03.08 →	3.0	160	N52 B30... <NG6>			FR 7 NPP 332		
125i Coupe									
E82	03.08 →	3.0	160	N52 B30... <NG6>			FR 7 NPP 332		
130i									
E87	09.05 - 08.09	3.0	195	N52 B30... <NG6>			FR 7 NPP 332		
135i Cabriolet									
E88	03.08 - 02.10	3.0	225	N54 B30A <NG6>			ZGR 6 STE 2		
135i Coupe									
E82	10.07 - 02.10	3.0	225	N54 B30A <NG6>			ZGR 6 STE 2		
316i									
E46	02.02 - 03.04	1.8	85	N42 B18A <NG4>			FGR 7 DQP+		
316i Compact									
E36	03.94 - 09.00	1.6	75	16 4E 2 <M 43 B 16>	W11		FGR 7 DQP+		F1-4
					W14		FR 7 LDC+		
	11.95 - 09.00	1.6	64-75	16 4E 2 <M 43 B 16..Gas CNG>	W14		FR 7 LDC+		
	12.98 - 09.00	1.9	77	19 4E 1 <M 43 B 19>			FGR 7 DQP+		
316ti Compact									
E36	09.94 - 09.96	1.8	103	18 4S 1 <M 42 B 18>	W11		FGR 7 DQP+		F1-4
					W14		FR 7 LDC+		
	12.95 - 09.00	1.9	103	19 4S 1 <M 44 B 19>	W11		FGR 7 DQP+		F1-4
					W14		FR 7 LDC+		
E46	06.01 - 03.04	1.8	85	N42 B18A <NG4>			FGR 7 DQP+		F1-4
	04.04 - 12.04	1.6	85	N45 B16A <NG4>			FR 7 KPP 332		F1-4
		1.8	85	N46 B18A <NG4>			FR 7 KPP 332		F1-4

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					Platinum	Platinum Performance
								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
318i										
E 21	03.80 - 05.83	1.8	75	18 4E Z <M 10 B 18>		WR 8 DC+	WR 8 DP	F4-4		
E 30	09.83 - 12.87	1.8	77	18 4E B <M 10 B 18>		WR 8 DC+	WR 8 DP	F4-4		
	09.87 - 12.91	1.8	83-85	18 4E 1 <M 40 B 18>	WI1	FGR 7 DQP+			F1-4	
					WI3	FR 8 LC	FR 8 LP			
					WI4	FR 7 LDC+				
	07.88 - 12.92	1.8	85	18 4E 1 <M 40 B 18>	WI1	FGR 7 DQP+		F1-4		
					WI4	FR 7 LDC+				
E 36	12.90 - 02.94	1.8	83-85	18 4E 1 <M 40 B 18>	WI1	FGR 7 DQP+		F1-4		
					WI4	FR 7 LDC+				
	03.92 - 10.96	1.8	103	18 4S 1 <M 42 B 18>	WI1	FGR 7 DQP+				
					WI4	FR 7 LDC+				
	09.93 - 12.98	1.8	85	18 4E 2 <M 43 B 18>	WI1	FGR 7 DQP+		F1-4		
					WI4	FR 7 LDC+				
E 46	11.98 - 09.01	1.9	87	19 4E 1 <M 43 B 19>		FGR 7 DQP+		F1-4		
	09.01 - 03.04	2.0	105	N42 B20A <NG4>		FGR 7 DQP+		F1-4		
	04.04 - 03.05	2.0	105	N46 B20... <NG4>		FR 7 KPP 332		F1-4		
318i Cabriolet										
E 30	09.90 - 12.93	1.8	83	18 4E 1 <M 40 B 18>	WI1	FGR 7 DQP+		F1-4		
					WI3	FR 8 LC	FR 8 LP			
					WI4	FR 7 LDC+				
318iS										
E 30	09.89 - 12.91	1.8	100	18 4S 1 <M 42 B 18>	WI1	FGR 7 DQP+		F1-4		
					WI4	FR 7 LDC+				
E 36	03.92 - 12.96	1.8	103	18 4S 1 <M 42 B 18>	WI1	FGR 7 DQP+		F1-4		
					WI4	FR 7 LDC+				
	03.95 - 12.98	1.9	103	19 4S 1 <M 44 B 19>	WI4	FR 7 LDC+				
	03.95 - 08.99	1.9	103	19 4S 1 <M 44 B 19>	WI1	FGR 7 DQP+		F1-4		
	07.96 - 10.98	1.8	103	19 4S 1 <M 44 B 19>		FR 7 LDC+		F1-4		
318ti Compact										
E 46	04.04 - 12.04	2.0	105	N46 B20... <NG4>		FR 7 KPP 332		F1-4		
320Ci										
E 46	09.00 - 05.06	2.2	120-125	22 6S 1 <M 54>		FGR 7 DQP+				
320i										
E 21	06.75 - 12.78	2.0	92	<M 10 B 20>		WR 7 DC+	WR 7 DP			
E 30	09.82 - 09.87	2.0	92-95	20 6E B/Z <M 20 B 20>		WR 8 DC+	WR 8 DP			
	12.85 - 12.91	2.0	90-95	20 6E E/20 6K A <M 20 B 20>		WR 8 LC+	WR 8 LP			
E 36	09.90 - 12.95	2.0	110	20 6S 1/2 <M 50 B 20>	WI1	FGR 7 DQP+		F1-6		
					WI4	FR 7 LDC+				
	10.91 - 10.96	2.0	95	20 6S 1/2 <M 50 B 20>		FR 7 LDC+		F1-6		
E 46	09.00 - 03.05	2.2	120-125	22 6S 1 <M 54>		FGR 7 DQP+		F1-6		
E 90	03.05 →	2.0	110-115	N46 B20... <NG4>		FR 7 KPP 332		F1-4		
320i Touring										
E 46	09.00 - 09.05	2.2	120-125	22 6S 1 <M 54>		FGR 7 DQP+				
E 91	09.05 - 05.12	2.0	110-115	N46 B20... <NG4>		FR 7 KPP 332		F1-4		
320.4										
E 21	08.75 - 12.79	2.0	80	<M 10 B 20>		WR 8 DC+	WR 8 DP			

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					
							Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
320.6									
E 21	09.77 - 12.82	2.0	90	20 6VA <M 20 B 20>			WR 8 DC+	WR 8 DP	
323Ci									
E 46	04.98 - 09.00	2.5	125	25 6S 4 <M 52 B 25>	WI1		FGR 7 DQP+		
323Ci Cabriolet									
E 46	03.00 - 09.00	2.5	125	25 6S 4 <M 52 B 25>	WI1		FGR 7 DQP+		
323i									
E 21	01.78 - 09.82	2.3	105	23 6EA <M 20 B 23>			WR 8 DC+	WR 8 DP	
E 30	09.82 - 12.86	2.3	102-110	23 6EB/C/W <M 20 B 23>			WR 8 DC+	WR 8 DP	
E 36	10.94 - 06.99	2.5	125	25 6S 3 <M 52 B 25>	WI1		FGR 7 DQP+		F1-6
	10.96 - 10.98	2.5	125	25 6S 3 <M 52 B 25>	WI4		FR 7 LDC+		
					WI1		FGR 7 DQP+		F1-6
					WI4		FR 7 LDC+		
E 46	04.98 - 09.00	2.5	125	25 6S 4 <M 52 B 25>	WI1		FGR 7 DQP+		F1-6
E 90	09.05 →	2.5	130	N52 B25... <NG6>	09.05 - 11.09		FR 7 NPP 332		
323i Cabriolet									
E 36	05.95 - 09.99	2.5	125	25 6S 3 <M 52 B 25>	WI1		FGR 7 DQP+		F1-6
					WI4		FR 7 LDC+		
323i Coupe									
E 92	09.06 →	2.5	130	N52 B25A <NG6>			FR 7 NPP 332		
323i Touring									
E 91	09.05 - 05.12	2.5	130	N52 B25A <NG6>			FR 7 NPP 332		
323ti									
E 36	06.97 - 09.00	2.5	125	25 6S 3 <M 52 B 25>	WI1		FGR 7 DQP+		F1-6
					WI4		FR 7 LDC+		
325Ci									
E 46	09.00 - 05.06	2.5	141	25 6S 5 <M 54>			FGR 7 DQP+		F1-6
325Ci Cabriolet									
E 46	09.00 - 08.06	2.5	141	25 6S 5 <M 54>			FGR 7 DQP+		F1-6
325e									
E 30	01.85 - 12.87	2.7	90-95	27 6KA/B <M 20 B 27>	01.85 - 12.86		WR 9 LE	WR 9 LP	
					01.87 - 12.87		WR 8 LC+	WR 8 LP	
325i									
E 30	12.86 - 12.91	2.5	125	25 6K 1 <M 20 B 25 Kat.>			WR 8 LC+	WR 8 LP	
E 36	09.90 - 12.95	2.5	141	25 6S 1/2 <M 50 B 25>	WI1		FGR 7 DQP+		F1-6
	04.91 - 08.95	2.5	138	25 6S 1/2 <M 50 B 25>	WI4		FR 7 LDC+		
					WI1		FGR 7 DQP+		F1-6
					WI4		FR 7 LDC+		
	04.92 - 08.93	2.5	138	25 6S 2 <M 50 B 25>	WI1				F1-6
					WI4		FR 7 LDC+		
E 46	09.00 - 03.05	2.5	141	25 6S 5 <M 54>			FGR 7 DQP+		F1-6
E 90	03.05 →	2.5	160	N52 B25... <NG6>			FR 7 NPP 332		

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					Platinum	Platinum Performance
								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
325i Cabriolet										
E 36	03.93 - 12.95	2.5	141	25 6S 2 <M 50 B 25>	WI1 WI4	FGR 7 DQP+ FR 7 LDC+				F1-6
E 93	03.07 →	2.5	160	N52 B25... <NG6>		FR 7 NPP 332				
325i Coupe										
E 92	09.06 →	2.5	160	N52 B25... <NG6>		FR 7 NPP 332				
325ti Compact										
E 46	06.01 - 12.04	2.5	141	25 6S 5 <M 54>		FGR 7 DQP+				
328Ci										
E 46	04.98 - 09.00	2.8	142	28 6S 2 <M 52 B 28>		FGR 7 DQP+				F1-6
328i										
E 36	10.94 - 06.99	2.8	142	28 6S 1 <M 52 B 28>	WI1 WI4	FGR 7 DQP+ FR 7 LDC+				F1-6
	08.95 - 10.98	2.8	148	28 6S 1 <M 52 B 28>	WI1 WI4	FGR 7 DQP+ FR 7 LDC+				F1-6
E 46	11.98 - 09.00	2.8	142	28 6S 2 <M 52 B 28>		FGR 7 DQP+				
328i Cabriolet										
E 36	03.95 - 09.99	2.8	142	28 6S 1 <M 52 B 28>	WI1 WI4	FGR 7 DQP+ FR 7 LDC+				F1-6
330Ci										
E 46	05.00 - 05.06	3.0	170	30 6S 3 <M 54>		FGR 7 DQP+				F1-6
330Ci Cabriolet										
E 46	05.00 - 08.06	3.0	170	30 6S 3 <M 54>		FGR 7 DQP+				F1-6
330i										
E 46	05.00 - 03.05	3.0	170	30 6S 3 <M 54>		FGR 7 DQP+				F1-6
E 90	03.05 →	3.0	190-200	N52 B30... <NG6>	03.05 - 11.09	FR 7 NPP 332				
335i										
E 90	09.06 - 02.10	3.0	225	N54 B30A <NG6>		ZGR 6 STE 2				
F 30	02.12 →	3.0	225	N55 B30A		ZR 5 TPP 33-S				
335i Cabriolet										
E 93	03.07 - 02.10	3.0	225	N54 B30A <NG6>		ZGR 6 STE 2				
335i Coupe										
E 92	09.06 - 02.10	3.0	225	N54 B30A <NG6>		ZGR 6 STE 2				
335i Touring										
E 91	09.06 - 02.10	3.0	225	N54 B30A <NG6>		ZGR 6 STE 2				
520										
E 12	08.72 - 12.79	2.0	85	<M 10 B 20>		WR 7 DC+	WR 7 DP			

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					
							Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
520i									
E 12	09.72 - 10.75 10.75 - 12.79	2.0	96 92	<M 10 B 20> <M 10 B 20>		WI1 WI4	WR 7 DC+ WR 7 DC+	WR 7 DP WR 7 DP	
E 28	04.80 - 12.88	2.0	92	20 6EB			WR 8 DC+	WR 8 DP	
E 34	09.89 - 12.95	2.0	110	20 6S 1/2 <M 50 B 20>		WI1 WI4	FGR 7 DQP+ FR 7 LDC+		F1-6
E 60	09.07 - 02.10	2.0	125	N43 B20A <NG4>			ZGR 6 STE 2		
523i									
E 39	09.95 - 09.00	2.5	125	25 6S 3/4 <M 52 B 25>	WI1 WI4		FGR 7 DQP+ FR 7 LDC+		F1-6
E 60	03.05 - 02.10 03.07 - 02.10	2.5	130 140	N52 B25... <NG6> N53 B25A <NG6>			FR 7 NPP 332 ZGR 6 STE 2		
525									
E 12	08.73 - 07.81	2.5	107-110	25 6VA <M 30 B 25>	SOV		WR 7 DC+ WR 8 DC+	WR 7 DP WR 8 DP	
525e									
E 28	12.84 - 12.87	2.7	90-95	27 6K A/B <M 20 B 27 Kat.>	12.84 - 12.86 01.87 - 12.87		WR 9 LE WR 8 LC+	WR 9 LP WR 8 LP	
525i									
E 34	01.88 - 12.90 09.89 - 12.95	2.5	125 141	25 6K 1 <M 20 B 25> 25 6S 1/2 <M 50 B 25>	WI1		WR 8 LC+ FGR 7 DQP+	WR 8 LP	
E 39	09.00 - 07.03	2.5	141	25 6S 5 <M 54>			FGR 7 DQP+		F1-6
E 60	09.03 - 03.05 03.05 - 02.10 03.07 - 02.10	2.5	141 160 160	25 6S 5 <M 54> N52 B25... <NG6> N53 B30A <NG6>			FGR 7 DQP+ FR 7 NPP 332 ZGR 6 STE 2		F1-6
528									
E 12	01.75 - 12.77	2.8	121-125	<M 30 B 28>			WR 7 DC+	WR 7 DP	
528i									
E 12	04.77 - 07.81	2.8	130-135	<M 30 B 28>			WR 8 DC+	WR 8 DP	
E 28	06.81 - 12.87	2.8	135	<M 30 B 28>			WR 8 DC+	WR 8 DP	
E 39	09.95 - 11.12	2.8	142	28 6S 1/2 <M 52 B 28>	WI1		FGR 7 DQP+		F1-6
528i Touring									
E 39	01.97 - 09.00	2.8	142	28 6S 1/2 <M 52 B 28>	WI1 WI4		FGR 7 DQP+ FR 7 LDC+		F1-6
530i									
E 34	09.92 - 12.95	3.0	160	30 8S 1 <M 60 B 30>	WI1 WI4		FGR 7 DQP+ FR 7 LDC+		F1-4
E 39	09.00 - 07.03	3.0	170	30 6S 3 <M 54>			FGR 7 DQP+		F1-6
E 60	07.03 - 03.05 03.05 - 02.10 03.07 - 02.10	3.0	170 190 200	30 6S 3 <M 54> N52 B30... <NG6> N53 B30A <NG6>	03.05 - 11.09		FGR 7 DQP+ FR 7 NPP 332 ZGR 6 STE 2		F1-6
530i Touring									
E 39	09.00 - 05.04 03.05 - 08.10 03.07 - 08.10	3.0	170 190 200	30 6S 3 <M 54> N52 B30... <NG6> N53 B30A <NG6>			FGR 7 DQP+ FR 7 NPP 332 ZGR 6 STE 2		F1-6

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type				Platinum	Platinum Performance	
								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
535i										
E 28	01.85 - 12.87	3.4	136-141	34 6K A <M 30 B 35 Kat.>		WR 9 LE	WR 9 LP			
E 34	01.88 - 04.93	3.5	155	34 6K B <M 30 B 35>		WR 8 LC+	WR 8 LP			
E 39	01.96 - 07.03	3.5	173-180	35 8S 1/2 <M 62 B 35>	WI1	FGR 7 DQP+			F1-4	
					WI4	FR 7 LDC+				
F 10	03.10 →	3.0	225	N55 B30A		ZR 5 TPP 33-S				
540i										
E 34	09.92 - 09.95	4.0	210	40 8S 1 <M 60 B 40>	WI1	FGR 7 DQP+			F1-4	
					WI4	FR 7 LDC+				
E 39	01.96 - 07.03	4.4	210	44 8S 1/2 <M 62 B 44>	WI1	FGR 7 DQP+				
E 60	09.05 - 02.10	4.0	225	N62 B40A <NGV8>		FR 7 KPP 332			F1-4	
545i										
E 60	09.03 - 09.05	4.4	245	N62 B44A <NGV8>		FGR 7 DQP+			F1-4	
550i										
E 60	09.05 - 02.10	4.8	270	N62 B48B <NGV8>		FR 7 KPP 332			F1-4	
F 10	03.10 →	4.4	300	N63 B44A		ZR 5 TPP 33				
633CSi										
E 24	04.76 - 09.79	3.2	147	<M 30 B 32>		WR 8 DC+	WR 8 DP			
	09.79 - 12.81	3.2	145	<M 30 B 32>		WR 8 DC+	WR 8 DP			
635CSi										
E 24	01.86 - 04.89	3.4	136-155	<M 30 B 35 Kat.>	01.86 - 05.87 06.87 - 04.89	WR 9 LE WR 8 LC+	WR 9 LP WR 8 LP			
645Ci										
E 63	01.04 - 09.05	4.4	245	N62 B44A <NGV8>		FGR 7 DQP+			F1-4	
645Ci Cabriolet										
E 64	04.04 - 09.05	4.4	245	N62 B44A <NGV8>	WI1	FGR 7 DQP+			F1-4	
650i										
E 63	09.05 - 07.10	4.8	270	N62 B48B <NGV8>		FR 7 KPP 332			F1-4	
650i Cabriolet										
E 64	09.05 - 07.10	4.8	270	N62 B48B <NGV8>		FR 7 KPP 332			F1-4	
730i, 730iL										
E 32	09.86 - 06.94	3.0	136-145	30 6K A <M 30 B 30>		WR 8 LC+	WR 8 LP			
	09.91 - 10.94	3.0	160	30 8S 1 <M 60 B 30>	WI1 WI4	FGR 7 DQP+ FR 7 LDC+			F1-4	
E 38	06.94 - 12.96	3.0	155-160	30 8S 1 <M 60 B 30>	WI1 WI4	FGR 7 DQP+ FR 7 LDC+			F1-4	
733i										
E 23	05.77 - 12.82	3.2	145	32 6E A <M 30 B 32>		WR 8 DC+	WR 8 DP			
735i										
E 23	01.85 - 08.86	3.4	136-141	34 6K A <M 30 B 35 Kat.>		WR 9 LE	WR 9 LP			

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

B

BMW								Standard ^{1) 2)}	Premium ¹⁾
E 65	11.01 - 03.05	3.6	200	N62 B36A <NGV8>			FGR 7 DQP+		F1-4
735i, 735iL									
E 32	09.86 - 12.92	3.4	155-162	34 6E C/K B <M 30 B 35>			WR 8 LC+	WR 8 LP	
E 38	09.94 - 10.01	3.5	173-175	35 8S 1/2 <M 62 B 35>	WI1		FGR 7 DQP+		F1-4
					WI4		FR 7 LDC+		
735Li									
E 66	03.02 - 03.05	3.6	200	N62 B36A <NGV8>			FGR 7 DQP+		
740i									
E 65	04.05 - 10.08	4.0	225	N62 B40A <NGV8>			FR 7 KPP 332		F1-4
F 01	11.08 - 06.12	3.0	240	N54 B30A			ZGR 6 STE 2		
740i, 740iL									
E 32	09.91 - 10.94	4.0	210	40 8S 1 <M 60 B 40>	WI1		FGR 7 DQP+		F1-4
					WI4		FR 7 LDC+		
E 38	06.94 - 06.96	4.0	210	40 8S 1 <M 60 B 40>	WI1		FGR 7 DQP+		F1-4
	01.96 - 08.01	4.4	210	44 8S 1/2 <M 62 B 44>	WI4		FR 7 LDC+		
					WI1		FGR 7 DQP+		F1-4
740Li									
E 66	04.05 - 10.08	4.0	225	N62 B40A <NGV8>			FR 7 KPP 332		F1-4
F 02	11.08 - 06.12	3.0	240	N54 B30A			ZGR 6 STE 2		
745i									
E 65	11.01 - 03.05	4.4	245	N62 B44A <NGV8>			FGR 7 DQP+		F1-4
745Li									
E 66	03.02 - 03.05	4.4	245	N62 B44A <NGV8>			FGR 7 DQP+		F1-4
750i									
E 65	04.05 - 10.08	4.8	270	N62 B48B <NGV8>			FR 7 KPP 332		F1-4
F 01	11.08 - 06.12	4.4	300	N63 B44A			ZR 5 TPP 33		
750i, 750iL									
E 32	09.87 - 10.94	5.0	220	50 12 A <M 70 B 50>	WI1		FGR 7 DQP+		F1-4
					WI4		FR 7 LDC+		
E 38	06.94 - 06.01	5.4	240	54 12 1/2 <M 73 B 54>	WI1		FGR 7 DQP+		F1-4
750Li									
E 66	04.05 - 10.08	4.8	270	N62 B48B <NGV8>			FR 7 KPP 332		F1-4
F 02	11.08 - 06.12	4.4	300	N63 B44A			ZR 5 TPP 33		
760Li									
E 66	12.02 - 10.08	6.0	327	N73 B60... <NGV12>			FGR 7 DQP+		F1-4
F 02	09.09 →	6.0	400	N74 B60A			ZR 5 TPP 33		
840Ci									
E 31	09.94 - 12.99	4.4	210	44 8S 1 <M 62 B 44>	WI1		FGR 7 DQP+		F1-4
					WI4		FR 7 LDC+		

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type						
								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
840i										
E 31	04.93 - 03.96	4.0	210	40 8S 1 <M 60 B 40>	WI1 WI4	FGR 7 DQP+ FR 7 LDC+			F1-4	
850 CSi										
E 31	08.92 - 10.96	5.6	280	56 12 1 <M 70 B 56>	WI1 WI3	FGR 7 DQP+ FR 8 LC	FR 8 LP		F1-4	
850i, 850Ci										
E 31	07.89 - 12.94	5.0	220	50 12 A <M 70 B 50>	WI1 WI3	FGR 7 DQP+ FR 8 LC	FR 8 LP		F1-4	
1600-2										
E 10	09.67 - 09.71	1.6	63	<M 10 B 16>		WR 6 DC+	WR 6 DP			
1602										
E 10	05.71 - 07.75	1.6	63	<M 10 B 16>		WR 6 DC+	WR 6 DP			
1800										
	09.63 - 09.68	1.8	66	<M 10 B 18>		WR 6 DC+	WR 6 DP			
2000 Coupe										
	09.66 - 12.70	2.0	74	<M 10 B 20>		WR 6 DC+	WR 6 DP			
2000Ti										
	09.68 - 04.71	2.0	88	<M 10 B 20>		WR 6 DC+	WR 6 DP			
2002										
E 10	02.68 - 07.75	2.0	74	<M 10 B 20>	02.68 - 08.72 09.72 - 07.75	WR 6 DC+ WR 7 DC+	WR 6 DP WR 7 DP			
2002Tii										
E 10	05.71 - 07.75	2.0	96	M 10 B 20 <Kugelfischer-Inj.>	05.71 - 08.72 09.72 - 07.75	WR 6 DC+ WR 7 DC+	WR 6 DP WR 7 DP			
2500										
E 3	10.68 - 04.77	2.5	110	<M 30 B 25>		WR 7 DC+	WR 7 DP			
2800										
E 3	10.68 - 07.75	2.8	125	<M 30 B 28>		WR 7 DC+	WR 7 DP			
2800CS										
E 9	01.69 - 04.71	2.8	125	<M 30 B 28>		WR 7 DC+	WR 7 DP			
CATERHAM										
Super Seven										
	01.92 - 12.98 01.92→	2.0 1.4	121-140 77-96	Vauxhall-2.0 16V Rover-K14		FR 5 DC FR 7 DC+	FR 5 DP FR 7 DP			

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

²⁾ Original equipment (or) equivalent recommendation

³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

					Type						
									Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
CHERY											
J11											
T11	04.05→	2.0	95	SQR484F			FR 7 DC+			F1-4	
					ELK		FR 7 DP				
CHEVROLET											
Impala											
	09.61 - 12.71	5.4	202		09.61 - 08.64 09.64 - 08.66	U21,V22 U21	WR 10 FC+ WR 10 FC+				
CHRYSLER											
Centura											
KB	04.75 - 03.77	3.5		Hemi 215 cu.in			WR 8 DC+	WR 8 DP			
Chrysler by Chrysler											
VH	11.71 - 02.73	4.3	151	Hemi 265 cu.in			WR 8 DC+	WR 8 DP			
CJ	03.73 - 10.75	4.3	151	Hemi 265 cu.in			WR 8 DC+	WR 8 DP			
Crossfire											
ZH	09.03 - 08.08 09.04 - 08.06	3.2	163-167 264	EGX EGZ		DOZ	FR 8 DPP 33+ FR 8 DPP 33+				
Neon											
PL	06.94 - 12.05 09.97 - 12.00	2.0 1.8	98 85	ECB EBD			FR 7 DC+ FR 7 DC+	FR 7 DP FR 7 DP	F1-4 F1-4		
PT Cruiser											
PT	06.00 - 12.05 06.00 - 12.10 09.08→	2.0 2.4 2.4	100-104 105-112 112	ECC EDZ EDZ			HR 9 SE 0 X HR 9 SE 0 X HR 9 SE 0 X				
Valiant											
VG	05.70 - 05.71	3.5		Hemi 215 cu.in			WR 8 DC+	WR 8 DP			
		4.0	91	Hemi 245 cu.in			WR 8 DC+	WR 8 DP			
VH	06.71 - 03.73	4.0 4.3	91	Hemi 245 cu.in Hemi 265 cu.in			WR 8 DC+ WR 8 DC+	WR 8 DP WR 8 DP			
VJ	04.73 - 10.75	3.5 4.0 4.3	91	Hemi 215 cu.in Hemi 245 cu.in Hemi 265 cu.in			WR 8 DC+ WR 8 DC+ WR 8 DC+	WR 8 DP WR 8 DP WR 8 DP			
VK	11.75 - 10.76	3.5 4.0 4.3	91	Hemi 215 cu.in Hemi 245 cu.in Hemi 265 cu.in			WR 8 DC+ WR 8 DC+ WR 8 DC+	WR 8 DP WR 8 DP WR 8 DP			
CL	11.76 - 10.78	4.0 4.3		Hemi 245 cu.in Hemi 265 cu.in			WR 8 DC+ WR 8 DC+	WR 8 DP WR 8 DP			
CM	11.78 - 08.81	4.0 4.3		Hemi 245 cu.in Hemi 265 cu.in			WR 8 DC+ WR 8 DC+	WR 8 DP WR 8 DP			
Valiant Charger											
VH	08.71 - 03.73	3.5		Hemi 215 cu.in			WR 8 DC+	WR 8 DP			

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					Platinum	Platinum Performance
VH	08.71 - 03.73	4.0	91	Hemi 245 cu.in		WR 8 DC+	WR 8 DP			
		4.3	111	Hemi 265 cu.in		WR 8 DC+	WR 8 DP			
VJ	04.73 - 10.75	3.5		Hemi 215 cu.in		WR 8 DC+	WR 8 DP			
		4.0	91	Hemi 245 cu.in		WR 8 DC+	WR 8 DP			
		4.3	111	Hemi 265 cu.in		WR 8 DC+	WR 8 DP			
Valiant Pacer										
VG	05.70 - 05.71	4.0		Hemi 245 cu.in		WR 8 DC+	WR 8 DP			
VH	06.71 - 03.73	4.0		Hemi 245 cu.in		WR 8 DC+	WR 8 DP			
Viper										
	06.97→	8.0	283	EWB		FR 8 HC	FR 8 HP			
Voyager										
GS	03.97 - 12.99	3.3	116	EG...		WR 10 LCV				
CITROEN										
AX										
M49	07.96 - 11.02	1.4	58	KDZ Kat. <TU3M>		FR 7 DC+			F1-4	
					ELK		FR 7 DPX			
M59	11.02 - 03.10	1.4	55	KFW <TU3JP/TU3A>	ELK,W15	FR 7 DC+				
B9	05.08→	1.6	66	NFR <TU5JP4B>		FR 8 SC+	FR 8 NP			
BX										
X56	07.84 - 06.88	1.6	66-68	171C,171Z <XU5S>	07.84 - 06.87 07.87 - 06.88	HR 6 DC+ FR 7 DC+	HR 6 DP		F11-4	
					ELK		FR 7 DPX		F1-4	
	10.84 - 06.86	1.9	75-77	159A,159Z <XU9S>		HR 6 DC+	HR 6 DP		F11-4	
	03.86 - 12.94	1.9	75-77	DFZ Kat. <XU9J1/Z>	03.86 - 06.87 07.87 - 12.94	HR 7 DC+ FR 7 DC+	HR 7 DP		F12-4	
					ELK		FR 7 DPX		F1-4	
	03.88 - 03.93	1.9	108	DFW Kat. <XU9J4/Z>		FGR 7 DQE+			F1-4	
CX										
	09.74 - 07.76	2.2	82	M22-617		WR 5 BC				
	06.77 - 06.82	2.4	94-96	M23-622		WR 5 BC				
	06.79 - 06.82	2.0	78	829 A5		HR 7 DC+	HR 7 DP			
	07.80 - 12.81	2.4	88	M23-639		WR 5 BC				
	07.83 - 12.92	2.5	96-100	M25-659 <EN5L>		WR 5 BC				
C2										
A6	09.03 - 12.09	1.6	80	NFU <TU5JP4>		FR 8 SC+	FR 8 NP		F13-4	
	10.04 - 05.09	1.6	90	NFS <TU5JP4S>		FR 8 SC+	FR 8 NP		F13-4	
C3										
A8	01.02 - 08.05	1.4	55	KFV <TU3JP>		FR 7 DC+			F1-4	
		1.6	80	NFU <TU5JP4>	ELK		FR 7 DPX			
A42	05.03→	1.6	80	NFU <TU5JP4>		FR 8 SC+	FR 8 NP		F13-4	
						FR 8 SC+	FR 8 NP		F13-4	

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

◀ CITROEN								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
A31	09.05 - 05.09	1.6	80	NFU <TU5JP4>			FR 8 SC+	FR 8 NP	F13-4	
	09.05 - 09.09	1.4	54	KFV <TU3A/TU3JP>	ELK,WI5		FR 7 DC+			
A51	09.09→	1.6	88	5FS <EP6C>			ZQR 8 SI 302			
C4										
B5	11.04 - 03.08	2.0	130	RFK <EW10J4S>			FQR 7 ME			
	11.04 - 07.08	1.6	80	NFU <TU5JP4>			FR 8 SC+	FR 8 NP	F13-4	
		2.0	103	RFJ <EW10A>			FR 8 SC+	FR 8 NP	F13-4	
C4 Picasso										
B58	02.07 - 10.08	2.0	103	RFJ <EW10A>			FR 8 SC+	FR 8 NP	F13-4	
C5										
X4	03.01 - 09.04	2.0	100	RFN <EW10J4>			FR 8 ME	FR 8 NP	F13-4	
		3.0	150	XFX <ES9J4S>			FR 8 SPP 332			
X3	10.04 - 04.07	3.0	155	XFU <ES9A>			FR 8 SPP 332			
	10.04 - 03.08	2.0	103	RFJ <EW10A>			FR 8 SC+	FR 8 NP	F13-4	
X7	04.08 - 01.10	2.0	103	RFJ <EW10A>			FR 8 SC+	FR 8 NP		
C6										
X6	11.05 - 02.09	3.0	155	XFV <ES9A>			FR 8 SPP 332			
DS										
	09.65 - 08.72	2.2	76				WR 5 AC	WR 5 AP		
	01.68 - 07.75	2.0	66				WR 5 BC			
	10.69 - 08.72	2.2	92				WR 7 AC	WR 7 AP		
	01.70 - 07.75	2.0	72				WR 5 BC			
	09.72 - 07.75	2.3	81				WR 5 BC			
			93				WR 5 BC			
DS3										
A55	01.10→	1.4	70-72	8F... <EP3C>			ZR 7 SI 332 S			
DS4										
B75	03.11→	1.6	147	5FU <EP6CDTX>			ZR 7 SI 332 S			
GS										
	08.70 - 08.77	1.0	41	G10/610,612			WR 6 DC+	WR 6 DP		
	08.74 - 06.79	1.2	44	G12/611,612 <G12/611,/612>	KZO		WR 6 DC+	WR 6 DP		
							WR 7 DC+	WR 7 DP		
Xantia										
X1	03.93 - 01.98	2.0	89-90	RFX Kat. <XU10J2C/Z, L3>			FR 7 DC+			F1-4
	12.94 - 01.98	2.0	97	RFV <XU10J4R>	ELK		FR 7 DPX			
	05.95 - 01.98	2.0	108-110	RGX <XU10J2CTE>	ELK		FR 7 DPX			
X2	12.97 - 12.01	2.0	89-90	RFX <XU10J2C/L3>	ELK		FR 7 DC+			F1-4
		97-99	RFV <XU10J4R>	ELK			FR 7 DPX			
		108-110	RGX <XU10J2TE>	ELK			FR 7 DPX			
				ELK			FR 7 DPX			

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					
								Standard ^{1) 2)}	Premium ¹⁾
Xantia Break									
X1	09.95 - 01.98	2.0	89-90	RFX Kat. <XU10J2C/Z, L3>					F1-4
					ELK				
X2	01.98 - 12.01	3.0	140	XFZ <ES9J4>					
XM									
Y3	05.89 - 06.93	3.0	123-125	SFZ, S6A <ZPJ>					F1-6
	06.93 - 06.94	3.0	123-125	UFZ <ZPJ>					F1-6
Y4	07.94 - 12.97	3.0	123-125	UFZ <ZPJ>					F1-6
	09.97 - 10.00	3.0	140-143	XFZ <ES9J4>					
Xsara									
N6	07.97 - 08.00	1.6	65-66	NFZ <TU5JP>					F1-4
		1.8	74-75	LFZ <XU7JP>	ELK				
		81-82	LFY <XU7JP4>		ELK				F1-4
		2.0	97	RFV <XU10J4R>	ELK				F1-4
		120-123	RFS <XU10J4RS>		ELK				F1-4
N7	09.00 - 12.05	1.6	80	NFU <TU5JP4>					F13-4
		2.0	100	RFN <EW10J4>					F13-4
		120	RFS <XU10J4RS>						F8-4
DAEWOO									
Cielo									
	08.94 - 08.97	1.5	57	G15MF <SOHC>					F4-4
			74	A15MF <DOHC>					F1-4
Espero									
KLEJ	09.93 - 10.94	2.0	81	C20LE					
	03.97 - 10.99	2.0	77	C20LE					
Kalos									
	05.02 - 12.04	1.5	63	F15S3 <SOHC Family I>					F4-4
Korando									
KJ	07.96 - 12.00	2.3	103-105	M161 E23 <MB-M 111.>					F3-4
		3.2	162	M162 E32 <MB-M 104.>					
Lacetti									
KLAN	03.04 - 01.05	1.8	90	T18SED					F3-4
Lanos									
KLAT	11.96 - 09.03	1.5	63	A15SMS <E-TEC>					F4-4
	04.97 - 09.03	1.6	78	A16DMS					F3-4
				A16DMS <E-TEC>					F3-4
	04.00 - 05.03	1.5	71	A15SMS <SOHC Family I>					F4-4
Leganza									
KLAV, V100	03.97 - 12.02	2.0	98-107	X20SED					F3-4

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					
◀ DAEWOO						Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾	
KLAV, V100	09.98 - 12.02	2.2	100	T22SED		FLR 8 LDCU+			F3-4
Matiz									
KLYA	04.98 - 01.05	0.8	38	F8CV		WR 8 DCX+	WR 8 DPX		F4-4
Musso									
MJ	01.96 - 12.00	3.2	162	M162 E32 <MB-M 104.992>		FR 8 DC+	FR 8 DP		
	05.96 - 12.00	2.3	103	M161 E23 <MB-M 111.970>		FR 8 DC+	FR 8 DP		F3-4
Nubira									
KLAJ, J100	09.97 - 09.99	1.6	78	A16DMS <L44>		FR 8 DCX+	FR 8 DPX		F3-4
		2.0	98	X20SED <L88>		FLR 8 LDCU+			F3-4
KLAJ, 150, 190	10.99 - 06.03	2.0	98	X20SED		FR 7 DC+	FR 7 DP		F1-4
Tacuma									
KLAU	09.00 - 01.05	2.0	88-89	T20SED		FLR 8 LDCU+			F3-4
DAIHATSU									
Applause									
	06.89 - 07.97	1.6	77	HDE <Kat.>		FR 7 DCX+	FR 7 DPX		F1-4
	06.89 - 12.99	1.6	77	HDE		FR 7 LDC+			F1-4
	09.97 - 04.00	1.6	73	HDE <Kat.>		FR 7 DCX+	FR 7 DPX		F1-4
Charade									
G11	10.83 - 03.87	1.0	33	CB		WR 8 DC+	WR 8 DP		F4-4
G100	03.87 - 12.88	1.0	50	CB61		WR 8 DC+	WR 8 DP		
	03.87 - 12.92	1.0	38	CB23		WR 8 DCX+	WR 8 DP		F4-4
G102	06.88 - 10.90	1.3	62-66	HCE <Kat.>		FR 7 DCX+	FR 7 DPX		F1-4
	11.90 - 12.92	1.3	62	HCE		FR 7 DCX+	FR 7 DPX		F1-4
			66	HCE <Kat.>		FR 7 DCX+	FR 7 DPX		F1-4
G200	01.93 - 09.00	1.3	62	HCE <Kat.>		FR 7 DCX+	FR 7 DPX		F1-4
G202	05.93 - 12.95	1.0	36,4	CB24		WR 7 DC+	WR 7 DP		F6-4
G200	05.93 - 04.96	1.3	62	HCE		FR 7 DCX+	FR 7 DPX		F1-4
G203	08.94 - 06.00	1.5	66	HEEG		FR 7 DCX+	FR 7 DPX		F1-4
L251	03.03 - 12.07	1.0	43	EJ		FLR 8 LDCU+			
Copen									
L880	05.02 - 12.05	0.7	47	JB-DET		FR 6 KPP 33+			
Cuore									
L55	10.80 - 08.85	0.5	20	AB30		WR 7 DCX+	WR 7 DP		
L701	10.98 - 12.02	1.0	40-41	EJDE		FR 8 DCX+	FR 8 DPX		F3-4
Feroza									
F300	10.88 - 10.99	1.6	70	HDE		FR 7 DCX+	FR 7 DPX		F1-4
F310	05.92 - 10.99	1.6	70	HDE <Kat.>		FR 7 DCX+	FR 7 DPX		F1-4
F20									
	01.77 - 12.84	1.6	48	12R		WR 8 DC+	WR 8 DP		

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type						
								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
Handi Van										
L60V	10.80 - 08.85	0.6	22	AD10				WR 7 DCX+	WR 7 DP	
L80V	11.86 - 12.96	0.9	32	ED10				WR 7 DC+	WR 7 DP	
Hijet										
S75	01.84 - 04.86	1.0	33	CB				WR 8 DC+	WR 8 DP	
S85	05.86 - 11.92	1.0	33	CB				WR 8 DC+	WR 8 DP	
S110V/S110W	01.94 - 12.95	0.7	32	EFES				FR 7 LDC+		F1-4
Mira										
L201	01.90 - 12.92	0.9	30	ED10				WR 7 DC+	WR 7 DP	F6-4
Move										
L601	01.97 - 09.98	0.9	31	ED20				WR 7 DCX+	WR 7 DPX	F6-4
	06.97 - 12.00	0.9	31	ED20				WR 7 DCX+	WR 7 DPX	
Pyzar										
G303G	08.96 - 07.02	1.5	74	HEEG				FR 7 DCX+	FR 7 DPX	F1-4
Rocky										
F8	04.84 - 01.89	2.0	67	3Y				WR 8 DCX+	WR 8 DP	
	10.87 - 01.89	2.0	67	3YE				WR 8 DC+	WR 8 DP	F4-4
Scat										
F1	08.74 - 12.78	1.0	33	FE				WR 7 CC	WR 7 CP	
F2	09.76 - 03.84	1.6	49	12R				WR 7 DC+	WR 7 DP	
Sirion										
M100	04.98 - 05.00	1.0	41	EJDE				FR 8 DCX+	FR 8 DPX	F3-4
M101	08.00 - 07.04	1.3	75	K3VE				FR 7 LDC+		F1-4
M301	10.04 →	1.3	67	K3VE	10.04 - 06.07			FR 7 KCX+	FR 7 KPX	F1-4
					07.07 →			YR 6 DES		
Sparcar 550										
S60/V/T	03.77 - 06.83	0.5	48	AB20				WR 7 DC+	WR 7 DP	
Terios										
J100	03.97 - 05.00	1.3	61	HCEJ				FR 7 LDC+		F1-4
J102	05.00 - 12.05	1.3	63	K3VE				FR 7 LDC+		F1-4
YRV										
M201G	08.00 - 04.05	1.3	66	K3VE				FR 7 KCX+	FR 7 KPX	F1-4
M201	08.00 - 07.05	1.3	64	K3				FR 7 LDC+		F1-4
DAIMLER LTD.										
Daimler										
	10.69 - 12.75	2.8	105					WR 6 DC+	WR 6 DP	
Sovereign										
	01.69 - 02.79	4.2	187					WR 7 DCX+	WR 7 DP	
	03.79 - 12.89	4.2	150					WR 7 DCX+	WR 7 DP	

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type						
								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
DINO										
308 GT4										
03.74 - 12.80	3.0	153-190	F106A				WR 5 DC+	WR 5 DP		
DODGE										
Avenger										
JS	09.07 - 08.11	2.4	129	ED3		U22		FR 8 LPX		
Nitro										
KA	09.06 - 08.11	3.7	151	EKG			FR 7 LCX+	FR 7 LPX	F1-6	
Utility										
VG	05.70 - 05.71	4.0	91	Hemi 245 cu.in			WR 8 DC+	WR 8 DP		
VJ	04.73 - 10.75	3.5	104	Hemi 215 cu.in			WR 8 DC+	WR 8 DP		
		4.0	91	Hemi 245 cu.in			WR 8 DC+	WR 8 DP		
		4.3	151	Hemi 265 cu.in			WR 8 DC+	WR 8 DP		
VK	11.75 - 10.76	3.5	104	Hemi 215 cu.in			WR 8 DC+	WR 8 DP		
		4.0	91	Hemi 245 cu.in			WR 8 DC+	WR 8 DP		
		4.3	151	Hemi 265 cu.in			WR 8 DC+	WR 8 DP		
FERRARI										
BB512										
08.76 - 12.81	4.9	250	F102 B..				WR 5 DC+	WR 5 DP		
Mondial										
05.80 - 06.82	2.9	158	F106 B..		WW		WR 6 DC+	WR 6 DP		
							WR 6 DP 0			
308GTB										
07.81 - 06.85	2.9	157	F106 B		WW		WR 5 DC+	WR 5 DP		
							WR 6 DP 0			
355										
05.94 - 10.99	3.5	280	F129B/40				UR 6 DE			
10.95→	3.5	280	F129C/40				UR 6 DE			
365GT										
01.67 - 12.76	4.4	236	245 C				WR 5 DC+	WR 5 DP		
365GTB/4										
01.68 - 12.76	4.4	259	251				WR 5 DC+	WR 5 DP		
365GTC										
01.69 - 12.76	4.4	236	245 C				WR 5 DC+	WR 5 DP		
400										
05.79 - 03.85	4.8	232	F101..				WR 5 DC+	WR 5 DP		

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

					Type					
								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
412										
	06.85 - 12.88	4.9	250	F101 E..						
FIAT										
Argenta										
132	06.81 - 12.82	2.0	90	132 C 3.000						
	06.81 - 05.83	1.6	72	132 FB..						
	06.83 - 11.85	2.0	90	132 C..						
Croma										
154	03.88 - 12.89	2.0	83	834 B.048						
Punto										
199	10.05 →	1.4	57	350 A1.000 <M11>						
	06.06 →	1.4	55	199 A7.000 <M12>						
Regata										
138	01.84 - 12.87	1.6	60	149 A.000						
	12.84 - 05.86	1.6	74	149 A4.000						
	05.85 - 12.87	1.5	58-61	149 A5.000						
X1/9										
	03.73 - 06.78	1.3	46	128 AS.000						
	08.81 - 12.83	1.5	63	138 AS.000						
124										
	11.69 - 08.73	1.6	79	132 AC.000						
	09.72 - 12.78	1.8	84	132 AC1.000						
	01.73 - 07.75	1.8	94	132 AC4.000						
	06.79 - 04.85	2.0	77	132 C3.031						
125										
	03.67 - 12.72	1.6	66	125 A.000						
	11.68 - 12.72	1.6	74	125 B.000						
127										
111	06.71 - 05.83	0.9	29-33	100 GL.000/048						
	12.81 - 05.83	1.3	55	M 201 AA..						
128										
	03.69 - 12.84	1.3	44	128 A1.000						
	09.69 - 12.84	1.1	33-40	128 A.000						
131										
	10.74 - 12.80	1.6	55	131 A1.000						
	03.78 - 01.84	1.6	71-72	131..						
	01.81 - 01.84	1.6	63	131 BD..						
132										
	05.72 - 05.81	1.6	65-72	132 C.000	05.72 - 06.79					
					07.79 - 05.81					

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					
◀ FIAT							Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
	03.77 - 05.81	2.0	82	132 C2.000	03.77 - 06.79 07.79 - 05.81		WR 6 DC+ WR 7 DC+	WR 6 DP WR 7 DP	
500									
312	07.07 →	1.2 1.4	51 74	169 A4.000 <M8> 169 A3.000 <M17>			YR 7 DC+ YR 7 DC+		
FORD									
Capri Convertible									
SA	10.89 - 09.90	1.6	61	F			WR 9 DCX+	WR 9 DPX	
SA II	10.90 - 03.92	1.6	77 100	D T			FR 7 DCX+ FR 7 DCX+	FR 7 DPX FR 7 DPX	F1-4
SC	04.92 - 07.93 07.92 - 07.93	1.6	77 100	D T			FR 7 DCX+ FR 7 DCX+	FR 7 DPX FR 7 DPX	F1-4
SE	08.93 - 07.94	1.6	77 100	D T			FR 7 DCX+ FR 7 DCX+	FR 7 DPX FR 7 DPX	F1-4
Corsair									
UA	09.88 - 08.92	2.0 2.4	83 96	CA20E KA24E			FR 7 DCX+	FR 7 DPX FR 8 LPX	F1-4 F3-4
Cougar									
SW/SX	06.99 - 12.00	2.5	125	LCBC <MP25 Duratec-VE SEFI>			HR 8 DPP 15 V	HR 8 DPV	F7-6
Courier									
	01.79 - 03.85 09.82 - 08.85 09.85 - 08.88 09.86 - 08.90 12.86 - 11.89 09.88 - 08.93	1.8 2.0 2.0 2.6 2.6 2.2	82 58 63 70-73 73 68	VC MA FE AM F F2			WR 8 DC+ WR 8 DC+ WR 8 DC+ WR 8 DC+ WR 9 DC+ WR 8 DC+	WR 8 DP WR 8 DP WR 8 DP WR 8 DP WR 9 DP WR 8 DP	F4-4 F4-4 F4-4 F4-4 F4-4 F4-4
PC	09.90 - 05.99	2.6	92	G6				FR 8 LPX	
PD	03.96 - 11.99	2.6	92	G6				FR 8 LPX	
PE	02.99 - 10.02	2.6	92	G6				FR 8 LPX	
PG	11.02 - 08.04	2.6	92	G6				FR 8 LPX	
PH	09.04 - 01.06	2.6	92	G6				FR 8 LPX	
Econovan									
	01.80 - 12.84 01.84 - 02.97 05.84 - 12.85	1.6 1.8 1.4	NA F8 UC				WR 8 DC+ WR 8 DC+ WR 8 DC+	WR 8 DP WR 8 DP WR 8 DP	F4-4 F4-4 F4-4
JG	02.97 - 09.99	2.0	63	FE			WR 8 DC+	WR 8 DP	F4-4
JH	10.99 - 11.02 11.02 - 11.05	2.0 2.0	63 71	FE			WR 8 DC+ FR 7 DCX+	WR 8 DP FR 7 DPX	F4-4 F1-4
Escape									
ZA	09.00 - 08.05 01.04 →	3.0 2.3	150 108	Duratec L3 <L3 MZR>	U68,U81		HR 8 DCX+ HR 7 KPP 33+	HR 8 DPX	
ZB	09.05 - 08.08	3.0	150	Duratec	U68,U81		HR 8 DCX+	HR 8 DPX	F12-4
Explorer									
UN/UP/UQ/US	09.95 - 08.01 09.96 - 08.01	5.0 4.0	160 119		U68,U81		HR 8 DCX+ HR 8 DCX+	HR 8 DPX HR 8 DPX	
UT/UX/UZ	09.05 - 01.08	4.0	157						F7-6

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type							
									Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
Fairlane											
ZA	03.67 - 02.68	3.3	85-97	200 cu.in		DR 10 BC					
		4.7	150-155	289 cu.in		DR 10 BC					
ZB	03.68 - 06.69	3.3	85-97	200 cu.in		DR 10 BC					
ZC	07.69 - 10.70	3.6	92-104	221 cu.in		DR 10 BC					
ZD	11.70 - 03.72	4.1	103-116	250 cu.in		DR 10 BC					
		4.9	164	302 cu.in		HR 9 BC+	HR 9 BP				
		5.8	138	351 cu.in		HR 9 BC+	HR 9 BP				
ZF	04.72 - 10.73	4.1	103-116	250 cu.in		DR 10 BC					
		4.9	164	302 cu.in		HR 9 BC+	HR 9 BP				
		5.8	138	351 cu.in		HR 9 BC+	HR 9 BP				
ZG	11.73 - 04.76	4.1	103-116	250 cu.in		DR 10 BC					
		4.9	164	302 cu.in		HR 9 BC+	HR 9 BP				
		5.8	138	351 cu.in		HR 9 BC+	HR 9 BP				
ZH	05.76 - 04.79	4.9	164	302 cu.in		HR 9 BC+	HR 9 BP				
ZJ	05.79 - 12.81	4.9	164	302 cu.in		HR 9 BC+	HR 9 BP				
		5.8	138	351 cu.in		HR 9 BC+	HR 9 BP				
		10.79 - 12.81	4.1	103-116	250 cu.in	WR 8 DC+	WR 8 DP				
ZK	01.82 - 09.84	4.1	103-116	250 cu.in		WR 8 DC+	WR 8 DP				
		5.0	164	302 cu.in		HR 9 BC+	HR 9 BP				
		5.8	120	T		WR 9 LCX+	WR 9 LP				
ZL	09.84 - 05.88	4.1	103	W		WR 9 LCX+	WR 9 LP				
		5.0	120	T		WR 9 LCX+	WR 9 LP				
NA	06.88 - 09.89	3.9	139	P		WR 9 LCX+	WR 9 LP				
NA II	10.89 - 06.91	3.9	139	P		WR 9 LCX+	WR 9 LP				
NC	07.91 - 02.92	3.9	139	P		WR 9 LCX+	WR 9 LP				
		5.0	165	Z		HR 9 BCY+	HR 9 BPY				
		5.8	148	H		WR 9 LCX+	WR 9 LP				
NC II	03.92 - 02.95	5.0	165	Z		HR 9 BCY+	HR 9 BPY				
		5.0	157	H		WR 9 LCX+	WR 9 LP				
		5.0	165	Z		HR 9 BCY+	HR 9 BPY				
NF	03.95 - 09.95	4.0	157	H		WR 9 LCX+	WR 9 LP				
		5.0	165	Z		HR 9 BCY+	HR 9 BPY				
		5.8	157	H		WR 9 LCX+	WR 9 LP				
NF II	10.95 - 08.96	5.0	165	Z		HR 9 BCY+	HR 9 BPY				
		5.8	157	H		WR 9 LCX+	WR 9 LP				
		5.0	165	Z		HR 9 BCY+	HR 9 BPY				
NL	09.96 - 02.99	4.0	157	H		WR 9 LCX+	WR 9 LP				
		5.0	162	X		WR 9 LCX+	WR 9 LP				
		5.8	165	Z		HR 9 BCY+	HR 9 BPY				
AU	02.99 - 06.00	4.0	168	Y		WR 9 LCX+	WR 9 LP				
		5.0	175	Z		HR 8 DPP 22 U	HR 8 DPX				
		5.8	168	Y		WR 9 LEV+	WR 9 LPV				
AU II	07.00 - 02.03	5.0	175	Z		HR 8 DPP 22 U	HR 8 DPX				
		5.0	175	Z		HR 8 DPP 22 U	HR 8 DPX				
		5.8	168	Y		FR 7 KPP 33 U+					
BA	07.03 - 02.05	4.0	182	H <Barra 182>		FR 7 KPP 33 U+					
BA II	03.05 - 09.05	4.0	182	H <Barra 182>		FR 7 KPP 33 U+					
BF	10.05 - 12.07	4.0	190	H <Barra 190>		FR 7 KPP 33 U+					
Falcon / Fairmont (inc G & XR Series)											
XK	09.60 - 07.62	2.4	50-70	144 cu.in		DR 10 BC					
XL	08.62 - 01.64	2.4	50-70	144 cu.in		DR 10 BC					
		2.8	60-75	170 cu.in		DR 10 BC					
XM	02.64 - 03.65	2.4	50-70	144 cu.in		DR 10 BC					
		2.8	60-75	170 cu.in		DR 10 BC					
		3.3	85-97	200 cu.in		DR 10 BC					
XP	04.65 - 08.66	2.4	50-70	144 cu.in		DR 10 BC					
		2.8	60-75	170 cu.in		DR 10 BC					
		3.3	85-97	200 cu.in		DR 10 BC					
XR	09.66 - 02.68	2.8	60-75	170 cu.in		DR 10 BC					
		3.3	85-97	200 cu.in		DR 10 BC					
		4.7	150-155	289 cu.in		DR 10 BC					
XT	03.68 - 05.69	3.1	77-92	188 cu.in		DR 10 BC					
		3.6	92-104	221 cu.in		DR 10 BC					

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

									
◀ FORD							Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
XT	03.68 - 05.69	5.0	172	302 cu.in		DR 10 BC			
						DR 7 BC			
XW	06.69 - 12.70	3.1	77-92	188 cu.in		DR 10 BC			
		5.0	172	302 cu.in		DR 10 BC			
		5.8	140	351 cu.in		HR 9 BC+	HR 9 BP		
XY	01.71 - 02.72	3.3	85-97	200 cu.in		DR 10 BC			
		4.1	97-116	250 cu.in		DR 10 BC			
		4.9	164	302 cu.in		DR 10 BC			
		5.8	140	351 cu.in		HR 9 BC+	HR 9 BP		
XA	03.72 - 10.73	3.3	85-97	200 cu.in		DR 10 BC			
		4.1	97-116	250 cu.in		DR 10 BC			
		4.9	164	302 cu.in		DR 10 BC			
		5.8	140	351 cu.in		HR 9 BC+	HR 9 BP		
XB	11.73 - 06.76	3.3	85-97	200 cu.in		DR 10 BC			
		4.1	97-116	250 cu.in		DR 10 BC			
		4.9	164	302 cu.in		DR 10 BC			
		5.8	140	351 cu.in		HR 9 BC+	HR 9 BP		
XC	07.76 - 02.79	3.3	85-97	200 cu.in		HR 9 BC+	HR 9 BP		
		4.1	97-116	250 cu.in		HR 9 BC+	HR 9 BP		
		4.9	164	302 cu.in		HR 9 BC+	HR 9 BP		
		5.8	140	351 cu.in		HR 9 BC+	HR 9 BP		
XD	03.79 - 02.82	3.3	85-97	200 cu.in		HR 9 BC+	HR 9 BP		
		4.1	97-116	250 cu.in		HR 9 BC+	HR 9 BP		
		4.9	164	302 cu.in		HR 9 BC+	HR 9 BP		
		5.8	140	351 cu.in		HR 9 BC+	HR 9 BP		
XE	03.82 - 09.84	3.3	85-97	200 cu.in		WR 8 DC+	WR 8 DP		
		4.1	97-116	250 cu.in		WR 8 DC+	WR 8 DP		
		4.9	164	302 cu.in		HR 9 BC+	HR 9 BP	F9-4	
		5.8	140	351 cu.in		HR 9 BC+	HR 9 BP	F9-4	
XF	09.84 - 10.87	3.3	90	V		WR 9 LCX+	WR 9 LP	F2-6	
		4.1	103	W		WR 9 LCX+	WR 9 LP	F2-6	
		120	T			WR 9 LCX+	WR 9 LP	F2-6	
		Y				WR 9 LCX+	WR 9 LP	F2-6	
EA	03.88 - 12.88	3.2	92	A <CFI>		WR 9 LCX+	WR 9 LP	F2-6	
	03.88 - 09.89	3.9	120	D <CFI>		WR 9 LCX+	WR 9 LP	F2-6	
		139	P <MPFI>			WR 9 LCX+	WR 9 LP	F2-6	
EA II	10.89 - 06.91	3.9	120	D <CFI>		WR 9 LCX+	WR 9 LP	F2-6	
		139	P <MPFI>			WR 9 LCX+	WR 9 LP	F2-6	
EB	07.91 - 02.92	3.9	120	D <CFI>		WR 9 LCX+	WR 9 LP	F2-6	
		139	P <MPFI>			WR 9 LCX+	WR 9 LP	F2-6	
		5.0	165	Z		HR 9 BCY+	HR 9 BPY	F9-4	
EB II	03.92 - 07.93	4.0	148	H		WR 9 LCX+	WR 9 LP	F2-6	
		5.0	165	Z		HR 9 BCY+	HR 9 BPY	F9-4	
	10.92 - 04.93	5.0	200	J		HR 8 DCX+	HR 8 DPX	F7-4	
	10.92 - 07.93	4.0	161	X		WR 9 LCX+	WR 9 LP	F2-6	
ED	08.93 - 07.94	4.0	161	X		WR 9 LCX+	WR 9 LP	F2-6	
	08.93 - 08.94	4.0	148	H		WR 9 LCX+	WR 9 LP	F2-6	
		5.0	165	Z		HR 9 BCY+	HR 9 BPY	F9-4	
		192	T			HR 8 DCX+	HR 8 DPX	F7-4	
EF	09.94 - 09.95	4.0	157	H		WR 9 LCX+	WR 9 LP	F2-6	
		164	X			WR 9 LCX+	WR 9 LP	F2-6	
		5.0	165	Z		HR 9 BCY+	HR 9 BPY	F9-4	
		170	Z			HR 9 BCY+	HR 9 BPY	F9-4	
EF II	10.95 - 08.96	4.0	157	H		WR 9 LCX+	WR 9 LP	F2-6	
		164	X			WR 9 LCX+	WR 9 LP	F2-6	
		5.0	165	Z		HR 9 BCY+	HR 9 BPY	F9-4	
		170	Z			HR 9 BCY+	HR 9 BPY	F9-4	
EL	09.96 - 08.98	4.0	157	H		WR 9 LCX+	WR 9 LP	F2-6	
		162	X			WR 9 LCX+	WR 9 LP	F2-6	

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					Platinum	Platinum Performance
								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
EL	09.96 - 08.98	4.0	164	X			WR 9 LCX+	WR 9 LP	F2-6	
		5.0	165	Z			HR 9 BCY+	HR 9 BPY	F9-4	
			170	Z			HR 9 BCY+	HR 9 BPY	F9-4	
	10.97 - 08.98	5.0	185	Z			HR 9 BCY+	HR 9 BPY	F9-4	
AU	09.98 - 02.00	4.0	164	X			WR 9 LCX+	WR 9 LP	F2-6	
		172	Y				WR 9 LCX+	WR 9 LP	F2-6	
		5.0	185	Z			HR 8 DPP 22 U	HR 8 DPX	F7-4	
	09.98 - 03.00	4.0	157				WR 9 LCX+	WR 9 LP	F2-6	
			H				WR 9 LCX+	WR 9 LP	F2-6	
			168	Y			WR 9 LCX+	WR 9 LP	F2-6	
		5.0	175	Z			HR 8 DPP 22 U	HR 8 DPX	F7-4	
AU II	04.00 - 03.01	4.0	164	X			WR 9 LEV+	WR 9 LPV	F2-6	
			Y				WR 9 LEV+	WR 9 LPV	F2-6	
		5.0	200	Z			HR 8 DPP 22 U	HR 8 DPX	F7-4	
	04.00 - 09.01	4.0	157	H			WR 9 LEV+	WR 9 LPV	F2-6	
			168	Y			WR 9 LEV+	WR 9 LPV	F2-6	
		5.0	175	Z			HR 8 DPP 22 U	HR 8 DPX	F7-4	
	07.00 - 03.01	4.0	143	S			WR 9 LE	WR 9 LP		
AU III	04.01 - 09.02	4.0	143	S			WR 8 LC+			
		157	H				WR 9 LEV+	WR 9 LPV	F2-6	
		164	X				WR 9 LEV+	WR 9 LPV	F2-6	
		5.0	175	Z			HR 8 DPP 15 V			
	10.01 - 09.02	4.0	168	Y			WR 9 LEV+	WR 9 LPV	F2-6	
		5.0	175	Z			HR 8 DPP 22 U	HR 8 DPX	F7-4	
BA	10.02 - 09.04	4.0	156	S <GAS>			FR 7 KPP 33 U+			
		182	H <Barra 182>				FR 7 KPP 33 U+		F1-6	
		240	Y <Barra 240T>				FR 7 KPP 33 U+			
		5.4	260	Z <Boss 260>			HR 8 DPP 15 V			
BA II	10.04 - 09.05	4.0	156	S <GAS>			FR 7 KPP 33 U+			
		182	H <Barra 182>				FR 7 KPP 33 U+		F1-6	
		240	Y <Barra 240T>				FR 7 KPP 33 U+			
	03.05 - 09.05	5.4	260	Z <Boss 260>			HR 8 DPP 15 V			
BF	10.05 - 09.06	4.0	156	S <Egas>			FR 7 KPP 33 U+			
		190	H <Barra 190>				FR 7 KPP 33 U+		F1-6	
		245	Y <Barra 245T>				FR 7 KPP 33 U+			
		5.4	260	Z <Boss 260>			HR 8 DPP 15 V			
BF II	10.06 - 05.08	4.0	156	S <Egas>			FR 7 KPP 33 U+			
		190	H <Barra 190>				FR 7 KPP 33 U+		F1-6	
		245	Y <Barra 245T>				FR 7 KPP 33 U+			
		5.4	260	Z <Boss 260>			HR 8 DPP 15 V			
FG	04.08 →	4.0	156	S <Egas>			FR 7 KI 332 S			
		195	H <Barra 195>				FR 8 KI 33 V			
		270	Y <Barra 270T>				FR 7 KPP 33 U+			
		5.4	290	Z <Boss 290>			HR 8 DPP 15 V			
Falcon Utility / Van (inc XR Series)										
XF	09.84 - 10.86	3.3	90	V			WR 9 LCX+	WR 9 LP	F2-6	
	09.84 - 02.93	4.1	98	N			WR 9 LCX+	WR 9 LP	F2-6	
XG	03.93 - 03.96	4.0	148	H			WR 9 LCX+	WR 9 LP	F2-6	
	10.93 - 03.96	4.0	161	X			WR 9 LCX+	WR 9 LP	F2-6	
XH	04.96 - 11.99	4.0	148	H			WR 9 LCX+	WR 9 LP	F2-6	
AU II	04.00 - 09.01	4.0	143	S <GAS>			WR 9 LE	WR 9 LP		
		157	H <Intech>				WR 9 LEV+	WR 9 LPV	F2-6	
		164	X <Intech>				WR 9 LEV+	WR 9 LPV	F2-6	
		5.0	175	Z <Intech>			HR 8 DPP 22 U	HR 8 DPX	F7-4	
			185	Z <Intech>			HR 8 DPP 22 U	HR 8 DPX	F7-4	
AU III	10.01 - 09.02	4.0	143	S <GAS>			WR 9 LE	WR 9 LP		
		157	H <Intech>				WR 9 LEV+	WR 9 LPV	F2-6	
		5.0	175	Z <Intech>			HR 8 DPP 22 U	HR 8 DPX	F7-4	
F										

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

²⁾ Original equipment (or) equivalent recommendation

³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

					Type					Platinum
										Platinum Performance
◀ FORD										
BA	10.02 - 09.04	4.0	156	S <GAS>			FR 7 KPP 33 U+		Standard ^{1) 2)}	Premium ¹⁾
			182	H <Barra 182>			FR 7 KPP 33 U+			F1-6
			240	Y <Barra 240T>			FR 7 KPP 33 U+			
		5.4	260	Z <Boss 260>			HR 8 DPP 15 V			
BA II	10.04 - 09.05	4.0	156	S <GAS>			FR 7 KPP 33 U+			
			182	H <Barra 182>			FR 7 KPP 33 U+			F1-6
	03.05 - 09.05	4.0	240	Y <Barra 240T>			FR 7 KPP 33 U+			
		5.4	260	Z <Boss 260>			HR 8 DPP 15 V			
BF	10.05 - 09.06	4.0	156	S <GAS>			FR 7 KPP 33 U+			
			190	H <Barra 190>			FR 7 KPP 33 U+			F1-6
			245	Y <Barra 245T>			FR 7 KPP 33 U+			
		5.4	260	Z <Boss 260>			HR 8 DPP 15 V			
BF II	10.06 - 05.08	4.0	156	S <GAS>			FR 7 KPP 33 U+			
			190	H <Barra 190>			FR 7 KPP 33 U+			F1-6
			245	Y <Barra 245T>			FR 7 KPP 33 U+			
		5.4	260	Z <Boss 260>			HR 8 DPP 15 V			
FG	04.08 →	4.0	156	S <Egas>			FR 7 KI 332 S			
			195	H <Barra 195>			FR 8 KI 33 V			
			270	Y <Barra 270T>			FR 7 KPP 33 U+			
		5.4	290	Z <Boss 260>			HR 8 DPP 15 V			
Festiva										
WA	06.91 - 03.94	1.3	46	U			WR 9 DC+	WR 9 DP		
WB	04.94 - 12.96	1.3	47	U			WR 8 DCX+	WR 8 DPX		F4-4
WBII	02.97 - 12.97	1.3	47	U			FR 7 DCX+	FR 7 DPX		F1-4
		1.5	67	E			FR 7 DCX+	FR 7 DPX		F1-4
WF	01.98 - 12.00	1.3	47	U			WR 9 DCX+	WR 9 DPX		
		1.5	56	E			FR 7 DCX+	FR 7 DPX		F1-4
Fiesta										
JD, JH	11.01 - 09.08	1.6	74	FYJ... <Duratec 16V SFI>			HR 8 MCV+	HR 8 MPV		
WQ	06.07 - 09.08	2.0	110	N4JB <Duratec 16V SFI>			HR 8 DPP 15 V			F7-4
JD, JH	07.08 →	1.4	71	SPJ... <Euro4/Euro5>			HR 8 MCV+	HR 8 MPV		
WS/WT	07.08 →	1.6	88	HXJ... <Euro4/Euro5>			HR 8 MCV+	HR 8 MPV		
Focus										
LR	06.02 - 05.05	1.8	85	EYDC <ZH18,Zetec-E,SFI>			HR 8 MCV+	HR 8 MPV		
		2.0	96	EDDC <ZH20,Zetec-E,SFI>			HR 8 MCV+	HR 8 MPV		
LS	06.04 - 12.08	2.0	107	Duratec HE <DOHC 16v>			HR 8 DPP 15 V			F7-4
	07.04 - 01.08	2.0	107	AOD... <Duratec-HE>			HR 8 DPP 15 V			F7-4
LS/LT	04.06 - 01.08	2.5	166	HYDA <Duratec-ST>			FR 7 MPP 10			
LS	07.06 - 07.10	2.0	107	AOD... <Duratec-HE>			HR 8 DPP 15 V			
DA, HC	12.07 - 12.11	2.0	107	AOD... <Euro4/Euro5>			HR 6 DPP 33 V			
LV	06.08 - 12.11	2.5	166	HYDA <Euro4>			FR 7 MPP 10			
	01.09 - 12.11	2.5	224	JZDA <Euro4>			FR 7 NI 33			
FPV Force 6										
BF II	10.06 - 05.08	4.0	270	Y <F6 270>			FR 7 KPP 33 U+			
FPV Force 8										
BF II	10.06 - 05.08	5.4	290	Z			HR 8 DPP 15 V			
FPV F6										
FG	05.08 →	4.0	310	Y <F6 310>			FR 7 KPP 33 U+			

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					
								Standard ^{1) 2)}	Premium ¹⁾
FPV F6 Tornado									
BA II	01.05 - 09.05	4.0	270	Y <F6 270>		FR 7 KPP 33 U+			
BF	10.05 - 09.06	4.0	270	Y <F6 270>		FR 7 KPP 33 U+			
BF II	10.06 - 05.08	4.0	270	Y <F6 270>		FR 7 KPP 33 U+			
FPV F6 Typhoon									
BA II	10.04 - 09.05	4.0	270	Y <F6 270>		FR 7 KPP 33 U+			
BF	10.05 - 09.06	4.0	270	Y <F6 270>		FR 7 KPP 33 U+			
BF II	10.06 - 05.08	4.0	270	Y <F6 270>		FR 7 KPP 33 U+			
FPV F6 UTE									
FG	05.08→	4.0	310	Y <F6 310>		FR 7 KPP 33 U+			
FPV GT									
BA	02.03 - 09.04	5.4	290	Z <Boss 290>		HR 7 KPP 33+		F12-4	
BA II	10.04 - 09.05	5.4	290	Z <Boss 290>		HR 7 KPP 33+		F12-4	
BF	10.05 - 09.06	5.4	290	Z <Boss 290>		HR 7 KPP 33+		F12-4	
BF II	10.06 - 05.08	5.4	302	Z <Boss 302>		HR 7 KPP 33+		F12-4	
FG	05.08→	5.4	315	Z <Boss 315>		HR 8 DPP 15 V			
FPV GT-P									
BA	02.03 - 09.04	5.4	290	Z <Boss 290>		HR 8 DPP 15 V			
BA II	10.04 - 09.05	5.4	290	Z <Boss 290>		HR 7 KPP 33+		F12-4	
BF	10.05 - 09.06	5.4	290	Z <Boss 290>		HR 7 KPP 33+		F12-4	
BF II	10.06 - 05.08	5.4	302	Z <Boss 302>		HR 7 KPP 33+		F12-4	
FPV Pursuit									
BA	02.03 - 09.04	5.4	290	Z <Boss 290>		HR 8 DPP 15 V			
BA II	10.04 - 09.05	5.4	290	Z <Boss 290>		HR 8 DPP 15 V			
BF	10.05 - 09.06	5.4	290	Z <Boss 290>		HR 8 DPP 15 V			
BF II	10.06 - 05.08	5.4	302	Z <Boss 302>		HR 8 DPP 15 V			
FG	05.08→	5.4	315	Z <Boss 315>		HR 8 DPP 15 V			
FPV Super Pursuit									
BA II	06.05 - 09.05	5.4	290	Z <Boss 290>		HR 8 DPP 15 V			
BF	10.05 - 09.06	5.4	290	Z <Boss 290>		HR 8 DPP 15 V			
BF II	10.06 - 05.08	5.4	302	Z <Boss 302>		HR 8 DPP 15 V			
FG	05.08→	5.4	315	Z <Boss 315>		HR 8 DPP 15 V			
F100									
	09.74 - 08.79	5.0	97			HR 10 BCX	HR 9 BPX		
	09.76 - 08.79	5.8	122			HR 10 BCX	HR 9 BPX		
	09.80 - 08.81	5.8	116			HR 10 BCX	HR 9 BPX		
F150									
	09.87 - 04.90	5.0	138					F9-4	
	09.87 - 12.93	5.8	157		U22		HR 8 BPX		
F250									
	09.87 - 08.91	5.8	157		U22		HR 8 BPX		
F350									
	09.83 - 12.85	5.8	116		09.84 - 12.85		HR 8 BC		
	09.84 - 12.85	5.8	116				HR 8 BC		

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

◀ FORD							Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
09.87 - 12.93	5.8	157			U22		HR 8 BPX		
09.98 - 08.04	5.4	194				HR 8 DPP 15 V		F7-4	
					U68,U81		HR 9 DPY		
Ka									
TA/TB	09.99 - 10.02	1.3	44	J4D <HCS,Endura-E SEFI> J4M <HCS,Endura-E SEFI>		HR 7 DCX+	HR 7 DPX		
						HR 7 DCX+	HR 7 DPX		
Kuga									
DM2	12.08→	2.5	147	HYD... <Euro4/Euro5>		FR 7 NI 33			
Laser									
KA	02.81 - 11.82	1.3	48	C		WR 8 DC+	WR 8 DP		
		1.5	54	R		WR 8 DC+	WR 8 DP		
			58	K		WR 8 DC+	WR 8 DP		
KB	12.82 - 09.85	1.3	48	C		WR 8 DC+	WR 8 DP		F4-4
		1.5	54	R		WR 8 DC+	WR 8 DP		F4-4
			58	K		WR 8 DC+	WR 8 DP		F4-4
			78	R		WR 8 DC+	WR 8 DP		
KC	10.85 - 09.87	1.3	48	U		WR 8 DC+	WR 8 DP		F4-4
			U <SOHC>			WR 8 DC+	WR 8 DP		F4-4
		1.6	53	B		WR 8 DCX+	WR 8 DPX		F4-4
			61	F		WR 8 DCX+	WR 8 DPX		F4-4
KE	10.87 - 03.89	1.3	48	U		WR 8 DCX+	WR 8 DPX		F4-4
	10.87 - 02.90	1.6	53	B		WR 8 DCX+	WR 8 DPX		F4-4
			61	F		WR 8 DCX+	WR 8 DPX		F4-4
			100	T		FR 7 DCX+	FR 7 DPX		
KE II	02.90 - 09.94	1.6	64	B		WR 8 DCX+	WR 8 DPX		F4-4
KF	03.90 - 09.91	1.6	64	B		FR 8 DCX+	FR 8 DPX		F3-4
		1.8	76	N		FR 8 DCX+	FR 8 DPX		F3-4
			92	C		FR 8 DCX+	FR 8 DPX		F3-4
	06.90 - 09.91	1.8	117	H		FR 7 DCX+	FR 7 DPX		
KH	10.91 - 09.92	1.6	53	B		FR 8 DCX+	FR 8 DPX		F3-4
			64	B		FR 8 DCX+	FR 8 DPX		F3-4
		1.8	76	N		FR 8 DCX+	FR 8 DPX		F3-4
			92	C		FR 8 DCX+	FR 8 DPX		F3-4
			117	H		FR 7 DCX+	FR 7 DPX		
KH II	10.92 - 07.93	1.8	117	H		FR 7 DCX+	FR 7 DPX		
	10.92 - 09.94	1.6	53	B		FR 8 DCX+	FR 8 DPX		F3-4
			64	B		FR 8 DCX+	FR 8 DPX		F3-4
		1.8	76	N		FR 8 DCX+	FR 8 DPX		F3-4
			92	C		FR 8 DCX+	FR 8 DPX		F3-4
KJ	10.94 - 11.96	1.6	80	B		FR 7 DCX+	FR 7 DPX		F1-4
		1.8	92	N		FR 7 DCX+	FR 7 DPX		F1-4
KJ II	12.96 - 12.97	1.6	80	B		FR 7 DCX+	FR 7 DPX		F1-4
		1.8	92	N		FR 7 DCX+	FR 7 DPX		F1-4
KJ III	12.97 - 03.99	1.6	80	B		FR 7 DCX+	FR 7 DPX		F1-4
		1.8	92	N		FR 7 DCX+	FR 7 DPX		F1-4
KN	03.99 - 02.01	1.6	78	ZM		FR 7 LCX+	FR 7 LPX		F1-4
		1.8	92	FP		FR 7 DCX+	FR 7 DPX		F1-4
KQ	03.01 - 12.03	1.6	75	ZM		FR 7 LCX+	FR 7 LPX		F1-4
		1.8	88-99	FP		FR 7 DCX+	FR 7 DPX		F1-4
			92-99	FP		FR 7 DCX+	FR 7 DPX		F1-4
LTD									
FC	06.79 - 02.82	4.1	97-116	250 cu.in	06.79 - 12.80 01.81 - 02.82	HR 9 BC+ WR 8 DC+			
FD	03.82 - 09.84	4.1	97-116	250 cu.in		WR 8 DC+	WR 8 DP		

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					Platinum	Platinum Performance
								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
FE	09.84 - 05.88	4.1	120	T			WR 9 LCX+	WR 9 LP	F2-6	
DA	06.88 - 09.89	3.9	139	P			WR 9 LCX+	WR 9 LP	F2-6	
DA II	10.89 - 06.91	3.9	139	P			WR 9 LCX+	WR 9 LP	F2-6	
DC	07.91 - 02.92	3.9	139	P			WR 9 LCX+	WR 9 LP	F2-6	
		5.0	165	Z			HR 9 BCY+	HR 9 BPY	F9-4	
	03.92 - 02.95	4.0	148	H			WR 9 LCX+	WR 9 LP	F2-6	
DC II	03.92 - 02.95	5.0	165	Z			HR 9 BCY+	HR 9 BPY	F9-4	
DF	03.95 - 09.95	4.0	157	H			WR 9 LCX+	WR 9 LP	F2-6	
		5.0	165	Z			HR 9 BCY+	HR 9 BPY	F9-4	
DF II	10.95 - 08.96	4.0	157	H			WR 9 LCX+	WR 9 LP	F2-6	
		5.0	165	Z			HR 9 BCY+	HR 9 BPY	F9-4	
DL	09.96 - 05.99	4.0	157	H			WR 9 LCX+	WR 9 LP	F2-6	
		5.0	165	Z			HR 9 BCY+	HR 9 BPY	F9-4	
AU	05.99 - 05.00	5.0	185	Z			HR 8 DPP 22 U	HR 8 DPX	F7-4	
	10.99 - 09.00	4.0	168	Y			WR 9 LCX+	WR 9 LP	F2-6	
AU II	06.00 - 06.03	4.0	168	Y			WR 9 LEV+	WR 9 LPV	F2-6	
		5.0	185	Z			HR 8 DPP 22 U	HR 8 DPX	F7-4	
Maverick										
	04.88 - 12.94	4.2	125	TB42			WR 8 DC+	WR 8 DP		
Meteor										
GA	02.82 - 04.83	1.5	54	R			WR 8 DC+	WR 8 DP	F4-4	
			58	K			WR 8 DC+	WR 8 DP	F4-4	
GB	05.83 - 02.85	1.5	58	K			WR 8 DC+	WR 8 DP	F4-4	
	05.83 - 09.85	1.5	54	R			WR 8 DC+	WR 8 DP	F4-4	
GC	10.85 - 10.87	1.6	53	B			WR 8 DCX+	WR 8 DPX	F4-4	
			61	F			WR 8 DCX+	WR 8 DPX	F4-4	
Mondeo										
HA/HB	03.95 - 07.96	2.0	100	NGA <ZH20,ZETEC>			HR 8 MCV+	HR 8 MPV		
HC/HD/HE	08.96 - 09.00	2.0	96	NGD <ZH20, ZETEC-E>			HR 8 MCV+	HR 8 MPV		
	08.98 - 09.00	2.0	96	NGB <ZH20, ZETEC-E>			HR 8 MCV+	HR 8 MPV		
MA/MB	02.07 - 03.10	2.5	162	HU... <Euro4>			FR 7 MPP 10			
MB	09.07 →	2.3	118	SEBA <Euro4>			HR 8 NPP 302			
Mondeo ST24										
HE	12.99 - 09.00	2.5	125	SEA <MP25, DURATEC-VE>			HR 8 DPP 15 V	HR 8 DPV	F7-6	
Mustang										
	09.95 - 08.01	4.6	228-242	...			HR 8 DCX+	HR 8 DPX	F7-4	
							HR 8 DCX+	HR 8 DPX	F7-4	
Probe										
	04.94 - 07.97	2.5	120	KL			FR 8 LCX	FR 8 LPX		
Taurus										
	09.95 - 08.99	3.0	149	Duratec 30			HR 8 DCX+	HR 8 DPX	F7-6	
Telstar										
AR	05.83 - 08.85	2.0	70	J			WR 8 DC+	WR 8 DP	F4-4	
AS	09.85 - 09.87	2.0	70	J			WR 8 DCX+	WR 8 DPX	F4-4	
AT	10.87 - 10.89	2.0	70	H			WR 8 DCX+	WR 8 DPX	F4-4	
		2.2	84	T				FR 8 LPX	F3-4	
AV	01.90 - 10.91	2.2	84	T				FR 8 LPX	F3-4	

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable



◀ FORD							Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
AX	01.92 - 08.94	2.0	85	N			FR 8 DCX+	FR 8 DPX	F3-4
		2.5	121	U			FR 8 LPX		
AY	09.94 - 11.96	2.0	85	N			FR 8 DCX+	FR 8 DPX	F3-4
		2.5	121	U			FR 8 LPX		
Telstar Turbo									
AS	01.86 - 09.87	2.0	87	N <Turbo>			WR 7 DCX+	WR 7 DPX	
AT	10.87 - 10.89	2.2	100	T <Turbo>			FR 7 LCX+	FR 7 LPX	
AV	01.90 - 10.91	2.2	108	T <Turbo>			FR 7 LCX+	FR 7 LPX	
Territory									
SX	05.04 - 09.05	4.0	182	H <Barra 182>			FR 7 KPP 33 U+		F1-6
SY	10.05 - 04.09	4.0	190	H <Barra 190>			FR 7 KPP 33 U+		F1-6
TE50									
AU	10.99 - 09.00	5.0	200	Z			HR 8 DPP 22 U	HR 8 DPX	F7-4
AU II	10.00 - 10.01	5.0	220	Z			HR 8 DPP 22 U	HR 8 DPX	F7-4
AU III	11.01 - 12.02	5.6	250	Z			HR 8 DPP 22 U	HR 8 DPX	F7-4
TL50									
AU	10.99 - 09.00	5.0	200	Z			HR 8 DPP 22 U	HR 8 DPX	F7-4
AU II	10.00 - 10.01	5.0	220	Z			HR 8 DPP 22 U	HR 8 DPX	F7-4
AU III	11.01 - 12.02	5.6	250	Z			HR 8 DPP 22 U	HR 8 DPX	F7-4
Transit									
	08.94 - 07.00	2.0	84	NSF <DOHC 8V SEFI>			FR 5 DPP 222		
				NSG <DOHC 8V SEFI>			FR 5 DPP 222		
	08.01 - 07.06	2.3	103-107	E5FC <DOHC 16V BI-FUEL>	ELG		FR 7 KPP 33 U+		
TS50									
AU	10.99 - 09.00	5.0	220	Z			HR 8 DPP 22 U	HR 8 DPX	F7-4
AU II	10.00 - 10.01	5.0	220	Z			HR 8 DPP 22 U	HR 8 DPX	F7-4
AU III	11.01 - 12.02	5.6	250	Z			HR 8 DPP 22 U	HR 8 DPX	F7-4
GREAT WALL									
SA220									
	06.06 →	2.2	75	491QE			WR 8 DC+	WR 8 DP	F4-4
V240									
	12.06 →	2.4	100	4G69S4N			FR 8 DCX+	FR 8 DPX	
HILLMAN									
Hunter									
	01.66 - 12.79	1.7	54				WR 7 DC+	WR 7 DP	
Imp									
	01.63 - 12.69	0.9	28,5				WR 7 DC+	WR 7 DP	

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					Platinum	Platinum Performance	
									Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
HOLDEN											
Adventra											
VY II	08.03 - 08.04	5.7	235-245	VF <LS1>			HR 9 LPP 22 Y			F5-4	
VZ	09.04 - 08.06	5.7	235	VF <LS1>			HR 9 LPP 22 Y			F5-4	
	04.05 - 08.06	3.6	190	H7			HR 8 NPP 302			F10-6	
Apollo											
JK	08.89 - 07.91	2.0	82	3SFC <L4>			FR 8 DCX+	FR 8 DPX		F3-4	
			88	3SFE <L4>			FR 8 DCX+	FR 8 DPX		F3-4	
JL	08.91 - 02.93	2.0	88	3SFE <DOHC 16V MPFI>			FR 8 DCX+	FR 8 DPX		F3-4	
				3SFE <L4>			FR 8 DCX+	FR 8 DPX		F3-4	
JM	04.93 - 07.95	2.2	93	5SFE <LA4>			FR 7 DCX+	FR 7 DPX		F1-4	
		3.0	136	3VZFE <LA6>			FR 7 DCX+	FR 7 DPX		F1-6	
JP	08.95 - 05.97	2.2	93	5SFE <LA4>			FR 7 DCX+	FR 7 DPX		F1-4	
		3.0	136	3VZFE <LA6>			FR 7 DCX+	FR 7 DPX		F1-6	
Astra											
LB	08.84 - 03.86	1.5	51	E15			WR 8 DC+	WR 8 DP		F4-4	
LC	04.86 - 06.87	1.6	52	E16S			WR 8 DCX+	WR 8 DPX		F4-4	
LD	07.87 - 07.89	1.6	55	16LF <L73>			WR 7 DCX+	WR 7 DPX		F6-4	
		1.8	79	18LE <LV6>			WR 7 DCX+	WR 7 DPX		F6-4	
TR	09.96 - 09.98	1.6	74	C16SE <L55>			FLR 8 LDCU+			F3-4	
		1.8	85	C18SEL <2HO>			FLR 8 LDCU+			F3-4	
		2.0	100	X20XEV <L34>			FLR 8 LDCU+			F3-4	
TS	10.98 - 11.00	1.8	85	X18XE1 <2H9>			FLR 8 LDCU+			F3-4	
	09.00 - 08.05	2.2	108	Z22SE			HLR 8 STEX				
	12.00 - 09.04	1.8	90	Z18XE			FLR 8 LDCU+			F3-4	
	09.02 - 08.05	2.0	141	Z20LET <Turbo Ecotec>			FLR 8 LDCU+				
	03.04 - 12.05	1.8	92	Z18XE			FLR 8 LDCU+			F3-4	
AH	03.04 - 03.07	1.8	92	Z18XE <Ecotec>			FQR 8 LEU 2	FR 8 LP		F3-4	
	08.05 - 03.10	1.8	103	Z18XER <Ecotec>			FQR 8 LEU 2	FR 8 LP		F3-4	
	12.06 - 03.08	2.2	110-114	Z22YH <Ecotec>			FGR 8 KQE 0				
Astra Convertible											
TS	09.00 - 08.05	2.2	108	Z22SE			HLR 8 STEX				
	05.03 - 12.04	2.0	141-147	Z20LET <Turbo Ecotec>			FLR 8 LDCU+				
Astra Coupe											
TS	09.00 - 08.05	2.2	108	Z22SE			HLR 8 STEX				
Barina											
MB	02.85 - 08.86	1.3	49,5	G13A <LN5>			WR 8 DC+	WR 8 DP		F4-4	
ML	09.86 - 12.88	1.3	49,5	G13A <LN5>			WR 8 DC+	WR 8 DP		F4-4	
MF	01.89 - 08.91	1.3	49,5	G13B <LN5>			WR 8 DC+	WR 8 DP		F4-4	
MH	09.91 - 04.94	1.3	49,5	G13B <LN5>			WR 8 DC+	WR 8 DP		F4-4	
SB	04.94 - 11.95	1.6	80	C16XE <L91>			FLR 8 LDCU+			F3-4	
	04.94 - 07.97	1.2	33	C12NZ <L71>		S16				F3-4	
						S16,W16	FLR 8 LDCU+				
						S21				F4-4	
		1.4	44	C14NZ <LH6>		S21,W13	WR 8 DC+	WR 8 DP			
						S16				F3-4	
						S16,W16	FLR 8 LDCU+				
						S21				F4-4	
						S21,W13	WR 8 DC+	WR 8 DP			

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

					Type				Platinum		
◀ HOLDEN									Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
SB	12.95 - 09.98 08.97 - 03.01	1.6 1.4	78 60		X16XE <L91> C14SE <L48>			FLR 8 LDCU+			F3-4
XC	04.01 - 10.05 09.01 - 10.05 09.03 - 10.05	1.4 1.8 1.4	66 92 66		Z14XE Z18XE <GSI/Ecotec> Z14XEP <Twinport ECO>			FLR 8 LDCU+			F3-4
TK	11.05 - 10.11	1.6	76		F16D3			FQR 8 LEU 2	FR 8 LP		F3-4
								FR 7 DCX+	FR 7 DPX		F1-4
Calibra											
YE	09.91 - 07.95 09.91 - 10.97 08.95 - 10.97	2.0 2.0 2.0	85 110 150 100 2.5		C20NE <ML4> C20XE <MT5> C20LET <M23> X20XEV <MG4 F18> C25XE, X25XE <MG4 F18>			WR 8 DC+	WR 8 DP		F4-4
								FR 7 DC+	FR 7 DP		F1-4
								FR 7 DC+	FR 7 DP		
								FLR 8 LDCU+			F3-4
								FLR 8 LDCU+			
Camira											
JB	08.82 - 10.84	1.6	64		JH <L16>			WR 7 DC+	WR 7 DP		F6-4
JD	11.84 - 02.86 11.85 - 01.86 02.86 - 03.87	1.6 1.8 1.8	64 85 60		JH <L16> JU <LV6> JC <LJ9>			WR 7 DC+	WR 7 DP		F6-4
JE	04.87 - 09.89	2.0	85		JD <LE4>			WR 7 DC+	WR 7 DP		F6-4
Caprice											
VQ	03.90 - 10.91	5.0	165		VU			HR 8 DCX+	HR 8 DPX		F7-4
VQ II	12.91 - 02.94	3.8 5.0	128 165		VH <LN3> VU			HR 9 DCY+	HR 9 DPY		F5-6
VR	03.94 - 08.94	3.8 5.0	130 165		VH <LN3> VU			HR 9 DCY+	HR 9 DPY		F5-6
VR II	09.94 - 04.95	3.8 5.0	130 165		VH <LN3> VU			HR 9 DCY+	HR 9 DPY		F5-6
VS	03.95 - 08.96 04.95 - 08.96	5.0 3.8	165 147		VU VH <LN3>			HR 8 DCX+	HR 8 DPX		F7-4
VS II	09.96 - 04.98 09.96 - 05.98	3.8 3.8	165 165		VS S/C <L67> VU			HR 7 DCX+	HR 7 DPX		F7-4
VS III	05.98 - 06.99 06.98 - 05.99	3.8 3.8	165 147		VS S/C <L67> VU			HR 8 DCX+	HR 8 DPX		F7-4
WH	06.99 - 07.01	3.8 5.7	147 220		VH <LN3> VF <LS1>			HR 9 DCY+	HR 9 DPY		F5-6
								HR 7 DCX+	HR 7 DPX		
								HR 9 LPP 22 Y			F5-4
WH II	08.01 - 04.03	3.8 5.7	147 225		VH <LN3> VF <LS1>			HR 8 DCV+	HR 8 DPV		F7-6
WK	05.03 - 08.04	3.8 5.7	147 245		VH <LN3> VF <LS1>			HR 9 LPP 22 Y			F5-4
WL	09.04 - 12.05 09.04 - 08.06 01.06 - 08.06	5.7 3.6 6.0	250 190 260		VF <LS1> H7 <Premium> 6M			HR 9 LPP 22 Y			F5-4
WM	09.06 →	3.6 6.0 6.0	195 270 260		H7 <Premium> L98 <LS2> L76 AFM			HR 8 NPP 302			F10-6
								HR 9 LPP 22 Y			F5-4
Captiva								HR 9 LPP 22 Y			
CG	05.06 →	3.2	165		HMA <Alloytec>			HR 8 NPP 302			F10-6

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					Platinum	Platinum Performance
								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
Combo										
SB	02.96 - 06.97	1.4	44	C14NZ <2H6>	S16					F3-4
					S16,W16	FLR 8 LDCU+				
					S21					F4-4
					S21,WI3	WR 8 DC+	WR 8 DP			
	08.97 - 12.02	1.4	60	C14SE <L48>		FLR 8 LDCU+				F3-4
XC	10.01 →	1.6	64	Z16SE		FLR 8 LDCU+				F3-4
					KVE	FGR 8 KQE 0				
	09.04 →	1.4	66	Z14XEP		FQR 8 LEU 2	FR 8 LP			F3-4
Commodore / Calais										
VB	10.78 - 04.80	2.8	76	173 cu.in (Red)		HR 9 BC+	HR 9 BP			
		3.3	83	202 cu.in (Red)		HR 9 BC+	HR 9 BP			
		4.2	100	253 cu.in (Red)		HR 9 BC+	HR 9 BP			
		5.0	117	308 cu.in (Red)		HR 9 BC+	HR 9 BP			
VC	04.80 - 10.81	2.8	76	2.85L (Blue)		HR 7 DCY+				
		3.3	83	3.3L (Blue)		HR 7 DCY+				
		4.2	100	4.2L (Blue)		HR 9 BCY+	HR 9 BPY			
		5.0	117	5.0L (Blue)		HR 9 BCY+	HR 9 BPY			
VH	10.81 - 03.84	2.8	76	2.85L (Blue)		HR 7 DCY+				
		3.3	83	3.3L (Blue)		HR 7 DCY+				
		4.2	100	4.2L (Blue)		HR 9 BCY+	HR 9 BPY			F9-4
		5.0	117	5.0L (Blue)		HR 9 BCY+	HR 9 BPY			F9-4
VK	02.84 - 12.85	3.3	86	3.3L EST (Black)		HR 7 DCY+				
			106	3.3L EFI (Black)		HR 7 DCY+				
				3.3L EFI (Black) <3.3 EFI>		HR 7 DCY+				
		5.0	117	VU		HR 9 BCY+	HR 9 BPY			F9-4
VL	01.86 - 07.88	3.0	114	RB30E		FR 8 DCX+	FR 8 DPX			
			154	RB30ET <Turbo>		FR 8 DCX+	FR 8 DPX			
	07.86 - 07.88	5.0	122	VU		HR 9 BCY+	HR 9 BPY			F9-4
				VU, VJ		HR 9 BCY+	HR 9 BPY			F9-4
VN	08.88 - 09.91	3.8	127	VH <LN3>		HR 9 DCY+	HR 9 DPY			F5-6
		5.0	165	VU		HR 8 DCX+	HR 8 DPX			F7-4
VN II	03.90 - 09.91	3.8	127	VH <LN3>		HR 9 DCY+	HR 9 DPY			F5-6
		5.0	165	VU		HR 8 DCX+	HR 8 DPX			F7-4
VP	10.91 - 12.92	3.8	128	VH <LN3>		HR 9 DCY+	HR 9 DPY			F5-6
		5.0	165	VU		HR 8 DCX+	HR 8 DPX			F7-4
VP II	01.93 - 06.93	3.8	128	VH <LN3>		HR 9 DCY+	HR 9 DPY			F5-6
	02.93 - 06.93	5.0	165	VU		HR 8 DCX+	HR 8 DPX			F7-4
VR	07.93 - 08.94	3.8	130	VH <LN3>		HR 9 DCY+	HR 9 DPY			F5-6
		5.0	165	VU		HR 8 DCX+	HR 8 DPX			F7-4
VR II	09.94 - 03.95	3.8	130	VH <LN3>		HR 9 DCY+	HR 9 DPY			F5-6
		5.0	165	VU		HR 8 DCX+	HR 8 DPX			F7-4
VS	04.95 - 05.96	3.8	147	VH <LN3>		HR 9 DCY+	HR 9 DPY			F5-6
		5.0	165	VU		HR 8 DCX+	HR 8 DPX			F7-4
VS II	06.96 - 07.97	3.8	147	VH <LN3>		HR 9 DCY+	HR 9 DPY			F5-6
			165	VS S/C <L67>		HR 7 DCX+	HR 7 DPX			
		5.0	165	VU		HR 8 DCX+	HR 8 DPX			F7-4
VT	09.97 - 05.99	3.8	147	VH <LN3>		HR 9 DCY+	HR 9 DPY			F5-6
			171	VS S/C <L67>		HR 7 DCX+	HR 7 DPX			
		5.0	180	VM <LB9>		HR 8 DCX+	HR 8 DPX			F7-4
			195	VM High Performance <LB9>		HR 8 DCX+	HR 8 DPX			F7-4
VT II	06.99 - 08.00	3.8	147	VH <LN3>		HR 9 DCY+	HR 9 DPY			F5-6
			171	VS S/C <L67>		HR 7 DCX+	HR 7 DPX			
		5.7	220	VF <LS1>		HR 9 LPP 22 Y				F5-4
VX	10.00 - 07.01	3.8	152	VH <LN3>		HR 8 DCV+	HR 8 DPV			F7-6
			171	VS S/C <L67>		HR 8 DCV+	HR 8 DPV			
		5.7	225	VF <LS1>		HR 9 LPP 22 Y				F5-4

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable



          Platinum										
◀ HOLDEN										
VX II	08.01 - 09.02	3.8	152	VH <LN3>		HR 8 DCV+	HR 8 DPV	F7-6	Standard ¹⁾ 2)	Premium ¹⁾ Performance ³⁾
			171	VS S/C <L67>		HR 8 DCV+	HR 8 DPV			
		5.7	225	VF <LS1>		HR 9 LPP 22 Y				F5-4
VY	10.02 - 07.03	3.8	152	VH <LN3>		HR 8 DCV+	HR 8 DPV	F7-6		
			171	VS S/C <L67>		HR 8 DCV+	HR 8 DPV			
		5.7	225	VF <LS1>		HR 9 LPP 22 Y				F5-4
VY II	08.03 - 08.04	3.8	152	VH <LN3>		HR 8 DCV+	HR 8 DPV	F7-6		
			171	VS S/C <L67>		HR 8 DCV+	HR 8 DPV			
		5.7	235	VF <LS1>		HR 9 LPP 22 Y				F5-4
			235-245	VF <LS1>		HR 9 LPP 22 Y				F5-4
VZ	09.04 - 08.06	3.6	190	H7 <Premium>		HR 8 NPP 302				F10-6
		5.7	235	VF <LS1>		HR 9 LPP 22 Y				F5-4
			235-250	VF <LS1>		HR 9 LPP 22 Y				F5-4
	09.04 - 04.08	3.6	175	HB <Decontent>		HR 8 NPP 302				F10-6
	01.06 - 08.06	6.0	260	L76		HR 9 LPP 22 Y				F5-4
VE	09.06 →	3.6	180	HNG		HR 8 NPP 302				
			H7			HR 8 NPP 302				F10-6
		195	H7 <Premium>			HR 8 NPP 302				F10-6
		6.0	270	L98 <LS2>		HR 9 LPP 22 Y				F5-4
	01.09 →	6.0	260	L76 AFM		HR 9 LPP 22 Y				
	09.09 →	3.0	190	HF <LF1 SIDI>		HR 7 NI 332 W				
Commodore Utility										
VG	08.90 - 08.91	3.8	127	VH <LN3>		HR 9 DCY+	HR 9 DPY	F5-6		
		5.0	165	VU		HR 8 DCX+	HR 8 DPX	F7-4		
VP	09.91 - 06.93	3.8	128	VH <LN3>		HR 9 DCY+	HR 9 DPY	F5-6		
		5.0	165	VU		HR 8 DCX+	HR 8 DPX	F7-4		
VR	07.93 - 03.95	3.8	130	VH <LN3>		HR 9 DCY+	HR 9 DPY	F5-6		
		5.0	165	VU		HR 8 DCX+	HR 8 DPX	F7-4		
VS	04.95 - 05.96	3.8	147	VH <LN3>		HR 9 DCY+	HR 9 DPY	F5-6		
		5.0	165	VU		HR 8 DCX+	HR 8 DPX	F7-4		
VS II	06.96 - 07.97	3.8	147	VH <LN3>		HR 9 DCY+	HR 9 DPY	F5-6		
		5.0	165	VU		HR 8 DCX+	HR 8 DPX	F7-4		
VS III	05.98 - 12.00	3.8	147	VH <LN3>		HR 9 DCY+	HR 9 DPY	F5-6		
		5.0	165	VU		HR 8 DCX+	HR 8 DPX	F7-4		
VU	12.00 - 07.01	3.8	152	VH <LN3>		HR 8 DCV+	HR 8 DPV	F7-6		
		5.7	225	VF <LS1>		HR 9 LPP 22 Y				F5-4
VU II	08.01 - 09.02	3.8	152	VH <LN3>		HR 8 DCV+	HR 8 DPV	F7-6		
		5.7	225	VF <LS1>		HR 9 LPP 22 Y				F5-4
VY	10.02 - 07.03	3.8	152	VH <LN3>		HR 8 DCV+	HR 8 DPV	F7-6		
		5.7	235	VF <LS1>		HR 9 LPP 22 Y				F5-4
VY II	08.03 - 08.04	3.8	152	VH <LN3>		HR 8 DCV+	HR 8 DPV	F7-6		
		5.7	235-245	VF <LS1>		HR 9 LPP 22 Y				F5-4
VZ	09.04 - 08.07	3.6	175	HB <HFV6>		HR 8 NPP 302				F10-6
		5.7	235-250	VF <LS1>		HR 9 LPP 22 Y				F5-4
	01.06 - 08.07	6.0	260	6M		HR 9 LPP 22 Y				F5-4
	05.07 - 08.07	3.6	190	H7 <Premium>		HR 8 NPP 302				F10-6
VE	10.07 →	3.6	180	HB <HFV6>		HR 8 NPP 302				F10-6
		195	H7 <Premium>			HR 8 NPP 302				F10-6
		6.0	270	6M		HR 9 LPP 22 Y				
	11.07 →	3.6	175	HB <HFV6>		HR 7 NI 332 W				
	09.09 →	6.0	260	L76 AFM		HR 9 LPP 22 Y				
Crewman										
VY II	08.03 - 08.04	3.8	152	VH <LN3>		HR 8 DCV+	HR 8 DPV	F7-6		
		5.7	235	VF <LS1>		HR 9 LPP 22 Y				F5-4
VZ	09.04 - 08.06	3.6	175	HB <HFV6>		HR 8 NPP 302				F10-6
		5.7	235	VF <LS1>		HR 9 LPP 22 Y				F5-4

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					Platinum	Platinum Performance
								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
Cruze										
JG	12.03 - 06.06 05.09 - 02.11	1.5 1.8	80 104	M15A Z18XER <2H0>		FR 8 DCX+ FR 7 LCX+	FR 8 DPX	F3-4		
Drover										
QB	02.85 - 12.87	1.3	47	G13A <H.C.L14 / O.H.C>		WR 8 DC+	WR 8 DP	F4-4		
Epica										
EP	10.07 - 02.11	2.5	115	X25D1		FR 6 KPP 33+				
Frontera										
UT	01.95 - 03.99	2.0	85	X20SE OHC <Ecotec>		FLR 8 LDCU+		F3-4		
B	03.99 - 08.05	2.2	100	X22SE		FLR 8 LDCU+		F3-4		
		3.2	151	6VD1		FR 7 DCX+	FR 7 DPX	F1-6		
Gemini										
TX	03.75 - 03.77	1.6	61	G161Z		WR 7 DC+	WR 7 DP			
TC	03.77 - 04.78	1.6	61	G161Z		WR 7 DC+	WR 7 DP			
TD	04.78 - 10.79	1.6	61	G161Z		WR 7 DC+	WR 7 DP			
TE	10.79 - 03.82	1.6	50	G161Z		WR 7 DC+	WR 7 DP			
TF	03.82 - 04.83	1.6	50	G161Z		WR 7 DC+	WR 7 DP		F6-4	
TG	03.83 - 04.83	1.6	50	G161Z		WR 7 DC+	WR 7 DP		F6-4	
RB	04.85 - 06.87	1.5	52	4XC1		WR 8 DC+	WR 8 DP	F4-4		
				4XC1 <LN6>		WR 8 DCX+	WR 8 DPX	F4-4		
Holden (Grey Motor)										
FX	11.48 - 10.53	2.2	45	132 cu.in (Grey)		WR 10 FC				
FJ	10.53 - 07.56	2.2	45	132 cu.in (Grey)		WR 10 FC				
FE	08.56 - 05.58	2.2	53	132 cu.in (Grey)		WR 10 FC				
FC	06.58 - 12.59	2.2	53	132 cu.in (Grey)		WR 10 FC				
FB	01.60 - 05.61	2.3	56	138 cu.in (Grey)		WR 10 FC				
EK	06.61 - 07.62	2.3	56	138 cu.in (Grey)		WR 10 FC				
EJ	08.62 - 08.63	2.3	56	138 cu.in (Grey)		WR 10 FC				
Holden (Red Motor)										
EH	09.63 - 02.65	2.4	74	149 cu.in (Red)		WR 8 DC+	WR 8 DP			
HD	03.65 - 04.66	2.4	74	149 cu.in (Red)		WR 8 DC+	WR 8 DP			
		3.0	86	186 cu.in (Red)		WR 8 DC+	WR 8 DP			
HR	05.66 - 12.67	2.6	81-85	161 cu.in (Red)		WR 8 DC+	WR 8 DP			
		3.0	93-108	186 cu.in (Red)		WR 8 DC+	WR 8 DP			
Jackaroo										
UBS	02.81 - 12.86	2.0	60	G200Z		WR 9 DC+	WR 9 DP			
	08.85 - 06.88	2.3	81	4ZD1		WR 7 DC+	WR 7 DP		F6-4	
	07.88 - 12.90	2.6	88	4ZE1		WR 8 DCX+	WR 8 DPX		F4-4	
	05.92 - 06.95	3.2	130	6VD1		FR 7 DCX+	FR 7 DPX		F1-6	
UBS II	07.95 - 12.97	3.2	130	6VD1		FR 7 DCX+	FR 7 DPX		F1-6	
L8	01.98 - 01.04	3.5	158	6VE1		FR 7 DCX+	FR 7 DPX		F1-6	
Kingswood										
HK	01.68 - 05.69	2.6	80-85	161 cu.in (Red)		WR 8 DC+	WR 8 DP			
		3.0	93-108	186 cu.in (Red)		WR 8 DC+	WR 8 DP			
		5.0	157	307 cu.in (Chev)		WR 10 FC				
HT	05.69 - 07.70	2.6	80-85	161 cu.in (Red)		WR 8 DC+	WR 8 DP			
		3.0	93-108	186 cu.in (Red)		WR 8 DC+	WR 8 DP			

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable



										
◀ HOLDEN								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
HT	05.69 - 07.70	4.2	87-96	253 cu.in (Red)			HR 9 BC+	HR 9 BP		
		5.0	126	307 cu.in (Chev)			HR 9 BC+	HR 9 BP		
				308 cu.in (Red)			HR 9 BC+	HR 9 BP		
HG	07.70 - 07.71	2.6	80-85	161 cu.in (Red)			WR 8 DC+	WR 8 DP		
		3.0	93-108	186 cu.in (Red)			WR 8 DC+	WR 8 DP		
		4.2	87-96	253 cu.in (Red)			HR 9 BC+	HR 9 BP		
		5.0	126	308 cu.in (Red)			HR 9 BC+	HR 9 BP		
HQ	07.71 - 10.74	2.8	80-85	173 cu.in (Red)			HR 9 BC+	HR 9 BP		
		3.3	110	202 cu.in (Red)			HR 9 BC+	HR 9 BP		
		4.2	87-96	253 cu.in (Red)			HR 9 BC+	HR 9 BP		
		5.0	126	308 cu.in (Red)			HR 9 BC+	HR 9 BP		
HJ	10.74 - 07.76	2.8	80-85	173 cu.in (Red)			HR 9 BC+	HR 9 BP		
		3.3	110	202 cu.in (Red)			HR 9 BC+	HR 9 BP		
		4.2	87-96	253 cu.in (Red)			HR 9 BC+	HR 9 BP		
		5.0	126	308 cu.in (Red)			HR 9 BC+	HR 9 BP		
HX	07.76 - 10.77	2.8	80-85	173 cu.in (Red)			HR 9 BC+	HR 9 BP		
		3.3	110	202 cu.in (Red)			HR 9 BC+	HR 9 BP		
		4.2	87-96	253 cu.in (Red)			HR 9 BC+	HR 9 BP		
		5.0	126	308 cu.in (Red)			HR 9 BC+	HR 9 BP		
HZ	10.77 - 12.79	2.8	80-85	173 cu.in (Red)			HR 9 BC+	HR 9 BP		
		3.3	110	202 cu.in (Red)			HR 9 BC+	HR 9 BP		
		4.2	87-96	253 cu.in (Red)			HR 9 BC+	HR 9 BP		
		5.0	126	308 cu.in (Red)			HR 9 BC+	HR 9 BP		
Monaro										
HK	07.68 - 05.69	2.6	85	161 cu.in (Red)			WR 8 DC+	WR 8 DP		
		3.0	93-108	186 cu.in (Red)			WR 8 DC+	WR 8 DP		
HT	06.69 - 07.70	3.0	97-108	186 cu.in (Red)			WR 8 DC+	WR 8 DP		
		4.2	138	253 cu.in (Red)			WR 8 DC+	WR 8 DP		
HG	08.70 - 06.71	3.0	97-108	186 cu.in (Red)			WR 8 DC+	WR 8 DP		
		4.2	138	253 cu.in (Red)			WR 8 DC+	WR 8 DP		
HQ	07.71 - 09.74	2.8	84-88	173 cu.in (Red)			WR 8 DC+	WR 8 DP		
		3.3	96-101	202 cu.in (Red)			WR 8 DC+	WR 8 DP		
		4.2	130-138	253 cu.in (Red)			WR 8 DC+	WR 8 DP		
HJ	10.74 - 06.76	3.3	101	202 cu.in (Red)			WR 8 DC+	WR 8 DP		
		4.2	138	253 cu.in (Red)			WR 8 DC+	WR 8 DP		
		5.0	178	308 cu.in (Red)			WR 8 DC+	WR 8 DP		
HX	07.76 - 09.77	4.2	138	253 cu.in (Red)			WR 8 DC+	WR 8 DP		
		5.0	161	308 cu.in (Red)			WR 8 DC+	WR 8 DP		
HZ	10.77 - 12.79	4.2	120	253 cu.in (Red)			WR 8 DC+	WR 8 DP		
		5.0	161	308 cu.in (Red)			WR 8 DC+	WR 8 DP		
V2	12.01 - 12.02	3.8	171	VS S/C <L67>			HR 8 DCV+	HR 8 DPV		
		5.7	235	VF <LS1>			HR 9 LPP 22 Y		F5-4	
V2 II	01.03 - 07.03	3.8	171	VS S/C <L67>			HR 8 DCV+	HR 8 DPV		
		5.7	235	VF <LS1>			HR 9 LPP 22 Y		F5-4	
V2 III	08.03 - 08.06	5.7	245	VF <LS1>			HR 9 LPP 22 Y		F5-4	
VZ	09.04 - 08.06	5.7	260	VF <LS1>			HR 9 LPP 22 Y		F5-4	
Nova										
LF	09.91 - 11.92	1.4	60	6AFC <L41>			FR 8 HC	FR 8 HP		
	09.91 - 10.94	1.6	76	4AFE <L55>			FR 8 DC+	FR 8 DP	F3-4	
	10.92 - 10.94	1.8	86	7AFE <LV6>			FR 8 DC+	FR 8 DP	F3-4	
LG	09.94 - 09.96	1.6	76	4AFE <L55>			FR 8 DC+	FR 8 DP	F3-4	
		1.8	86	7AFE <LV6>			FR 8 DC+	FR 8 DP	F3-4	
Piazza										
YB	04.86 - 12.87	2.0	110	4ZC1			WR 7 DCX+	WR 7 DPX		

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type							
									Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
Rodeo											
KB	01.81 - 12.82	1.6	50	G161Z		WR 7 DCX+	WR 7 DPX	F6-4			
	01.83 - 12.83	1.8	63	G180Z		WR 7 DCX+	WR 7 DPX	F6-4			
	01.83 - 06.85	1.9	65	G200Z		WR 7 DCX+	WR 7 DPX	F6-4			
KB49	07.85 - 06.88	2.3	81	4ZD1		WR 8 DCX+	WR 8 DPX	F4-4			
	07.88 - 12.90	2.6	88	4ZE1		WR 8 DCX+	WR 8 DPX	F4-4			
TF	01.91 - 12.92	2.3	69	4ZD1		WR 8 DCX+	WR 8 DPX	F4-4			
	01.91 - 05.98	2.6	88	4ZE1		WR 8 DCX+	WR 8 DPX	F4-4			
	05.93 - 12.96	2.6	80	4ZE1		WR 8 DCX+	WR 8 DPX	F4-4			
R7	01.97 - 05.98	2.6	88	4ZE1		WR 8 DCX+	WR 8 DPX	F4-4			
TF	06.98 - 02.03	2.2	87	22NE		WR 7 DCX+	WR 7 DPX	F6-4			
	06.98 - 03.03	3.2	140	6VD1		FR 7 KPP 33 U+		F1-6			
RA	03.03 - 01.06	3.5	147	6VE1		FR 7 KPP 33 U+		F1-6			
	03.03 - 06.08	2.4	94	C24SE		WR 8 DCX+	WR 8 DPX	F4-4			
	01.06 - 06.08	3.6	157	H9 <HFV6 Euro3>		HR 8 NPP 302		F10-6			
	01.07 - 06.08	2.4	92	C24SE		WR 8 DCX+	WR 8 DPX	F4-4			
Scurry											
NB	07.85 - 12.87	1.0	33	F10A		WR 7 DC+	WR 7 DP	F6-4			
Shuttle											
WFR	06.86 - 12.91	2.0	69	4ZC1 <LQ2>		WR 7 DC+	WR 7 DP	F6-4			
Statesman											
HQ	07.71 - 10.74	3.3	96-101	202 cu.in (Red)		HR 9 BC+	HR 9 BP				
		4.2	100	253 cu.in (Red)		HR 9 BC+	HR 9 BP				
		5.0	117	308 cu.in (Red)		HR 9 BC+	HR 9 BP				
		5.7	205-224	350 cu.in (Chev)		HR 9 BC+	HR 9 BP				
HJ	10.74 - 07.76	5.0	117	308 cu.in (Red)		HR 9 BC+	HR 9 BP				
HX	07.76 - 10.77	5.0	117	308 cu.in (Red)		HR 9 BC+	HR 9 BP				
HZ	10.77 - 06.79	3.3	96-101	202 cu.in (Red)		HR 9 BC+	HR 9 BP				
		4.2	100	253 cu.in (Red)		HR 9 BC+	HR 9 BP				
		5.0	117	308 cu.in (Red)		HR 9 BC+	HR 9 BP				
VQ	03.90 - 10.91	5.0	165	VU		HR 8 DCX+	HR 8 DPX	F7-4			
VQ II	12.91 - 02.94	3.8	128	VH <LN3>		HR 9 DCY+	HR 9 DPY	F5-6			
		5.0	165	VU		HR 8 DCX+	HR 8 DPX	F7-4			
VR	03.94 - 04.95	3.8	130	VH <LN3>		HR 9 DCY+	HR 9 DPY	F5-6			
		5.0	165	VU		HR 8 DCX+	HR 8 DPX	F7-4			
VS	03.95 - 08.96	3.8	147	VH <LN3>		HR 9 DCY+	HR 9 DPY	F5-6			
		5.0	165	VU		HR 8 DCX+	HR 8 DPX	F7-4			
VS II	09.96 - 04.98	3.8	147	VH <LN3>		HR 9 DCY+	HR 9 DPY	F5-6			
		165	VS S/C <L67>			HR 7 DCX+	HR 7 DPX				
	09.96 - 05.98	5.0	165	VU		HR 9 DCY+	HR 9 DPY	F5-4			
VS III	05.98 - 06.99	3.8	147	VH <LN3>		HR 9 DCY+	HR 9 DPY	F5-6			
		165	VS S/C <L67>			HR 7 DCX+	HR 7 DPX				
		5.0	165	VU		HR 8 DCX+	HR 8 DPX	F7-4			
WH	06.99 - 07.01	3.8	147	VH <LN3>		HR 9 DCY+	HR 9 DPY	F5-6			
		171	VS S/C <L67>			HR 7 DCX+	HR 7 DPX				
		5.7	220	VF <LS1>		HR 9 LPP 22 Y		F5-4			
WH II	08.01 - 04.03	3.8	147	VH <LN3>		HR 8 DCV+	HR 8 DPV	F7-6			
		171	VS S/C <L67>			HR 8 DCV+	HR 8 DPV				
		5.7	225	VF <LS1>		HR 9 LPP 22 Y		F5-4			
WK	05.03 - 08.04	3.8	147	VH <LN3>		HR 8 DCV+	HR 8 DPV	F7-6			
	08.03 - 08.04	3.8	171	VS S/C <L67>		HR 8 DCV+	HR 8 DPV				
		5.7	245	VF <LS1>		HR 9 LPP 22 Y		F5-4			
WL	09.04 - 12.05	5.7	235	VF <LS1>		HR 9 LPP 22 Y		F5-4			
	09.04 - 08.06	3.6	190	H7 <Premium>		HR 8 NPP 302		F10-6			
	01.06 - 08.06	6.0	260	6M		HR 9 LPP 22 Y		F5-4			

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

◀ HOLDEN							Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾	
WM	09.06 - 08.09	3.6	195	H7 <Premium>			HR 8 NPP 302			F10-6
	09.06 - 08.10	6.0	270	L98 <LS2>			HR 9 LPP 22 Y			F5-4
	01.09 - 08.10	6.0	260	L76 AFM			HR 9 LPP 22 Y			
Sunbird										
LX	12.76 - 03.78	1.9	60-72	Y			HR 6 BC			
Tigra										
XC	09.04 - 09.07	1.8	92	Z18XE <Ecotec>			FQR 8 LEU 2	FR 8 LP	F3-4	
Torana										
HB	05.67 - 10.69	1.1	42-51	22HB			WR 8 DC+	WR 8 DP		
LC	10.69 - 02.72	1.6	59	3			HR 6 BC			
		2.6	81-85	161 cu.in (Red)			WR 8 DC+	WR 8 DP		
		2.8	76	173 cu.in (Red)			WR 8 DC+	WR 8 DP		
		3.0	92-97	186 cu.in (Red)			WR 8 DC+	WR 8 DP		
	06.71 - 02.72	1.8	59	17H			WR 8 DC+	WR 8 DP		
LJ	02.72 - 02.74	1.6	59	3			HR 6 BC			
		2.6	84-88	161 cu.in (Red)			WR 8 DC+	WR 8 DP		
		2.8	76	173 cu.in (Red)			HR 9 BC+	HR 9 BP		
TA	02.74 - 12.74	1.3	46	1300V			WR 8 DC+	WR 8 DP		
LH	03.74 - 03.76	2.8	76	173 cu.in (Red)			HR 9 BC+	HR 9 BP		
		3.3	101	202 cu.in (Red)			HR 9 BC+	HR 9 BP		
		4.2	100	253 cu.in (Red)			HR 9 BC+	HR 9 BP		
		5.0	117	308 cu.in (Red)			HR 9 BC+	HR 9 BP		
	05.74 - 03.76	1.9	76	Y			HR 6 BC			
LX	03.76 - 12.76	1.9	76	Y			HR 6 BC			
	03.76 - 03.78	2.8	76	173 cu.in (Red)			HR 9 BC+	HR 9 BP		
		3.3	82	202 cu.in (Red)			HR 9 BC+	HR 9 BP		
		4.2	100	253 cu.in (Red)			HR 9 BC+	HR 9 BP		
		5.0	117	308 cu.in (Red)			HR 9 BC+	HR 9 BP		
UC	03.78 - 12.79	2.8	76	173 cu.in (Red)			HR 9 BC+	HR 9 BP		
		3.3	88	202 cu.in (Red)			HR 9 BC+	HR 9 BP		
Vectra										
JR	06.97 - 07.98	2.0	100	C20SEL <L34>			FLR 8 LDCU+			F3-4
		2.5	125	X25XE <L80>			FLR 8 LDCU+			
JS	08.98 - 06.99	2.0	100	C20SEL <L34>			FLR 8 LDCU+			F3-4
		2.2	104	C22SEL <LA9>			FLR 8 LDCU+			F3-4
		2.5	125	X25XE <L80>			FLR 8 LDCU+			
JS II	07.99 - 08.00	2.5	125	X25XE <L80>			FLR 8 LDCU+			
	07.99 - 09.02	2.0	100	C20SEL <L34>			FLR 8 LDCU+			F3-4
		2.2	104	C22SEL <LA9>			FLR 8 LDCU+			F3-4
	09.00 - 09.02	2.6	130	Y26SE			FGR 8 KQE 0			
ZC	09.01 - 12.06	2.2	108	Z22SE <Ecotec>			HLR 8 STEX			
	08.02 →	3.2	155	Z32SE <Ecotec>			FLR 8 LDCU+			
							KVE	FGR 8 KQE 0		
Viva										
JF	10.05 - 05.09	1.8	89	F18D3			FR 7 LDC+			F1-4
WB Series Panel Van										
WB	04.80 - 06.85	3.3	83	202 cu.in (Blue)			HR 7 DCY+			
WB Series Ute										
WB	04.80 - 06.85	3.3	83	202 cu.in (Blue)			HR 7 DCY+			

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type				Platinum	Platinum Performance	
							Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾	
Zafira										
TT	09.00 - 08.05	2.2	108	Z22SE <Ecotec>		HLR 8 STEX				
									HONDA	
Accord										
S8	03.77 - 12.78	1.6	59	EG		WR 7 CC	WR 7 CP			
	01.79 - 08.81	1.6	59	EL		WR 8 DC+	WR 8 DP			
AC/AD/SY	09.81 - 10.84	1.6	59	EL		WR 8 DCX+	WR 8 DP	F4-4		
CA/CB/CD	11.85 - 12.89	2.0	78	A20A2		WR 7 DCX+	WR 7 DPX			
			90	A20A4		WR 7 DCX+	WR 7 DPX			
	01.86 - 05.89	2.0	75	A20A2		WR 8 DCX+	WR 8 DPX	F4-4		
	04.87 - 10.89	2.0	85	A20A4		WR 7 DCX+	WR 7 DPX	F6-4		
	11.89 - 09.93	2.2	94	F22A5		FR 8 LCX	FR 8 LPX			
	11.90 - 09.93	2.2	94	F22A5		FR 8 LCX	FR 8 LPX	F3-4		
	01.93 - 01.02	2.2	103	F22B3		FR 8 LCX	FR 8 LPX	F3-4		
			107	F22B1		FR 8 LCX	FR 8 LPX	F3-4		
	10.93 - 12.97	2.2	103	F22A6		FR 8 LCX	FR 8 LPX	F3-4		
CG	09.97 - 08.02	3.0	147-149	J30A1		FR 8 LCX	FR 8 LPX			
CA/CB/CD	12.97 - 04.99	2.3	110	F23A1		FR 7 LCX+	FR 7 LPX	F1-4		
	12.97 →	3.0	147	J30A1		FR 7 LCX+	FR 7 LPX	F1-6		
	01.98 - 11.06	3.0	177	J30A4		FR 7 LCX+	FR 7 LPX	F1-6		
	01.99 - 05.03	2.3	110	F23A1		FR 8 LCX	FR 8 LPX	F3-4		
	01.00 - 10.06	2.4	119	K24A4		FR 7 LCX+	FR 7 LPX	F1-4		
Accord Aerodeck										
CA/CB/CD	06.93 - 01.97	2.2	107	F22B1		FR 7 LCX+	FR 7 LPX	F1-4		
CB/CC/CD/CE	10.93 - 06.96	2.2	103	F22B3		FR 8 LCX	FR 8 LPX	F3-4		
Acty										
	11.85 - 08.86	0.6	22	EH		WR 8 DCX+	WR 8 DP			
Beat										
	05.91 - 12.99	0.7	47	E07A		FR 7 DCX+	FR 7 DPX			
City										
AA	09.84 - 10.86	1.2	41	ER4	09.84 - 08.85	WR 7 DCX+	WR 7 DPX	F6-4		
					09.85 - 10.86	WR 8 DCX+	WR 8 DPX	F4-4		
2PS	09.08 →	1.5	87	L15A7		FR 7 DCX+				
Civic										
	01.72 - 08.79	1.2	40-44	EB		WR 7 DC+	WR 7 DP			
SL/SS/SP/WC	09.79 - 08.83	1.3	44	EN		WR 8 DC+	WR 8 DP	F4-4		
	09.79 - 09.83	1.3	44	EN		WR 8 DCX+	WR 8 DP	F4-4		
	09.82 - 09.83	1.2	40-44	EN		WR 8 DC+	WR 8 DP	F4-4		
			44	EN		WR 8 DC+	WR 8 DP	F4-4		
A	10.83 - 10.87	1.3	59	EV2		WR 7 DCX+	WR 7 DPX	F6-4		
		1.5	63	EW2		WR 7 DCX+	WR 7 DPX	F6-4		
			66	EW2		WR 7 DCX+	WR 7 DPX	F6-4		
EC/ED/EE	10.87 - 10.91	1.5	74	D15B4		FR 7 LCX+	FR 7 LPX	F1-4		
	11.87 - 10.91	1.5	73	D15B4		FR 8 DCX+	FR 8 DPX	F3-4		
EG/EH	10.91 - 09.93	1.3	55	D13B2		FR 7 DCX+	FR 7 DPX	F1-4		
	11.91 - 09.93	1.5	74	D15B4		FR 7 LCX+	FR 7 LPX	F1-4		
			1.6	96	D16A6	FR 8 DCX+	FR 8 DPX	F3-4		
	02.93 - 09.95	1.5	66	D15Z1		FR 7 LCX+	FR 7 LPX	F1-4		

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

◀ HONDA								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
EG/EH	10.93 - 09.95	1.5	67	D15B4		FR 7 LCX+	FR 7 DPX		F1-4	
				D15Z2		WR 7 DCX+	WR 7 DPX		F6-4	
		1.6	96	D16Y1		FR 7 DCX+	FR 7 DPX		F1-4	
EJ/EK	10.95 - 10.98	1.6	118	B16A2		FR 7 DCX+	FR 7 DPX		F1-4	
	10.95 - 09.00	1.6	88	D16Y4		FR 7 LCX+	FR 7 LPX		F1-4	
	10.95 - 12.00	1.6	93	D16Y5		FR 7 LCX+	FR 7 LPX		F1-4	
	10.95 - 02.01	1.6	84	D16Y5		FR 7 LCX+	FR 7 LPX		F1-4	
			117	B16A2		FR 7 DCX+	FR 7 DPX		F1-4	
	09.98 - 08.00	1.6	118	B16A2		FR 7 LCX+	FR 7 LPX			
EJ	04.99 - 04.00	1.6	59	D16Y7		FR 8 LCX	FR 8 LPX		F3-4	
ES	10.00 - 12.05	1.7	96	D17A2		FR 7 LCX+	FR 7 LPX		F1-4	
EJ/EK	10.00 →	1.7	96	D17A2		FR 7 LCX+	FR 7 LPX		F1-4	
ES	10.00 →	1.7	88	D17Z1		FR 7 LCX+	FR 7 LPX		F1-4	
	02.01 - 12.02	1.4	66	D14Z5		FR 7 LCX+	FR 7 LPX		F1-4	
	05.06 →	1.8	92-103	<i-VTEC>		FR 5 DPP 222				
Civic Shuttle										
A	10.83 - 10.87	1.5	63	EW2		WR 7 DCX+	WR 7 DPX			
Concerto										
	11.88 - 07.93	1.6	85	D16A6		FR 7 DCX+	FR 7 DPX		F1-4	
CR-V										
RD	09.96 - 02.99	2.0	97	B20B3		FR 7 LCX+	FR 7 LPX		F1-4	
	02.99 - 12.01	2.0	108	B20B3		FR 7 LCX+	FR 7 LPX		F1-4	
RD7	08.02 - 10.06	2.4	119	K24A1		FR 7 LCX+	FR 7 LPX		F1-4	
	05.04 →	2.4	119	K24A1		FR 7 LCX+	FR 7 LPX		F1-4	
	10.06 - 12.11	2.4	125	K24Z1		FR 7 LCX+	FR 7 LPX		F1-4	
CRX										
ED/EE	11.87 - 05.92	1.6	96	D16A8		FR 7 DCX+	FR 7 DPX		F1-4	
EG/EH	06.92 - 06.98	1.6	117	B16A2		FR 7 DCX+	FR 7 DPX		F1-4	
HR-V										
GH	12.98 - 12.01	1.6	77	D16W2		FR 7 LCX+	FR 7 LPX		F1-4	
	12.98 - 07.02	1.6	77	D16W1		FR 7 LCX+	FR 7 LPX		F1-4	
Integra										
DA	06.86 - 05.89	1.6	90	D16A3		FR 7 KCX+	FR 7 KPX		F1-4	
	06.89 - 07.93	1.8	96	B18A1		FR 8 LCX	FR 8 LPX			
DC	08.93 - 10.99	1.8	107	B18B2		FR 7 LCX+	FR 7 LPX		F1-4	
			125	B18C2		FR 7 DCX+	FR 7 DPX		F1-4	
Integra Type-R										
DC	01.98 - 10.01	1.8	140	B18C6		FR 6 KPP 33 X+			F8-4	
Jazz										
GD	03.02 - 12.08	1.3	61	L13A1		FR 7 DCX+	FR 7 DPX		F1-4	
	06.04 - 01.08	1.5	79	L15A1		FR 7 DCX+	FR 7 DPX		F1-4	
GE/GG	10.08 →	1.3	73	L13Z1		FR 7 DII 35 V				
Legend										
	05.86 - 12.87	2.5	120	C25A1		FR 7 DCX+	FR 7 DPX		F1-6	
	01.87 - 02.91	2.7	128	C27A1		FR 7 DCX+	FR 7 DPX		F1-6	
	10.87 - 02.91	2.7	124-128	C27A1		FR 7 DCX+	FR 7 DPX		F1-6	

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					Platinum	Platinum Performance
							Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾	
03.91 - 04.96	3.2	145	C32A3 C32A3 <MPFI>			FR 7 DCX+	FR 7 DPX	F1-6		
01.96 - 04.98	3.5	147-151	C35A2			FR 7 DCX+	FR 7 DPX	F1-6		
04.98 - 12.04	3.5	147-151	C35A5			FR 6 KPP 33 X+	FR 6 KPP 33 X+			
NSX										
NA	06.90 - 12.96	3.0	201	C30A3		FR 6 KPP 33 X+				
	06.90 - 06.00	3.0	188	C30A4		FR 6 KPP 33 X+				
	09.90 - 12.05	3.0	195	C30A		FR 6 KPP 33 X+				
NA	01.97 - 09.05	3.2	206	C32B2		FR 6 KPP 33 X+				
NSX-T										
NA	01.95 - 01.05	3.0	188	C30A4		FR 6 KPP 33 X+				
	01.97 - 09.05	3.2	206	C32B2		FR 6 KPP 33 X+				
Odyssey										
RA	06.95 - 12.97	2.2	104-107	F22B6 <MPFI>		FR 8 LCX	FR 8 LPX			
	01.98 - 02.00	2.3	110	F23A7		FR 7 LCX+	FR 7 LPX	F1-4		
	03.00 →	2.3	110	F23Z4		FR 7 LCX+	FR 7 LPX	F1-4		
		3.0	154	J30A3		FR 8 LCX	FR 8 LPX			
Prelude										
	11.78 - 10.82	1.6	59	EL		WR 8 DCX+	WR 8 DP			
AB	08.83 - 04.87	1.8	77	ET2		WR 7 DCX+	WR 7 DPX			
BA	04.87 - 01.92	2.0	101	B20A5		FR 7 DCX+	FR 7 DPX	F1-4		
	10.87 - 12.91	2.0	106	B20A6		WR 7 DCX+	WR 7 DPX	F6-4		
BB	09.91 - 12.96	2.3	118	H23A1		FR 8 LCX	FR 8 LPX	F3-4		
	12.91 - 12.96	2.2	96	F22A1		FR 8 LCX	FR 8 LPX			
	01.94 - 12.96	2.2	142	H22A1		FR 8 LCX	FR 8 LPX			
	01.97 - 02.02	2.2	147	H22A4		FR 7 KPP 33 U+			F1-4	
	01.97 - 07.02	2.2	118	F22A6		FR 8 LCX	FR 8 LPX			
S2000										
	04.99 - 06.09	2.0	177	F20C1 <S2A>		FR 6 KPP 33 X+			F8-4	
HSV (HOLDEN SPECIAL VEHICLES)										
Avalanche Utility										
VY II	03.04 - 09.04	5.7	270	VF <LS1, Gen III>		HR 9 LPP 22 Y			F5-4	
VZ	10.04 - 12.05	5.7	270	VF <Gen III, LS1>		HR 9 LPP 22 Y			F5-4	
Avalanche Wagon										
VY II	12.03 - 09.04	5.7	270	VF <LS1, Gen III>		HR 9 LPP 22 Y			F5-4	
VZ	10.04 - 12.05	5.7	270	VF <Gen III, LS1>		HR 9 LPP 22 Y			F5-4	
Avalanche XUV										
VZ	10.04 - 12.05	5.7	270	VF <LS1>		HR 9 LPP 22 Y			F5-4	
Clubsport										
VN	08.88 - 10.91	5.0	180	VU		HR 8 DCX+			F7-4	
VP	11.91 - 07.93	5.0	180	VU		HR 8 DCX+			F7-4	
VR	06.93 - 04.95	5.0	185	VU		HR 8 DCX+			F7-4	
VS	05.95 - 08.97	5.0	185	VU		HR 8 DCX+			F7-4	
VT	09.97 - 05.99	5.0	195	VM <LB9>		HR 8 DCX+			F7-4	

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable



HSV						Standard ^{1) 2)}	Premium ¹⁾		Performance ³⁾
VT II	06.99 - 08.00	5.7	250	VF <LS1, Gen III>		HR 9 LPP 22 Y			F5-4
VX	09.00 - 08.02	5.7	255	VF <LS1, Gen III>		HR 9 LPP 22 Y			F5-4
VY	09.02 - 08.03	5.7	260	VF <LS1, Gen III>		HR 9 LPP 22 Y			F5-4
VY II	09.03 - 09.04	5.7	285	VF <Gen III>		HR 9 LPP 22 Y			F5-4
VZ	10.04 - 07.06	6.0	297	VF <LS2, Gen IV>		HR 9 LPP 22 Y			F5-4
Clubsport R8									
VT II	06.99 - 08.00	5.7	250	VF <LS1, Gen III>		HR 9 LPP 22 Y			F5-4
VX	06.00 - 08.02	5.7	255	VF <LS1, Gen III>		HR 9 LPP 22 Y			F5-4
VY	09.02 - 08.03	5.7	260	VF <LS1, Gen III>		HR 9 LPP 22 Y			F5-4
VY II	09.03 - 09.04	5.7	285	VF <LS1, Gen III>		HR 9 LPP 22 Y			F5-4
VZ	10.04 - 07.06	6.0	297	VF <LS2, Gen IV>		HR 9 LPP 22 Y			F5-4
VE	08.06 →	6.0	307	ZL <LS2 307>		HR 9 LPP 22 Y			
Coupe GTO									
V2	09.00 - 01.03	5.7	255	VF <LS1, Gen III>		HR 9 LPP 22 Y			F5-4
V2 II	02.03 - 08.03	5.7	260	VF <Gen III>		HR 9 LPP 22 Y			F5-4
V2 III	09.03 - 09.04	5.7	285	VF <Gen III>		HR 9 LPP 22 Y			F5-4
VZ	10.04 - 12.06	6.0	297	VF <Gen IV, LS1>		HR 9 LPP 22 Y			F5-4
Coupe GTS									
V2	09.00 - 01.03	5.7	300	VF <LS1, Gen III>		HR 9 LPP 22 Y			F5-4
V2 II	02.03 - 02.04	5.7	300	VF <Gen III>		HR 9 LPP 22 Y			F5-4
V2 III	03.04 - 12.04	5.7	300	VF <Gen III>		HR 9 LPP 22 Y			F5-4
Coupe4									
V2 III	06.04 - 09.04	5.7	270	VF <Gen III>		HR 9 LPP 22 Y			F5-4
VZ	10.04 - 12.05	5.7	270	VF <Gen III, LS1>		HR 9 LPP 22 Y			F5-4
Grange									
VS	05.95 - 05.99	5.0	185	VU		HR 8 DCX+			F7-4
WH	06.99 - 09.00	5.7	250	VF <LS1, Gen III>		HR 9 LPP 22 Y			F5-4
	10.00 - 08.01	5.7	255	VF <LS1, Gen III>		HR 9 LPP 22 Y			F5-4
WH II	09.01 - 08.03	5.7	255	VF <Gen III>		HR 9 LPP 22 Y			F5-4
WK	09.03 - 09.04	5.7	255	VF <Gen III>		HR 9 LPP 22 Y			F5-4
WL	10.04 - 12.06	6.0	297	VF <LS1, Gen IV>		HR 9 LPP 22 Y			F5-4
WM	08.06 →	6.0	307	ZL <LS2 307>		HR 9 LPP 22 Y			
Group A									
VN	06.91 - 12.91	5.0	220	VU		HR 8 DCX+			F7-4
GTS									
VP	11.91 - 07.93	5.0	200	VU		HR 8 DCX+			F7-4
VT II	06.99 - 08.00	5.7	300	VF <LS1, Gen III>		HR 9 LPP 22 Y			F5-4
VX	09.00 - 08.02	5.7	300	VF <LS1, Gen III>		HR 9 LPP 22 Y			F5-4
VY	09.02 - 09.04	5.7	300	VF <LS1, Gen III>		HR 9 LPP 22 Y			F5-4
VZ	10.04 - 07.06	6.0	297	VF <LS2, Gen IV>		HR 9 LPP 22 Y			F5-4
VE	08.06 →	6.0	307	ZL <LS2 307>		HR 9 LPP 22 Y			
Maloo									
VG	08.88 - 10.91	5.0	180	VU		HR 8 DCX+			F7-4
VR	06.93 - 04.95	5.0	185	VU		HR 8 DCX+			F7-4
VS	05.95 - 12.00	5.0	185	VU		HR 8 DCX+			F7-4
VU	03.01 - 08.01	5.7	255	VF <LS1, Gen III>		HR 9 LPP 22 Y			F5-4
VU II	09.01 - 09.02	5.7	255	VF <Gen III>		HR 9 LPP 22 Y			F5-4
VY	10.02 - 08.03	5.7	260	VF <LS1, Gen III>		HR 9 LPP 22 Y			F5-4

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DCX+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					
VY II	09.03 - 09.04	5.7	285	VF <Gen III>		HR 9 LPP 22 Y	Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
VZ	10.04 - 08.07	6.0	297	VF <LS1, Gen IV>		HR 9 LPP 22 Y			F5-4
VZ II	01.07 - 08.07	6.0	307	ZL <LS2 307>		HR 9 LPP 22 Y			F5-4
Maloo R8									
VU	03.01 - 08.01	5.7	255	VF <Gen III>		HR 9 LPP 22 Y			F5-4
VU II	09.01 - 09.02	5.7	255	VF <Gen III>		HR 9 LPP 22 Y			F5-4
VY	10.02 - 08.03	5.7	260	VF <Gen III>		HR 9 LPP 22 Y			F5-4
VY II	09.03 - 09.04	5.7	285	VF <Gen III>		HR 9 LPP 22 Y			F5-4
VZ	10.04 - 08.07	6.0	297	VF <LS1, Gen IV>		HR 9 LPP 22 Y			F5-4
Senator									
VP	11.91 - 07.93	5.0	180	VU		HR 8 DCX+			F7-4
			200	VU		HR 8 DCX+			F7-4
VR	06.93 - 04.95	5.0	185	VU		HR 8 DCX+			F7-4
VS	05.95 - 08.97	5.0	185	VU		HR 8 DCX+			F7-4
			5.7	215	VF	HR 8 DCX+			F7-4
VT	09.97 - 05.99	5.0	195	VM <LB9>		HR 8 DCX+			F7-4
			5.7	220	VF	HR 8 DCX+			F7-4
VT II	06.99 - 08.00	5.7	250	VF <LS1, Gen III>		HR 9 LPP 22 Y			F5-4
			300	VF <LS1, Gen III>		HR 9 LPP 22 Y			F5-4
VX	09.00 - 08.02	5.7	255	VF <LS1, Gen III>		HR 9 LPP 22 Y			F5-4
			300	VF <LS1, Gen III>		HR 9 LPP 22 Y			F5-4
VY	09.02 - 06.03	5.7	300	VF <LS1, Gen III>		HR 9 LPP 22 Y			F5-4
	10.02 - 08.03	5.7	260	VF <LS1, Gen III>		HR 9 LPP 22 Y			F5-4
VY II	09.03 - 09.04	5.7	285	VF <Gen III>		HR 9 LPP 22 Y			F5-4
VZ	10.04 - 07.06	6.0	297	VF <LS2, Gen IV>		HR 9 LPP 22 Y			F5-4
XU6									
VT	09.97 - 08.00	3.8	180	VS <L67>		HR 9 DCY+			
VX	09.00 - 08.02	3.8	180	VS <L67>		HR 8 DCV+	HR 8 DPV		
VY	09.02 - 06.03	3.8	180	VS <L67>		HR 8 DCV+	HR 8 DPV		
HYUNDAI									
Accent									
LC	05.00 - 02.03	1.5	76	G4EC-G <DOHC Alpha>		FR 8 DCX+	FR 8 DPX		F3-4
	10.01 →	1.6	76	Alpha		FR 8 DCX+	FR 8 DPX		F3-4
LC	03.03 - 03.06	1.6	78	G4ED-G		FR 8 DCX+	FR 8 DPX		F3-4
MC, MCT	04.06 - 10.11	1.6	82	G4ED <(A7) 16AD>		FR 8 DCX+	FR 8 DPX		F3-4
Coupe									
RD	05.96 - 04.02	2.0	99-102	G4... <Beta>		FR 8 DCX+	FR 8 DPX		F3-4
	07.97 - 04.02	1.8	94	G4GM <Beta>		FR 8 DCX+	FR 8 DPX		F3-4
Elantra									
XD	06.00 - 08.06	1.8	97	G4GB		FR 8 DCX+	FR 8 DPX		F3-4
	08.00 - 09.06	2.0	102-105	G4GC... <2.0L MPI DOHC>		FR 8 DCX+	FR 8 DPX		F3-4
					08.00 - 08.03	U22	FR 8 DCX+	FR 8 DPX	
Excel									
X1	01.86 - 02.90	1.5	53-55	G4AJ		WR 8 DCX+	WR 8 DPX		F4-4
X2	02.90 - 07.94	1.5	62	G4DJ		WR 7 DCX+	WR 7 DPX		F6-4
X3	07.94 - 07.99	1.5	65-68	G4EK		FR 8 DCX+	FR 8 DPX		F3-4
	11.95 - 07.99	1.5	73	G4FK		FR 8 DCX+	FR 8 DPX		F3-4

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					Platinum	Platinum Performance
										
						Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾		
Getz										
TB	10.02 - 09.05	1.5	74	G4EC2 <DOHC Alpha II>	WI1				F1-4	
					WI3	FR 7 DCX+	FR 7 DPX			
					WI9	FR 7 KPP 33 U+				
	03.03 - 08.05	1.3	60-63	G4E-A		FR 8 DCX+	FR 8 DPX	F3-4		
	09.05 - 06.09	1.4	71	G4EE...		FR 8 DCX+	FR 8 DPX	F3-4		
	10.05 - 06.09	1.6	77-78	G4ED-G		FR 8 DCX+	FR 8 DPX	F3-4		
Grandeur										
XG	09.98 - 03.02	2.5	132	G6BW <DOHC Delta>		FR 7 KPP 33 U+		F1-6		
		3.0	134-144	G6CT <DOHC Sigma>		FR 7 KPP 33 U+		F1-6		
	02.00 →	3.0	141	Sigma		FR 7 KPP 33 U+				
	12.05 →	3.8	194	G6DA5 <DOHC>		FR 8 DPP 33+				
iX35										
LM, EL	01.10 →	2.0	120	G4KD <(L5) 20T2>		FR 8 ME		F13-4		
ix35 2.4 4x4										
LM, EL	11.10 →	2.4	128	G4KE <(L6) 24T2>		FR 8 ME				
i20										
PB, PBT	01.09 →	1.4	74	G4FA <(D1) 14GM>	01.09 - 06.09	FR 8 DCX+	FR 8 DPX	F3-4		
					07.09 →	YR 8 SEU				
		1.6	91-93	G4FC <(D2) 16GM>	01.09 - 06.09	FR 8 DCX+	FR 8 DPX	F3-4		
					07.09 →	YR 8 SEU				
i30										
FD, FDH	09.07 →	2.0	105	G4GC... <(B2) 20BT>		FR 8 DCX+	FR 8 DPX	F3-4		
i45										
YF	09.10 →	2.4	128-131	G4KC <(L6) 24T2>		FR 8 ME				
Lantra										
J1	10.90 - 04.95	1.6	78-84	G4CR <New Sirius>				F6-4		
					KAT	WR 7 DCX+	WR 7 DPX			
					OKA	WR 7 DC+	WR 7 DP			
				G4DJ <New Sirius>				F6-4		
					KAT	WR 7 DCX+	WR 7 DPX			
					OKA	WR 7 DC+	WR 7 DP			
	06.92 - 04.95	1.8	93	G4CN <New Sirius>	KAT	WR 7 DCX+	WR 7 DPX	F6-4		
					OKA	WR 8 DCX+	WR 8 DPX	F4-4		
J2	05.95 - 09.00	1.8	94	G4GM <Beta>		FR 8 DCX+	FR 8 DPX	F3-4		
			101	G4GM <Beta>		FR 8 DCX+	FR 8 DPX	F3-4		
	08.95 - 02.01	1.8	94-97	G4GM		FR 8 DCX+	FR 8 DPX	F3-4		
	08.96 - 09.00	2.0	102	G4GF <Beta>		FR 8 DCX+	FR 8 DPX	F3-4		
Santa Fe										
SM	02.00 - 12.05	2.4	100	G4JSX		WR 7 DCX+	WR 7 DPX	F6-4		
CM	09.00 - 12.05	2.7	127-132	G6BA		FR 7 KPP 33 U+		F1-6		
	03.06 - 11.09	2.7	125-139	G6EA <(F1) 27MU>		FR 8 SPP 332				
Scoupe										
	02.90 - 06.92	1.5	53	G4DJ		WR 7 DCX+	WR 7 DPX	F6-4		
			62	G4DJ <New Orion>		WR 7 DCX+	WR 7 DPX	F6-4		
	02.90 - 05.95	1.5	75	G4EK <SOHC>		WR 7 DCX+	WR 7 DPX	F6-4		

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type				Platinum	Platinum Performance
								Standard ^{1) 2)}	Premium ¹⁾
07.92 - 04.95	1.5	65-68	G4EK <Alpha>			FR 8 DCX+	FR 8 DPX	F3-4	
		84-85	G4EK-TC <Alpha>			FR 8 DCX+	FR 8 DPX		
Sonata									
Y2	01.89 - 10.93	2.4	80-82	G4CS VIN-S <New Sirius 4G64>		WR 8 DCX+	WR 8 DPX	F4-4	
	09.89 - 06.93	3.0	107	G6AT <6G72>	W13	WR 8 DCX+	WR 8 DPX		
EF	10.02 - 07.05	2.7	122	Delta V6		BFK	FR 7 KPP 33 U+		F1-6
						BHK	FR 7 DC+	FR 7 DP	
NF	10.05 →	2.4	121	G4JSY <VTVT>		FR 8 DCX+	FR 8 DPX	F3-4	
Sonata II									
Y3	07.93 - 04.96	2.0	102	G4CP <New Sirius>		WR 8 DCX+	WR 8 DPX	F4-4	
	07.93 - 06.98	3.0	107	G6AT	W13	WR 8 DCX+	WR 8 DPX		
	05.96 - 06.98	2.0	92	G4CP <New Sirius>		WR 8 DCX+	WR 8 DPX	F4-4	
Sonata III									
EF	03.98 - 03.01	2.5	129	G6AV	KAT	FR 7 KPP 33 U+			F1-6
Sonata IV									
EF	01.01 - 09.04	2.0	102	G4P <DOHC Sirius II>		WR 7 DCX+	WR 7 DPX	F6-4	
	04.01 - 01.05	2.7	127-132	G6BA		FR 7 KPP 33 U+			F1-6
					KAT	FR 7 DC+	FR 7 DP		
Sonata V									
NF	08.04 - 01.09	2.4	119	G4K... <(L6) 24T2>		FR 8 DCX+	FR 8 DPX	F3-4	
	12.04 - 12.08	3.3	171-173	G6DB <(J1) 33LD>		FR 8 DPP 33+			
Terracan									
HP	01.01 →	3.5	152	G6CU <DOHC Sigma>		FR 7 KPP 33 U+			F1-6
	07.01 - 10.06	3.5	143-147	G6CU1 <Sigma>		FR 7 KPP 33 U+			F1-6
Tiburon									
RD	04.96 →	1.5	74-76	G4EK <DOHC Alpha>		FR 8 DCX+	FR 8 DPX	F3-4	
	09.96 - 08.01	2.0	102-103	G4GF <Beta>		FR 8 DCX+	FR 8 DPX	F3-4	
GK	03.02 - 12.03	2.0	101-105	G4GC...		FR 8 DCX+	FR 8 DPX	F3-4	
	03.02 - 08.09	2.7	121-123	G6BA...	03.02 - 09.04	W11			F1-6
					W13	FR 7 DCX+	FR 7 DPX		
					W19	FR 7 KPP 33 U+			
					10.04 - 08.09	W19	FR 8 DPP 33+		
Trajet									
F0	01.00 - 06.07	2.7	127	G6BA...	KAT	FR 7 KPP 33 U+			F1-6
Tucson									
JM	08.04 - 03.10	2.0	104	G4GC		FR 8 DCX+	FR 8 DPX	F3-4	
	09.04 - 03.10	2.7	129	G6BA...		FR 8 DPP 33+			
ISUZU									
Elf									
	01.74 - 10.86	1.6		G161		WR 7 DC+	WR 7 DP		

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					
						Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾	
Elf 250									
01.77 - 10.88	2.0		G201			WR 7 DC+	WR 7 DP		
KAG									
01.85 - 12.95	1.6	50	G161			WR 7 DC+	WR 7 DP	F6-4	
JAGUAR									
Daimler									
10.86 - 12.90	3.6	149	9 DPANA <AJ6>			FR 7 DC+	FR 7 DP	F1-6	
09.89 - 10.94	4.0	163	9 EPCNA <AJ6 KAT>			FR 7 DC+	FR 7 DP	F1-6	
09.94 - 10.98	4.0	177-183	9 JPFRB <AJ16>			FR 7 DC+	FR 7 DP	F1-6	
Sovereign									
10.86 - 08.89	3.6	135	AJ6.4 <Kat.>			FR 7 DC+	FR 7 DP		
09.89 - 08.99	4.0	175	AJ6			FR 7 DC+	FR 7 DP		
09.97 - 08.02	4.0	209	BC <AJ-V8>			FR 7 DC+	FR 7 DP	F1-4	
S-Type									
10.98 - 04.02	4.0	203-210	GC GB			FR 7 DC+	FR 7 DP	F1-4	
10.98 - 03.08	3.0	175-179	FC FB			HR 7 KPP 33+			
10.01 - 07.05	2.5	147	JB			HR 7 KPP 33+			
10.01 - 03.08	4.2	219	HB			FR 7 KPP 33 U+		F1-4	
		291	1B			FR 7 KPP 33 U+			
XF									
03.08 - 02.09	4.2	306	SV8TS			FR 7 KPP 33 U+			
03.08 - 10.09	4.2	219	SV82G			FR 7 KPP 33 U+		F1-4	
XJR									
03.03 - 07.10	4.2	291	AJ-V8			FR 7 KPP 33 U+			
XJ6									
10.68 - 12.74	2.8	101				WR 5 DC+	WR 5 DP		
10.68 - 02.79	4.2	135				WR 8 DCX+	WR 8 DP		
03.79 - 10.86	4.2	147				WR 7 DC+	WR 7 DP		
10.86 - 08.89	3.6	170	AJ6.4			FR 7 DC+	FR 7 DP	F1-6	
09.89 - 09.94	4.0	166	AJ6 <Kat.>			FR 7 DC+	FR 7 DP	F1-6	
10.90 - 09.94	3.2	146-149	9BPMNA <AJ6>			FR 7 DC+	FR 7 DP	F1-6	
10.94 - 12.98	4.0	177-183	AJ16			FR 7 DC+	FR 7 DP	F1-6	
XJ8									
03.03 - 07.10	3.5	190	AJ-V8			FR 7 KPP 33 U+		F1-4	
	4.2	219	AJ-V8			FR 7 KPP 33 U+		F1-4	
XKR8									
03.03 - 02.09	4.2	291	(A34) <AJ-V8>			FR 7 KPP 33 U+		F1-4	
XK8									
03.03 - 02.09	4.2	219	5G <AJ-V8>			FR 7 KPP 33 U+		F1-4	

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					Platinum	Platinum Performance
Standard ^{1) 2)}										
X-Type										
03.01 - 11.09	2.5	144	XB		HR 7 KPP 33+					
	3.0	169-172	WB		HR 7 KPP 33+					
03.02 - 10.05	2.0	115	YB		HR 7 KPP 33+					
JEEP										
Cherokee										
KJ	03.01 - 12.07	2.4	110-112	ED1, EDO		HR 9 SE 0 X				
		3.7	150-157	EKG <K>		FR 7 LCX+	FR 7 LPX	F1-6		
KK	09.07 →	3.7	155	EKG		FR 7 LCX+	FR 7 LPX			
CJ7										
	09.78 - 12.85	4.2	72		U21		FR 9 HP			
	06.81 - 08.83	2.5	62		U24	HR 9 BCY+	HR 9 BPY			
Grand Cherokee										
ZG	09.92 - 04.99	4.0	130-135	ERH <6L <S MPI>		FR 8 HC	FR 8 HP			
WJ	09.98 - 08.04	4.0	142-145	ERH	U21		FR 9 HP			
					01.00 - 08.04	FR 7 HC+				
		4.7	172	EVA	01.01 - 08.04	FR 8 LCX	FR 8 LPX	F3-4		
WG	09.00 - 12.04	4.0	140-144	ERH, ERO <Power Tech>	09.00 - 12.03	FR 7 HC+				
		4.7	162-164	EVA <Power Tech>		FR 8 LCX	FR 8 LPX			
	10.01 - 12.04	4.7	190	EVC-HO, V8, MPI <High-Output>	10.01 - 12.01	FR 8 LCX	FR 8 LPX			
WK	09.04 →	3.7	149-157	EKG		FR 7 LCX+	FR 7 LPX			
WH	03.05 →	4.7	175	EVA, EVO <Power Tech V8>		FR 8 LCX	FR 8 LPX			
J20										
	09.75 - 08.76	4.2	82		U21	WR 9 DC+	WR 9 DP			
	07.81 - 12.85	5.9	107		U21	WR 10 LC+	WR 9 LP			
Wrangler										
TJ	08.03 - 12.06	4.0	130	ERH		FR 7 HC+				
JENSEN										
Healey										
	03.72 - 12.76	2.0	104	907		WR 7 DC+	WR 7 DP			
KIA										
Carens										
FC	04.99 - 05.02	1.8	81	TB <TED>		FR 7 DC+	FR 7 DP	F1-4		
Carnival										
	01.98 - 01.01	2.5	110	KV6 <DOHC>	ELG, WI2	FR 7 DC+	FR 7 DP			
					WI3	FR 7 DPP+				
UP	09.99 - 09.01	2.5	121	K5		FR 7 KPP 33+			F1-6	
	10.01 - 06.06	2.5	110	K5		FR 7 KPP 33+			F1-6	
MB	04.06 →	2.7	139	G6EA <2.7L-MU>		FR 8 SPP 332				
	07.06 →	3.8	182			FR 8 SPP 332				

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					
◀ KIA						Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾	
Cerato									
FE	03.04 - 01.09	2.0	105	G4GC		FR 8 DCX+	FR 8 DPX	F3-4	
Credos									
	02.98 - 07.00	2.0	107	FE <DOHC FED>	WI1				F3-4
					WI3	FR 8 DCX+	FR 8 DPX		
					WI9	FR 8 DPP 33+			
Magentis									
GE	09.06 - 08.08	2.7	138	G6EA		FR 8 SPP 332			
Mentor									
FA	09.96 - 12.97	1.5	59	B5		WR 8 DCX+	WR 8 DPX	F4-4	
FX	01.98 - 12.00	1.5	65	B5D		FR 7 DCX+	FR 7 DPX	F1-4	
		1.8	82	TE <B5D>		FR 7 DCX+	FR 7 DPX	F1-4	
Optima									
	07.00 - 04.02	2.5	131	G6B <DOHC>		FR 7 KPP 33 U+			F1-6
					U22,U81	WR 8 DCX+	WR 8 DPX		
	03.03 →	2.7	130	GV6 <DOHC Delta>		FR 7 KPP 33 U+			F1-6
Rio									
DC	07.00 - 02.05	1.5	72	A5D		FR 7 DCX+	FR 7 DPX	F1-4	
	09.02 - 02.05	1.5	71-72	A5D		FR 7 DCX+	FR 7 DPX		
JB, DE	03.05 - 09.11	1.4	71	G4EE		FR 8 DCX+	FR 8 DPX	F3-4	
		1.6	82	G4ED		FR 8 DCX+	FR 8 DPX	F3-4	
UB	06.11 →	1.4	80	G4FA <1.4L-Gamma>		YR 8 SEU			
	01.12 →	1.6	91	<1.6L-Gamma>		YR 8 SEU			
Rondo									
FG	09.06 →	2.0	106	G4KA		FR 8 DCX+	FR 8 DPX	F3-4	
Shuma									
FB	01.00 - 12.00	1.8	82	TE <T8D>		FR 7 DC+	FR 7 DP	F1-4	
Sorento									
JC	03.03 - 05.08	3.5	144	G6CU		FR 7 KPP 33 U+			F1-6
	12.06 - 08.09	3.3	177-182	G6DB		FR 8 DPP 33+			
XM	09.09 →	2.4	128	G4KE		FR 8 ME			
Soul									
AM	01.09 - 07.11	1.6	91-93	G4FC <Euro 4>		YR 8 SEU			
Spectra									
FB	01.01 - 12.09	1.8	93	TE		FR 7 DC+	FR 7 DP	F1-4	
	04.01 - 06.04	1.8	82	TE <T8D>		FR 7 DC+	FR 7 DP	F1-4	
Sportage									
JA	01.97 - 10.98	2.0	94	FED		FR 7 DCX+	FR 7 DPX	F1-4	
	11.98 - 03.04	2.0	95	FED		FR 7 DCX+	FR 7 DPX	F1-4	
					OKA	FR 7 DC+	FR 7 DP		
JE	09.04 - 04.07	2.7	129	G6BA	WI9	FR 8 DPP 33+			
	05.07 - 05.10	2.0	104	G4GC		FR 8 DCX+	FR 8 DPX		

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type						
								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
LADA										
Niva										
07.83 - 12.96	1.6	56-58	2121							
01.87 - 03.95	1.6	54	2121							
01.93 - 12.99	1.7	56	2121.3							
Samara										
07.88 - 09.90	1.3	48	2108							
09.91 - 02.96	1.5	52	21083							
LAMBORGHINI (S+L+H)										
Espada 400 GT										
01.68 - 12.80	4.0	258								
Jalpa										
05.82 - 12.87	3.5	166	L353							
Miura P 400 SV										
01.68 - 12.72	4.0	283								
Urraco P 250										
06.72 - 12.80	2.5	162								
LANCIA										
Beta										
01.73 - 12.75	1.8	81	828 A 1.000							
01.76 - 12.79	2.0	85-88								
01.80 - 12.84	2.0	85	828 CB 1 A..							
Beta Coupe										
06.73 - 12.75	1.8	87	828 AC 100							
06.73 - 12.84	2.0	85-88	828 CB 1 A..							
Beta HPE										
04.75 - 12.84	2.0	85-88	828 CB 1 A..							
Beta HPE i.e.										
05.80 - 12.84	2.0	86-90	828 CB 1 A..							
Beta Montecarlo										
04.75 - 12.84	2.0	88								
LAND ROVER GROUP										
Discovery										
09.89 - 12.98	3.5	110-119	22D <Kat.>							
10.93 - 12.98	3.9	134	V8 3.9 <EFi>							

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					
◀ LAND ROVER GROUP							Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
10.98 - 08.04	4.0	134-139	36D 94D 56D <OHV>		WR 7 DC+	WR 7 DP	F6-4		
Freelander									
LN	09.97 - 11.00	1.8	84-88	K18 / 18K16 <K-Serie>	FR 7 KPP 33 U+			F1-4	
	09.01 - 03.07	2.5	130	KV6 25 K4F	FR 7 KPP 33 U+			F1-6	
Land Rover 90									
11.83 - 08.90	3.5	100-103	V8		WR 8 DC+	WR 8 DP	F4-4		
Land Rover 109									
09.63 - 08.83	2.3	55	11H		WR 8 DC+	WR 8 DP			
09.67 - 12.80	2.6	64-75			WR 8 CC	WR 8 CP			
09.79 - 03.83	3.5	68				WR 9 LP			
Land Rover 110									
11.83 - 07.90	3.5	84-103	V8		WR 8 DC+	WR 8 DP	F4-4		
Range Rover									
06.70 - 06.86	3.5	112	22D <V8F-EFI-KAT>		WR 7 DC+	WR 7 DP	F6-4		
01.87 - 09.90	3.5	110	V8F-EFI <KAT.>		WR 7 DC+	WR 7 DP	F6-4		
11.88 - 08.94	3.9	127	37D,38D <V8-EFI-KAT>		WR 9 DC+	WR 9 DP			
09.94 - 08.02	4.0	136-140	42D		WR 9 DC+	WR 9 DP			
	4.6	158-166	46D		WR 9 DC+	WR 9 DP			
03.02 - 07.05	4.4	210	M62B44 V8	WI1	FGR 7 DQP+			F1-4	
				WI4	FR 7 LDC+				
03.05 - 08.09	4.4	220-225	448 PN					F1-4	
LEXUS									
ES300									
VCV10	03.92 - 08.96	3.0	138	3VZFE	FR 8 DCX+	FR 8 DPX			
MCV20	08.96 - 07.01	3.0	149	1MZFE	FR 7 KPP 33 U+			F1-6	
MCV30	07.01 - 07.03	3.0	158	1MZFE	FR 6 KPP 33 X+				
GS300									
GRS190	01.05 - 12.11	3.0	183	3GRFSE	01.05 - 05.05	FR 7 SE			
					06.05 - 12.11	FR 7 NI 33			
GS430									
UZS161	07.00 - 01.07	4.3	208	3UZFE	FR 6 KPP 33 X+			F8-4	
IS200									
GXE10	01.99 - 07.05	2.0	114	1GFE	FR 6 KPP 33 X+				
IS300									
JCE10	07.01 - 07.05	3.0	157	2JZGE	FR 6 KPP 33 X+				
					BGB,W13	FR 5 KI 332 S			
LS400									
UCF10	12.89 - 09.94	4.0	180	1UZFE	FR 5 DPP 222				
UCF20	10.94 - 08.00	4.0	186	1UZFE	FR 6 DC+	FR 6 DP	F8-4		

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

					Type					
								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
LS430										
UCF30	08.00 - 08.06	4.3	208	3UZFE						
LS460										
USF4	08.06 →	4.6	280	1URF						
LX470										
UZJ100	01.98 - 08.07	4.7	172	2UZFE						
LX570										
URJ201	11.07 →	5.7	282	3URFE						
RX330										
MCU33	03.02 →	3.3	172	3MZFE						
RX400										
MHU38	03.05 - 12.08	3.3	155-200	3MZFE						
SC430										
UZZ40	05.01 →	4.3	210	3UZFE						
LOTUS										
Elan										
01.72 - 12.73	1.6	93								
09.89 - 06.92	1.6	121-123	Isuzu 4XE1							
Elise										
01.96 - 12.01	1.8	88	K-Serie							
09.00 - 12.05	1.8	90	18K4F <K-Serie>							
Elite										
05.74 - 08.82	2.0	114-119								
Esprit										
02.80 - 07.92	2.2	161	910							
Excel										
10.85 - 07.92	2.2	135	912S							
MAYBACH										
57										
09.02 →	5.5	405	M 285.950 <E 55>							
62										
09.02 →	5.5	405	M 285.950 <E 55>							

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

										
				Type				Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
MAZDA										
B1800										
	01.78 - 12.81	1.8	60			01.78 - 08.78	U62	WR 7 DC+	WR 7 DP	
B2000										
	08.82 - 05.85	2.0	69					WR 7 DC+	WR 7 DP	
UF	06.85 - 07.88	2.0	65					WR 7 DC+	WR 7 DP	F6-4
B2200										
	03.88 - 11.91	2.2	68	F2				WR 8 DC+		
B2600										
UF	08.89 - 03.96	2.6	73-90	G6				FR 7 LCX+	FR 7 LPX	F1-4
	03.96 - 05.99	2.6	92	G6				FR 7 LCX+	FR 7 LPX	F1-4
UN	02.99 - 03.06	2.6	90	G6				FR 7 LCX+	FR 7 LPX	F1-4
Eunos 30X										
EC	12.91 - 10.93	1.8	99	K8				FR 8 DCX+	FR 8 DPX	
	11.93 - 01.98	1.8	99	K8				FR 7 DCX+	FR 7 DPX	F1-6
Eunos 500										
CA	04.94 - 09.96	2.0	108	KF				FR 7 DCX+	FR 7 DPX	F1-6
Eunos 800										
TA	09.93 - 06.96	2.5	125	KL				FR 7 LCX+	FR 7 LPX	F1-6
	02.94 - 05.96	2.3	149	KJ		WI3		FR 7 DC+	FR 7 DP	
						WI9		FR 7 KPP 33 U+		
	06.96 →	2.5	123-125					FR 7 LCX+	FR 7 LPX	F1-6
E1300										
Bongo	05.78 - 12.80	1.3		TC		05.78 - 08.80		WR 7 DC+	WR 7 DP	
						09.80 - 12.80		WR 5 DC+	WR 5 DP	
E1600										
Bongo	05.78 - 12.83	1.6	52-53	NA		05.78 - 08.80		WR 7 DC+	WR 7 DP	
						09.80 - 12.83		WR 8 DC+	WR 8 DP	
E1800										
	01.84 - 02.88	1.8	67	F85				WR 8 DC+	WR 8 DP	
E2000										
	03.86 - 02.88	2.0	60-65	FE				WR 8 DC+	WR 8 DP	
	07.89 - 03.95	2.0	60-63	FEET				WR 8 DC+	WR 8 DP	
	09.96 - 02.03	2.0	74	FE				WR 8 DC+	WR 8 DP	
Millenia										
TA	08.00 →	2.3	149	KJ <Miller-Cycle>		WI3		FR 7 DC+	FR 7 DP	
						WI9		FR 7 KPP 33 U+		
MPV										
LV	08.93 - 04.96	3.0	115	E				FR 7 LCX+	FR 7 LPX	F1-6

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

					Type					Platinum	Platinum Performance
										Standard ^{1) 2)}	Premium ¹⁾
LW	04.96 - 07.99	3.0	110-116	JE				FR 8 LCX	FR 8 LPX		
	05.99 - 04.02	2.5	125	GY				HR 8 DCY	HR 8 DPY	F7-6	
	06.99 →	2.5	129	G				HR 8 DPP 15 V			
	03.02 - 06.04	2.3	104	L3				HR 7 KPP 33+		F12-4	
LW	03.02 - 12.05	3.0	145	AJ/AJDE				HR 8 DCY	HR 8 DPY	F7-6	
	05.02 - 08.04	3.0	147	E				HR 8 DCY	HR 8 DPY	F7-6	
MX-5											
NA	08.89 - 08.93	1.6	85	B64F				FR 7 DCX+	FR 7 DPX	F1-4	
	09.93 - 11.97	1.8	98	BP				FR 7 DCX+	FR 7 DPX	F1-4	
NB	01.98 - 07.05	1.8	103-106	BPD				FR 7 DCX+	FR 7 DPX	F1-4	
	09.00 - 07.05	1.8	107-113	BPZE				FR 7 DCX+	FR 7 DPX	F1-4	
MX-6											
GD	07.87 - 10.88	2.2	84	F2				FR 7 LCX+	FR 7 LPX	F1-4	
	09.89 - 06.91	2.2	100	F2				FR 7 LCX+	FR 7 LPX		
GE	07.94 - 06.97	2.5	121	KL				FR 7 LCX+	FR 7 LPX	F1-6	
Premacy											
CP	02.00 - 05.03	1.8	92	FP				FR 7 DCX+	FR 7 DPX	F1-4	
	11.01 - 05.03	2.0	96	FS				FR 7 LCX+	FR 7 LPX	F1-4	
RX-2											
S122A	10.70 - 04.76	1.1	88	12A		01.71 - 08.75	W 3 CC	WR 3 CP			
						09.75 - 04.76	WR 3 CC	WR 3 CP			
RX-3											
	01.74 - 12.77	1.1	88	12A		01.74 - 08.75	WR 4 CC				
						09.75 - 12.77	WR 3 CC	WR 3 CP			
	03.74 - 02.76	1.1	88	12A		03.74 - 08.75	W 3 CC	WR 3 CP			
						09.75 - 02.76	WR 3 CC	WR 3 CP			
RX-4											
	07.72 - 12.73	1.1	88	12A			WR 4 CC				
RX-7											
SA	02.79 - 10.83	1.1	77	12A			WR 3 CTC				
Tribute											
	12.00 - 12.03	2.0	97	YF			HR 8 MCV+	HR 8 MPV			
	12.00 →	3.0	150	AJ			HR 8 DCY	HR 8 DPY	F7-6		
	03.04 →	2.3	107	L3			HR 7 KPP 33+				
2											
DY	06.02 - 05.07	1.5	83	ZYVE			FR 8 DCX+	FR 8 DPX	F3-4		
DE	05.07 →	1.5	83	ZYVE			FR 8 KI 33 V				
	06.07 →	1.5	75-76	ZY			FR 8 KI 33 V				
3											
BK	07.03 - 12.08	2.0	110	LF		04.06 - 12.08	HR 8 NPP 302				
						Chass.no → 14457	HR 6 DPP 33 V			F11-4	
							HR 6 DPP 33 V				
						07.03 - 03.06	HR 7 KPP 33 V			F11-4	
						Chass.no → 144597	07.03 - 03.06				
						Chass.no 14458 →	07.03 - 03.06	HR 7 KPP 33+			
						Chass.no 144598 →	07.03 - 03.06			F12-4	

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

²⁾ Original equipment (or) equivalent recommendation

³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable



									
◀ MAZDA								Standard ^{1) 2)}	Premium ¹⁾
BK	07.06 - 12.08	2.3	184-191	L3			HR 8 NPP 302		
BL	12.08→	2.0	111	LF...			HR 8 NPP 302		
6									
GG/GY	02.02 - 08.07	2.3	122	L3			HR 8 NPP 302		
	04.02 - 08.08	2.3	122	L3			HR 6 DPP 33 V		F11-4
GK	04.02→	2.3	122	L3			HR 8 NPP 302		
GG/GY	06.02 - 12.07	2.3	122	L3	06.02 - 02.05		HR 7 KPP 33+		F12-4
					03.05 - 12.07		HR 8 NPP 302		
	08.02 - 12.07	2.3	119	L3	08.02 - 02.05		HR 7 KPP 33+		F12-4
					03.05 - 12.07		HR 8 NPP 302		
GH	08.07→	2.5	125	L5			HR 8 MCV+	HR 8 MPV	
121									
CD	03.76 - 03.78	1.8	82	VC			WR 8 DC+	WR 8 DP	
	04.78 - 12.79	2.0	64	MA			WR 8 DC+	WR 8 DP	
DA	12.86 - 12.89	1.3	46	B3			WR 8 DC+	WR 8 DP	F4-4
	04.89 - 10.90	1.3	40	B3A6					F4-4
					FGK		WR 8 DCX+	WR 8 DPX	
					KUT		WR 8 DC+	WR 8 DP	
DB	11.90 - 10.93	1.3	53-56	B3			FR 7 DCX+	FR 7 DPX	F1-4
	11.93 - 12.95	1.3	54	B3			FR 7 DCX+	FR 7 DPX	F1-4
		1.5	62	B5M1			FR 7 DCX+	FR 7 DPX	F1-4
	11.95 - 11.97	1.3	55	B3			FR 7 DCX+	FR 7 DPX	F1-4
		1.5	62	B5			FR 7 DCX+	FR 7 DPX	F1-4
DW	08.96 - 12.99	1.3	53	B3			FR 7 DCX+	FR 7 DPX	F1-4
		1.5	64	B5			FR 7 DCX+	FR 7 DPX	F1-4
	01.00 - 12.02	1.3	53	B3			FR 8 DCX+	FR 8 DPX	F3-4
		1.5	64	B5			FR 8 DCX+	FR 8 DPX	F3-4
323									
FA	03.77 - 05.78	1.3	44	T			WR 7 DC+	WR 7 DP	
	03.78 - 05.80	1.4	60	U			WR 7 DC+	WR 7 DP	
BD	06.80 - 06.82	1.5	65	E5			WR 8 DC+	WR 8 DP	
	07.80 - 08.82	1.3	48	E3			WR 8 DC+	WR 8 DP	
		1.5	53	E5			WR 8 DC+	WR 8 DP	
			58	E5			WR 8 DC+	WR 8 DP	
	07.82 - 10.85	1.5	55	E5			WR 8 DC+	WR 8 DP	F4-4
BD/FA	07.82 - 10.85	1.5	62	E5			WR 8 DC+	WR 8 DP	F4-4
BF	07.85 - 07.87	1.6	53	B6			WR 8 DCX+	WR 8 DPX	F4-4
	07.85 - 06.89	1.6	61	B6			WR 8 DCX+	WR 8 DPX	F4-4
BW	01.86 - 01.88	1.6	53	B6			WR 8 DCX+	WR 8 DPX	F4-4
					09.86 - 01.88	U22		WR 9 DPX	
BF	09.87 - 06.89	1.6	53	B6			WR 8 DCX+	WR 8 DPX	F4-4
			61	B6			WR 8 DCX+	WR 8 DPX	F4-4
			100	B6			FR 7 DCX+	FR 7 DPX	
BG	06.89 - 07.94	1.8	94	BP <DOHC Kat.>			FR 7 DCX+	FR 7 DPX	
	07.89 - 05.94	1.8	76	BP			FR 7 DCX+	FR 7 DPX	F1-4
	07.89 - 12.95	1.6	64	B6			FR 7 DCX+	FR 7 DPX	F1-4
							FR 8 DC+	FR 8 DP	F1-4
							FR 8 DC+	FR 7 DPX	F1-4
	11.89 - 04.92	1.8	120	BP			FR 7 DCX+	FR 7 DPX	
	04.91 - 05.94	1.8	92	BP			FR 7 DCX+	FR 7 DPX	F1-4
BA	05.94 - 07.95	2.0	106-108	KF			FR 7 DCX+	FR 7 DPX	
	05.94 - 09.95	2.0	104	KF/F			FR 7 DCX+	FR 7 DPX	F1-6
	05.94 - 06.98	1.8	92	BP			FR 7 DCX+	FR 7 DPX	F1-4
	08.95 - 09.96	1.6	78	B6			FR 7 DCX+	FR 7 DPX	F1-4
	10.96 - 06.98	1.6	80	B6			FR 7 DCX+	FR 7 DPX	F1-4

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

									Platinum	Platinum Performance
				Type						
								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
BA	10.96 - 07.98	2.0	106-108	KF				FR 7 DCX+	FR 7 DPX	F1-6
BJ	05.98 - 09.03	1.8	84	FP				FR 7 DCX+	FR 7 DPX	F1-4
	07.98 - 10.00	1.6	79	ZM				FR 7 LCX+	FR 7 LPX	F1-4
	07.98 - 11.00	1.6	78	ZM				FR 8 DCX+	FR 8 DPX	F3-4
	07.98 →	1.8	92	FP				FR 7 DCX+	FR 7 DPX	F1-4
	12.00 - 12.03	1.6	78	ZM				FR 7 LCX+	FR 7 LPX	F1-4
		2.0	98	FS				FR 7 LCX+	FR 7 LPX	F1-4
626										
CB	12.78 - 08.83	2.0	64	MA				WR 8 DC+	WR 8 DP	F4-4
GC	12.82 - 06.87	2.0	70	FE				WR 8 DC+	WR 8 DP	F4-4
	07.85 - 06.87	2.0	74	FE				WR 7 DC+	WR 7 DP	
	09.85 - 06.87	2.0	87	FE	U62			WR 8 DP		
GD	07.87 - 08.89	2.2	84	F2				FR 7 LCX+	FR 7 LPX	F1-4
GV	03.88 - 09.89	2.2	84	F2				FR 7 LCX+	FR 7 LPX	
GD	09.89 - 09.91	2.2	84	F2				FR 7 LCX+	FR 7 LPX	
GE	09.91 - 05.94	2.5	121-123	KL				FR 7 LCX+	FR 7 LPX	
	01.92 - 05.94	2.0	85	FS				FR 7 DCX+	FR 7 DPX	F1-4
								FR 8 DCX+	FR 8 DPX	F3-4
	01.92 - 06.97	2.0	85-86	FS				FR 7 DCX+	FR 7 DPX	F1-4
	04.92 - 06.97	2.5	121	KL				FR 7 LCX+	FR 7 LPX	F1-6
	11.92 - 05.94	2.5	121-123	KL				FR 7 LCX+	FR 7 LPX	F1-6
GF	06.97 - 10.99	2.0	93	FSD DOHC				FR 7 LCX+	FR 7 LPX	F1-4
	06.97 - 08.02	2.0	93	FSD				FR 7 LCX+	FR 7 LPX	F1-4
626 Turbo										
GC	01.86 - 06.87	2.0	87	FE				WR 7 DCX+	WR 7 DPX	
					U62			WR 8 DP		
GD	10.87 - 09.91	2.2	100	F2				FR 7 LCX+	FR 7 LPX	
808										
	01.71 - 12.77	1.3		TC				WR 7 DC+	WR 7 DP	
	01.73 - 12.77	1.6		NA				WR 7 DC+	WR 7 DP	
929										
LA	01.74 - 08.78	1.8	74	V				WR 7 DC+	WR 7 DP	
	04.78 - 11.81	2.0	66	M				WR 8 DC+	WR 8 DP	
	01.79 - 11.81	2.0	64	M				WR 8 DC+	WR 8 DP	
HB	11.81 - 09.83	2.0	64	MA <HBSE>				WR 8 DC+	WR 8 DP	F4-4
	07.83 - 11.86	2.0	81	FE				WR 7 DC+	WR 7 DP	F6-4
	10.83 - 06.86	2.0	70	MA <HBES>				WR 8 DC+	WR 8 DP	
	11.83 - 02.87	2.0	75	FE				WR 7 DC+	WR 7 DP	
	07.84 - 04.87	2.0	83	FE <HBES>				WR 8 DC+	WR 8 DP	
	09.85 - 02.87	2.0	87	FE <HBES>				WR 7 DCX+	WR 7 DPX	
HC	02.87 - 06.91	3.0	118	JE				FR 7 LCX+	FR 7 LPX	F1-6
	01.90 - 08.91	3.0	142-147	JED				FR 8 LCX	FR 8 LPX	
HD	05.91 - 12.95	3.0	140	JE				FR 7 KPP 33 U+		F1-6
HE	11.95 - 09.97	3.0	140	JE				FR 7 LCX+	FR 7 LPX	F1-6
1300										
	01.70 - 12.76	1.3		TC				WR 7 DC+	WR 7 DP	

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

M

					Type					
								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
MERCEDES-BENZ										
A140										
W168	10.97 - 08.04	1.4	60	M 166.940 <E 14>						F3-4
A150										
W169	09.04 - 04.09	1.5	70	M 266.920 <E 15>						
A160										
W168	10.97 - 08.04	1.6	75	M 166.960 <E 16>						F3-4
A170										
W169	09.04 - 04.09	1.7	85	M 266.940 <E 17>						
A190										
W168	03.99 - 08.04	1.9	92	M 166.990 <E 19>						F3-4
A200										
W169	04.04 → 06.05 - 10.10	2.0	100	M 266.960 <E 20>						
		2.0	142	M 266.980 <E 20 LA>						
B200										
W245	04.05 - 10.10	2.0	142	M 266.980 <E 20 LA>						
	04.05 →	2.0	100	M 266.960 <E 20>						
C 200 KOMPRESSOR										
W203	05.00 - 08.02	2.0	120	M 111.955 <E 20 EVO ML>						
C 200 KOMPRESSOR Sportcoupe										
W203	01.01 - 08.02	2.0	120	M 111.955 <E 20 EVO ML>						
C 200 KOMPRESSOR T-Modell										
W202	04.00 - 02.01	2.0	120	M 111.956 <E 20 EVO ML>						
CL 600 Coupe										
W140	06.96 - 08.99	6.0	290	M 120.982 Eng. no. →..008359 Eng. no. ...008360→						F3-4
										
CLC200 Kompressor										
W203	03.08 - 05.10	1.8	135	M 271.957 <KE 18 ML REPO> Eng. no. →30853899 Eng. no. 30853900→						
										
CLK55 AMG										
W208	05.99 - 04.02	5.4	255	M 113.984 <E55>	DOZ			F3-4		
W209	08.01 - 08.06	5.4	270	M 113.987 <E 55>	DOZ			F1-4		
CLK200										
W208	06.97 - 06.00	2.0	100	M 111.945 <E20> Eng. no. →..010759, →..024697 Eng. no. ...010760 →...024698→						F3-4
										

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					Platinum	Platinum Performance	
									Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
CLK200 Kompressor											
W208	06.00 - 01.03	2.0	120	M 111.956 <E 20 EVO ML>			FR 7 KPP 33 U+				
W209	09.02 - 09.06	1.8	120	M 271.940 <KE 18 ML>			FR 6 MPP 332				
CLK230 Kompressor											
W208	06.97 - 06.00	2.3	142	M 111.975 <E23 ML>			FR 7 KTC				
	06.00 - 04.02	2.3	145	M 111.982 <EVO ML>			FR 7 KPP 33 U+				
CLK240											
W209	05.02 - 03.05	2.6	125	M 112.912 <E 26>	DOZ		FR 8 DPP 33+	FR 8 DPX			
CLK280											
W209	04.05 - 12.09	3.0	170	M 272.940 <E 30>			YR 7 MPP 33				
CLK320											
W208	06.98 - 01.03	3.2	160	M 112.940 <E32>	DOZ		FR 8 DPP 33+	FR 8 DPX			
W209	05.02 - 03.05	3.2	160	M 112.955 <E 32>	DOZ		FR 8 DPP 33+	FR 8 DPX			
CLK350											
W209	04.05 - 12.09	3.5	200	M 272.960 <E 35>			YR 7 MPP 33				
CLK430											
W208	09.98 - 01.03	4.3	205	M 113.943 <E43>	DOZ		FR 8 DPP 33+	FR 8 DPX	F3-4		
CLK500											
W209	05.02 - 07.06	5.0	225	M 113.968 <E 50>	DOZ		FR 8 DPP 33+	FR 8 DPX	F3-4		
	09.06 - 12.09	5.5	285	M 273.967 <E 55>			YR 6 NPP 332				
CLS55 AMG											
W219	06.04 - 08.06	5.4	350	M 113.990 <E 55>	DOZ		FR 6 MPP 332				
CLS350											
W219	06.04 - 12.09	3.5	200	M 272.964 <E 35>			YR 7 MPP 33				
	04.06 - 09.10	3.5	215	M 272.985 <DE 35>			ZR 6 SII 3320				
CLS500											
W219	06.04 - 04.06	5.0	225	M 113.967 <E 50>	DOZ		FR 8 DPP 33+	FR 8 DPX	F3-4		
	04.06 - 09.10	5.5	285	M 273.960 <E 55>			YR 6 NPP 332				
CL55 AMG											
W215	09.99 - 08.02	5.4	265	M 113.986 <E 55>	DOZ		FR 8 DPP 33+	FR 8 DPX	F3-4		
CL55 AMG Kompressor											
W215	09.02 - 08.06	5.4	368	M 113.991 <E 55 ML AMG>	DOZ		FR 6 MPP 332				
CL65 AMG											
W215	09.03 - 08.06	6.0	450	M 275.980 <E 60>			FR 7 KPP 33 U+				
W216	09.07 - 07.10	6.0	450	M 275.982 <E 60>			FR 7 KPP 33 U+				
CL500											
W215	09.99 - 05.06	5.0	225	M 113.960 <E 50>	DOZ		FR 8 DPP 33+	FR 8 DPX	F3-4		
W216	06.06 - 07.10	5.5	285	M 273.961 <E 55>			YR 6 NPP 332				

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					
< MERCEDES-BENZ							Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
CL600									
W215									
09.99 - 08.02	5.8	270	M 137.970 <E 58>		DOZ	FR 7 KPP 33 U+			
09.02 - 08.06	5.5	368	M 275.950 <E 55>			FR 7 KPP 33 U+			
W216	09.06→	5.5	380	M 275.953 <E 55>	DOZ	FR 7 KPP 33 U+			
C32 AMG Kompressor									
W203	01.01 - 01.04	3.2	260	M 112.961 <E 32 AMG>	DOZ	FR 7 KPP 33 U+			
C36 AMG									
W202	01.94 - 05.97	3.6	206	M 104.941 <AMG>		FR 8 DC+	FR 8 DP		
C43 AMG									
W202	11.97 - 04.00	4.3	225	M 113.944	DOZ	FR 8 DPP 33+	FR 8 DPX	F3-4	
C55 AMG									
W203	02.04 - 08.07	5.4	270	M 113.988 <E 55>	DOZ	FR 7 KPP 33 U+			F1-4
C180									
W202	03.93 - 08.95	1.8	90	M 111.920 <E 18>		FR 8 DC+	FR 8 DP	F3-4	
	09.95 - 04.00	1.8	90	M 111.921 <E 18>				F3-4	
				Eng. no. →..027721, →..052061		FR 8 DC+	FR 8 DP		
				Eng. no. ..027722 →..052062 →		FR 8 KTC+			
W203	10.00 - 08.02	2.0	95	M 111.951 <E 20 EVO>		FR 7 KPP 33 U+			F1-4
C180 Kompressor									
W203	09.02 - 07.07	1.8	105	M 271.946 <KE 18 ML>					
				Eng. no. 30853900 →	12.06 - 07.07	YR 6 NPP 332			
	09.02 - 02.08	1.8	105	M 271.946 <KE 18 ML>					
				Eng. no. →30853899	09.02 - 11.06	FR 6 MPP 332			
				Eng. no. 30853900 →	12.06 - 02.08	YR 6 NPP 332			
C180 T-Model									
W202	05.96 - 02.01	1.8	90	M 111.920 <E 18>		FR 8 DC+	FR 8 DP	F3-4	
C200									
W202	01.94 - 04.00	2.0	100	M 111.941 <E 20>		FR 8 KTC+			F3-4
C200 CGI T-Model									
W204	04.09→	1.8	135	M 271.8... <DE 18 EVO>		YR 6 NPP 332			
C200 Kompressor									
W203	09.02 - 02.07	1.8	120	M 271.940 <KE 18 ML>					
				Eng. no. →30853899	09.02 - 11.06	FR 6 MPP 332			
				Eng. no. 30853900 →	12.06 - 02.07	YR 6 NPP 332			
	04.03 - 04.05	1.8	125	M 271.942 <DE 18 ML>		FR 6 MPP 332			
W204	03.07 - 04.10	1.8	135	M 271.950 <KE 18 ML>		FR 6 MPP 332			
				Eng. no. →30853899		FR 6 MPP 332			
				Eng. no. 30853900 →		YR 6 NPP 332			
C200 Kompressor Sportcoupe									
W203	09.02 - 02.08	1.8	120	M 271.940 <KE 18 ML>					
				Eng. no. →30853899	09.02 - 11.06	FR 6 MPP 332			
				Eng. no. 30853900 →	12.06 - 02.08	YR 6 NPP 332			

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

					Type						
									Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
C200 Kompressor T-Model											
W203	01.01 - 08.02	2.0	120	M 111.955 <E 20 EVO ML>							
	09.02 - 08.07	1.8	120	M 271.940 <KE 18 ML>							
				Eng. no. →30853899	09.02 - 11.06						
				Eng. no. 30853900→	12.06 - 08.07						
W204	09.07 - 04.10	1.8	135	M 271.950 <KE 18 ML>							
				Eng. no. →30853899							
				Eng. no. 30853900→							
C200 T-Model											
W202	05.96 - 02.01	2.0	100	M 111.941 <E 20>							
C220											
W202	03.93 - 09.96	2.2	110	M 111.961 <E 22>							
C230											
W202	09.96 - 08.97	2.3	110	M 111.974 <E 23>							
W203	06.05 - 07.07	2.5	150	M 272.920 <E 25>							
C230 Kompressor Sportcoupe											
W203	08.03 - 05.05	1.8	141	M 271.948 <KE 18 ML>							
C230 Sportcoupe											
W203	06.05 - 02.08	2.5	150	M 272.920 <E 25>							
C230 T-Model											
W202	05.96 - 05.97	2.3	110	M 111.974							
W203	06.05 - 08.07	2.5	150	M 272.920 <E 25>							
C240											
W202	06.97 - 04.00	2.4	125	M 112.910 <E 24>		DOZ					
W203	05.00 - 05.05	2.6	125	M 112.912 <E 26>		DOZ					
C240 T-Model											
W202	06.97 - 02.01	2.4	125	M 112.910 <E 24>		DOZ					
W203	01.01 - 05.05	2.6	125	M 112.912 <E 26>		DOZ					
C250 CGI											
W204	04.09→	1.8	150	M 271.860 <DE 18 EVO>							
C250 CGI T-Model											
W204	04.09→	1.8	150	M 271.860 <DE 18 EVO>							
C280											
W202	05.93 - 05.97	2.8	142	M 104.941							
	06.97 - 04.00	2.8	145	M 112.920 <E 28>		DOZ					
W204	03.07 - 04.09	3.0	170	M 272.947 <KE 30>							
C320											
W203	05.00 - 05.05	3.2	160	M 112.946 <DE LA>		DOZ					
C320 Sportcoupe											
W203	09.02 - 05.05	3.2	160	M 112.946 <E 32>		DOZ					

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					
◀ MERCEDES-BENZ						Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾	
C350									
W203	06.05 - 02.07	3.5	200	M 272.960 <E 35>		YR 7 MPP 33			
E 500 T-Modell									
W211	09.03 - 03.06	5.0	225	M 113.967 <E 50>	DOZ	FR 8 DPP 33+	FR 8 DPX	F3-4	
E36 AMG									
W124	03.94 - 06.98	3.6	200	M 104.992		FR 8 DC+	FR 8 DP		
E55 AMG									
W210	09.97 - 03.03	5.5	260	M 113.980 <E55>	DOZ	FR 8 DPP 33+	FR 8 DPX	F3-4	
W211	10.02 - 05.06	5.4	350	M 113.990 <E 55 ML AMG>	DOZ	FR 6 MPP 332			
E200 Kompressor									
W210	09.00 - 03.02	2.0	120	M 111.957 <E20 EVO ML>		FR 7 KPP 33 U+			
W211	03.02 - 03.06	1.8	120	M 271.941 <KE 18 ML>		FR 6 MPP 332			
	04.06 - 01.09	1.8	135	M 271.956 <KE 18 ML>					
				Eng. no. → 30853899	04.06 - 11.06	FR 6 MPP 332			
				Eng. no. 30853900 →	12.06 - 01.09	YR 6 NPP 332			
E220									
W124	07.93 - 06.95	2.2	110	M 111.960		FR 8 DC+	FR 8 DP	F3-4	
E220 Cabriolet									
W124	07.93 - 06.98	2.2	110	M 111.960		FR 8 DC+	FR 8 DP	F3-4	
E220 Coupe									
W124	07.93 - 06.97	2.2	110	M 111.960		FR 8 DC+	FR 8 DP	F3-4	
E220 T-Model									
W124	07.93 - 05.96	2.2	110	M 111.960		FR 8 DC+	FR 8 DP	F3-4	
E230									
W210	06.95 - 08.97	2.3	110	M 111.970 <E23>		FR 8 KTC+			F3-4
E230 T-Model									
W210	05.96 - 08.97	2.3	110	M 111.970 <E23>		FR 8 KTC+			F3-4
E240									
W210	09.97 - 04.00	2.4	125	M 112.911 <E24>	DOZ	FR 8 DPP 33+	FR 8 DPX		
W211	03.02 - 03.05	2.6	130	M 112.913 <E 26>	DOZ	FR 8 DPP 33+	FR 8 DPX		
E240 T-Model									
W210	09.97 - 06.99	2.4	125	M 112.911 <E24>	DOZ	FR 8 DPP 33+	FR 8 DPX		
	06.99 - 01.03	2.6	125	M 112.914 <E26>	DOZ	FR 8 DPP 33+	FR 8 DPX		
W211	02.03 - 03.05	2.6	130	M 112.913 <E 26>	DOZ	FR 8 DPP 33+	FR 8 DPX		
E250 CDI									
W212	04.09 →	1.8	150	M 271.860 <DE 18>		YR 6 NPP 332			
E250 CGI Cabriolet									
W207	01.10 →	1.8	150	M 271.860 <DE 18 EVO>		YR 6 NPP 332			

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type						
								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
E250 Coupe										
W207	02.09→	1.8	150	M 271.860 <DE 35>		YR 6 NPP 332				
E280										
W124	07.93-06.95	2.8	142	M 104.942		FR 8 DC+	FR 8 DP			
W210	06.95-01.03	2.8	150	M 112.921 <E28>	DOZ	FR 8 DPP 33+	FR 8 DPX			
W211	04.05-03.09	3.0	170	M 272.943 <E 30>		YR 7 MPP 33				
E280 T-Model										
W124	07.93-05.96	2.8	142-145	M 104.942		FR 8 DC+	FR 8 DP			
W211	04.05-08.09	3.0	170	M 272.943 <E 30>		YR 7 MPP 33				
E320										
W124	07.93-06.95	3.2	162	M 104.992		FR 8 DC+	FR 8 DP			
W210	06.95-02.97	3.2	162	M 104.995		FR 8 DC+	FR 8 DP			
	03.97-05.99	3.2	165	M 112.941 <E32>	DOZ	FR 8 DPP 33+	FR 8 DPX			
W211	03.02-03.05	3.2	165	M 112.949 <E 32>	DOZ	FR 8 DPP 33+	FR 8 DPX			
E320 Cabriolet										
W124	05.93-06.98	3.2	162-170	M 104.992		FR 8 DC+	FR 8 DP			
E320 Coupe										
W124	07.93-06.98	3.2	162	M 104.992		FR 8 DC+	FR 8 DP			
E320 T-Model										
W211	02.03-03.05	3.2	165	M 112.949 <E 32>	DOZ	FR 8 DPP 33+	FR 8 DPX			
E350										
W211	02.05-03.09	3.5	200	M 272.964 <E 35>		YR 7 MPP 33				
W212	04.09-07.11	3.5	200	M 272.980 <M272 E35>		YR 7 MPP 33				
E350 Cabriolet										
W207	01.10→	3.5	200	M 272.988 <E 35>		YR 7 MPP 33				
E350 Coupe										
W207	05.09→	3.5	200	M 272.988 <E 35>		YR 7 MPP 33				
E350 T-Model										
W211	02.05-08.09	3.5	200	M 272.964 <E 35>		YR 7 MPP 33				
W212	08.09-07.11	3.5	200	M 272.980 <M272 E35>		YR 7 MPP 33				
E430										
W210	09.97-05.99	4.3	205	M 113.940 <E43>	DOZ	FR 8 DPP 33+	FR 8 DPX	F3-4		
	07.99-03.02	4.3	205	M 113.940 <E43>	DOZ	FR 8 DPP 33+	FR 8 DPX	F3-4		
E500										
W124	09.93-08.94	5.0	235	M 119.974		FR 8 DC+	FR 8 DP			
					U62	FR 8 DC+				
W211	03.02-03.06	5.0	225	M 113.967 <E 50>	DOZ	FR 8 DPP 33+	FR 8 DPX	F3-4		
	04.06-03.09	5.5	285	M 273.960 <E 55>		YR 7 MPP 33				
W212	04.09-08.11	5.5	285	M 273.971 <E 55>		YR 6 NPP 332				

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

M

				Type					
◀ MERCEDES-BENZ						Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾	
E500 Cabriolet									
W207	01.10 - 01.11	5.5	285	M 273.966 <E 55>		YR 6 NPP 332			
E500 Coupe						YR 6 NPP 332			
W207	02.09 - 01.11	5.5	285	M 273.966 <E 55>		YR 6 NPP 332			
E500 T-Model						YR 7 MPP 33			
W211	04.06 - 08.09	5.5	285	M 273.960 <E 55>		YR 7 MPP 33			
GL500									
W164	02.06 →	5.5	285	M 273.963 <E 55>		YR 6 NPP 332			
G320									
W463	12.97 - 08.06	3.2	158	M 112.945 <E 32>	DOZ	FR 8 DPP 33+	FR 8 DPX		
MB100									
	11.96 →	2.3	110	M 161.971		FR 8 DC+	FR 8 DP		
ML55 AMG									
W163	03.00 - 06.05	5.4	255	M 113.981 <E 55>	DOZ	FR 8 DPP 33+	FR 8 DPX	F3-4	
ML320									
W163	03.98 - 09.02	3.2	160	M 112.942 <E 32>	DOZ	FR 8 DPP 33+	FR 8 DPX		
ML350									
W163	08.02 - 01.03	3.7	180	M 112.970 <E 37>	DOZ	FR 8 DPP 33+	FR 8 DPX		
W164	09.05 - 06.11	3.5	200	M 272.967 <E 35>		YR 7 MPP 33			
ML430									
W163	09.98 - 07.02	4.3	200	M 113.942 <E 43>	DOZ	FR 8 DPP 33+	FR 8 DPX	F3-4	
ML500									
W163	09.01 - 06.05	5.0	215	M 113.965 <E 50>	DOZ	FR 8 DPP 33+	FR 8 DPX	F3-4	
W164	09.05 - 08.07	5.0	225	M 113.964 <E 50>	DOZ	FR 8 DPP 33+	FR 8 DPX	F3-4	
	09.07 - 07.11	5.5	285	M 273.963 <E 55>		YR 6 NPP 332			
R 500 4MATIC									
W251	02.06 - 04.07	5.0	225	M 113.971 <E 50>	DOZ	FR 8 DPP 33+	FR 8 DPX	F3-4	
R350									
W251	05.07 - 05.10	3.5	200	M 272.967 <E 35>		YR 7 MPP 33			
R500									
W251	05.07 →	5.0	285	M 273.963 <E 55>		YR 6 NPP 332			
SLK32 AMG									
W170	06.99 - 03.04	3.2	260	M 112.960 <E32 ML>	DOZ	FR 7 KPP 33 U+			
SLK55 AMG									
W171	04.04 - 11.10	5.4	265	M 113.989 <E 55>	DOZ	FR 7 KPP 33 U+		F1-4	

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type				Platinum	Platinum Performance	
								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
SLK200										
W170	09.96 - 01.00	2.0	100	M 111.946 <E20>		FR 8 KTC+				
SLK200 Kompressor										
W170	09.96 - 01.00	2.0	135	M 111.943 <E20 ML>		FR 7 KTC				
	02.00 - 03.04	2.0	120	M 111.958 <E20 EVO ML>		FR 7 KPP 33 U+				
W171	04.04 - 11.07	1.8	120	M 271.944 <KE 18 ML>						
				Eng. no. → 30853899	04.04 - 11.06	FR 6 MPP 332				
				Eng. no. 30853900 →	12.06 - 11.07	YR 6 NPP 332				
	12.07 - 11.10	1.8	135	M 271.954 <KE 18 ML>						
				Eng. no. → 30853899		FR 6 MPP 332				
				Eng. no. 30853900 →		YR 6 NPP 332				
SLK230 Kompressor										
W170	09.96 - 01.00	2.3	142	M 111.973 <E23 ML>		FR 7 KTC				
	02.00 - 03.04	2.3	145	M 111.983 <E23 EVO ML>		FR 7 KPP 33 U+				
SLK280										
W171	05.05 - 02.09	3.0	170	M 272.942 <E 30>		YR 7 MPP 33				
SLK300										
W171	03.09 - 11.10	3.0	170	M 272.942 <E 30>		YR 7 MPP 33				
SLK320										
W170	06.99 - 03.04	3.2	160	M 112.947 <E32>	DOZ	FR 8 DPP 33+	FR 8 DPX			
SLK350										
W171	04.04 - 11.07	3.5	200	M 272.963 <E 35>		YR 7 MPP 33				
	12.07 - 02.11	3.5	224	M 272.969 <E 35>		YR 7 MPP 33				
SL55 AMG										
W230	10.01 - 02.06	5.4	368	M 113.992 <E 55>	DOZ	FR 6 MPP 332				
	01.06 - 03.08	5.4	380	M 113.995 <E 55>		FR 6 MPP 332				
SL65 AMG										
W230	09.04 - 12.11	6.0	450	M 275.98... <E 60>		FR 7 KPP 33 U+				
SL280										
W129	07.93 - 05.98	2.8	142	M 104.943						
				Eng. no. → ..001719, → ..007652		FR 8 DC+	FR 8 DP			
				Eng. no. ..001720 → , Comp. no. Code 808,		FR 8 KTC+				
				Eng. no. ..007653 → , Comp. no. Code 808						
	06.98 - 08.01	2.8	150	M 112.923	DOZ	FR 8 DPP 33+	FR 8 DPX			
SL320										
W129	06.98 - 08.01	3.2	165	M 112.943	DOZ	FR 8 DPP 33+	FR 8 DPX			
SL350										
W230	03.03 - 12.05	3.7	180	M 112.973 <E 37>	DOZ	FR 8 DPP 33+	FR 8 DPX			
	01.06 - 12.07	3.5	200	M 272.966 <E 35>		YR 7 MPP 33				
	01.08 - 12.11	3.5	232	M 272.968 <E 35>		YR 7 MPP 33				

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

M

					Type					
◀ MERCEDES-BENZ						Standard ^{1) 2)}		Premium ¹⁾	Performance ³⁾	
SL500										
W129	09.93 - 08.95	5.0	235-240	M 119.972		FR 8 DC+	FR 8 DP	F3-4		
	09.95 - 05.98	5.0	235-240	M 119.982		FR 8 DC+	FR 8 DP	F3-4		
	06.98 - 08.01	5.0	225	M 113.961	DOZ	FR 8 DPP 33+	FR 8 DPX	F3-4		
W230	10.01 - 12.05	5.0	225	M 113.963 <E 50>	DOZ	FR 8 DPP 33+	FR 8 DPX	F3-4		
	01.06 - 11.12	5.5	285	M 273.965 <E 55>		YR 6 NPP 332				
SL600										
W129	07.93 - 09.95	6.0	290	M 120.981		FR 8 DC+	FR 8 DP	F3-4		
	09.95 - 08.01	6.0	290	M 120.983		FR 8 DC+	FR 8 DP	F3-4		
W230	03.03 - 12.05	5.5	368	M 275.951 <E 55>		FR 7 KPP 33 U+				
	01.06 - 11.12	5.5	380	M 275.954 <E 55>	DOZ	FR 7 KPP 33 U+				
S55 AMG										
W220	09.02 - 08.05	5.4	368	113.991 <E55 AMG>		FR 6 MPP 332				
	09.02 - 08.06	5.4	368	113.991 <E55 AMG>	DOZ	FR 6 MPP 332				
S65 AMG										
W220	02.04 - 08.06	6.0	450	M 275.980 <E60>		FR 7 KPP 33 U+				
W221	07.06 - 02.11	6.0	450	M 275.982 <E 60>		FR 7 KPP 33 U+				
S280										
W140	06.93 - 09.98	2.8	142-145	M 104.944		FR 8 DC+	FR 8 DP			
				Eng. no. →..001221, →..019961		FR 8 KTC+				
				Eng. no. ..001222 →..019962 →						
S320										
W220	10.98 - 08.02	3.2	165	M 112.944 <E32>	DOZ	FR 8 DPP 33+	FR 8 DPX			
S350										
W220	09.02 - 08.06	3.7	180	M 112.972 <E37>	DOZ	FR 8 DPP 33+	FR 8 DPX			
W221	09.05 - 01.11	3.5	200	M 272.965 <E 35>		YR 7 MPP 33				
S420										
W140	06.93 - 09.98	4.2	205-210	M 119.971;981		FR 8 DC+			F3-4	
				Eng. no. →..011673		FR 8 DC+	FR 8 DP			
				Eng. no. ..011674 →		FR 8 DPP 33+	FR 8 DPX			
S430										
W220	10.98 - 01.06	4.3	205	M 113.941 <E43>	DOZ	FR 8 DPP 33+	FR 8 DPX	F3-4		
S500										
W140	06.93 - 09.98	5.0	235-240	M 119.970;980		FR 8 DC+	FR 8 DP	F3-4		
W220	06.00 - 08.05	5.0	225	M 113.960 <E50>	DOZ	FR 8 DPP 33+	FR 8 DPX	F3-4		
W221	09.05 - 01.11	5.5	285	M 273.961 <E 55>		YR 6 NPP 332				
S600										
W140	06.93 - 05.96	6.0	290-300	M 120.98... <M 120>		FR 8 DC+	FR 8 DP	F3-4		
	06.93 - 09.98	6.0	290-300	M 120.98... <M 120>		FR 8 DC+	FR 8 DP	F3-4		
				Eng. no. →..008359		FR 8 DC+				
				Eng. no. ..008360 →		FR 8 KTC+				
W220	08.99 - 08.02	5.8	270	M 137.970 <E58>	DOZ	FR 7 KPP 33 U+				
	09.02 - 01.06	5.5	368	M 275.950 <E55>		FR 7 KPP 33 U+				
W221	12.05 →	5.5	380	M 275.953 <E 55>	DOZ	FR 7 KPP 33 U+				

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					
								Standard ^{1) 2)}	Premium ¹⁾
Viano									
W639 TON	06.04 - 08.07	3.7	170	M 112.976 <M 112.E37 (MG0)>	DOZ	FR 8 DPP 33+	FR 8 DPX		
Vito									
W638 TON	11.95 - 09.03	2.0	95	M 111.950 <E20>		FR 8 KTC+			
W639 TON	10.03 - 12.10	3.2	140	M 112.951 <M 112.E32>	DOZ	FR 8 DPP 33+	FR 8 DPX		
180E									
W201	09.91 - 04.94	1.8	80	M 102.910		HR 7 DC+	HR 7 DP	F12-4	
190E									
W201	10.82 - 09.88	2.0	66	M 102.921		HR 8 DC+			F7-4
	08.84 - 08.93	2.3	100	M 102.985		HR 8 DC+			F7-4
	09.85 - 08.86	2.0	85	M 102.962		HR 8 DC+			F7-4
	09.86 - 08.89	2.6	122	M 103.942		HR 9 DC			F7-6
	09.86 - 09.93	2.0	87	M 102.962		HR 8 DC+			F7-4
	09.89 - 08.92	2.3	97	M 102.985		HR 8 DC+			F7-4
	03.90 - 08.93	1.8	80	M 102.910		HR 7 DC+	HR 7 DP		F12-4
190SL									
W121	05.55 - 02.63	1.9	77	M 121 B ..		WR 6 DC+	WR 6 DP		
220									
W115	01.68 - 07.73	2.2	77	M 115.920		WR 8 DC+	WR 8 DP		
220E									
W124	09.92 - 06.93	2.2	110	M 111.960		FR 8 DC+	FR 8 DP	F3-4	
230CE									
W123	04.80 - 12.85	2.3	100	M 102.980		HR 8 DC+			F7-4
230E									
W123	04.80 - 12.85	2.3	100	M 102.980		HR 8 DC+			F7-4
W124	12.84 - 06.93	2.3	97-100	M 102.982		HR 8 DC+			F7-4
230TE									
W123	04.80 - 12.85	2.3	100	M 102.980		HR 8 DC+			F7-4
W124	09.85 - 08.93	2.3	97-100	M 102.982		HR 8 DC+			F7-4
230.4									
W115	08.73 - 12.76	2.3	81	M 115.951		WR 8 DC+	WR 8 DP		
230.6									
W114	08.73 - 11.76	2.3	88	M 180.954	NV	WR 7 DC+	WR 5 DP		
							WR 7 DP		
250									
W114	01.68 - 06.72	2.5	96	M 114.920		WR 6 DC+	WR 6 DP		
	07.72 - 11.76	2.8	96	M 130.923		WR 7 DC+	WR 7 DP		
250C									
W114	07.72 - 11.76	2.8	96	M 130.923		WR 7 DC+	WR 7 DP		

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

M

				Type					
◀ MERCEDES-BENZ						Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾	
250CE									
W114	04.69 - 04.72	2.5	110	M 114.980		WR 6 DC+	WR 6 DP		
260E									
W124	09.85 - 10.92	2.6	118-122	M 103.940		HR 8 DC+			F7-6
280									
W114	06.72 - 11.76	2.8	118	M 110.921		WR 7 DC+	WR 7 DP		
280C									
W114	06.72 - 02.77	2.8	118	M 110.921		WR 7 DC+	WR 7 DP		
280CE									
W114	06.72 - 01.77	2.8	136	M 110.981		WR 7 DC+	WR 7 DP		
W123	03.77 - 11.85	2.8	130-136	M 110.984,988		WR 8 DC+	WR 8 DP		
280E									
W114	06.72 - 11.76	2.8	136	M 110.981		WR 7 DC+	WR 7 DP		
W123	02.76 - 11.85	2.8	130-136	M 110.98...		WR 8 DC+	WR 8 DP		
280S									
W108	01.68 - 07.72	2.8	103	M 130.920		WR 5 DC+	WR 5 DP		
W116	08.72 - 12.75	2.8	115-118	M 110.922		WR 7 DC+	WR 7 DP		
280SE									
W108	01.68 - 12.71	2.8	118	M 130.980		WR 5 DC+	WR 5 DP		
W111	01.68 - 12.71	2.8	118	M 130.980		WR 5 DC+	WR 5 DP		
	01.70 - 12.71	3.5	147	M 116.980		WR 5 DC+	WR 5 DP		
W108	03.71 - 08.72	3.5	147	M 116.980		WR 5 DC+	WR 5 DP		
W116	09.72 - 07.76	2.8	130-136	M 110.983		WR 7 DC+	WR 7 DP		
	08.76 - 07.80	2.8	130-136	M 110.985		WR 8 DC+	WR 8 DP		
W126	10.79 - 07.85	2.8	136	M 110.987,989		WR 8 DC+	WR 8 DP		
280SEL									
W108	03.71 - 08.72	3.5	147	M 116.980		WR 5 DC+	WR 5 DP		
280SL									
W113	01.68 - 03.71	2.8	125	M 130.983		WR 5 DC+	WR 5 DP		
W107	08.74 - 05.76	2.8	130-136	M 110.982, 986, 990		WR 7 DC+	WR 7 DP		
280SLC									
W107	08.74 - 05.76	2.8	130-136	M 110.982, 986		WR 7 DC+	WR 7 DP		
280TE									
W123	02.76 - 11.85	2.8	136	M 110.984/988		WR 8 DC+	WR 8 DP		
300 SL Roadster									
W198	03.57 - 02.63	3.0	158	M 198		W 5 CC			
300CE									
W124	03.87 - 06.93	3.0	132-138	M 103.983		HR 9 DC			
	09.89 - 12.92	3.0	162	M 104.980		FR 8 DC+	FR 8 DP		

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

					Type					
								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
300E										
W124	01.85 - 08.93	3.0	132-138	M 103.980;983		HR 9 DC				F5-6
	09.92 - 06.93	2.8	145	M 104.942		FR 8 DC+	FR 8 DP			
					U62	FR 8 DC+				
300SE										
W126	09.85 - 06.91	3.0	132-138	M 103.981		HR 8 DC+				F7-6
	09.89 - 06.91	3.0	132	M 103.981	NV	HR 9 DC				
W140	03.91 - 05.93	3.2	170	M 104.99...		FR 8 DC+	FR 8 DP			
300SEL										
W109	03.68 - 08.72	6.3	184	M 100.981		WR 7 DC+	WR 7 DP			
	01.70 - 07.72	3.5	147	M 116.981		WR 6 DC+	WR 6 DP			
					ST	WR 7 DC+	WR 7 DP			
300TE										
W124	01.86 - 08.92	3.0	132-138	M 103.983		HR 9 DC				
320CE										
W124	09.92 - 06.93	3.2	162	M 104.992		FR 8 DC+	FR 8 DP			
320E										
W124	09.92 - 06.93	3.2	162	M 104.992		FR 8 DC+	FR 8 DP			
350SE										
W116	08.72 - 02.76	3.5	147	M 116.983		WR 7 DC+	WR 7 DP			
350SEL										
W116	01.75 - 02.76	3.5	147	M 116.983		WR 7 DC+	WR 7 DP			
350SL										
W107	05.71 - 02.76	3.5	147	M 116.982, 984		WR 7 DC+	WR 7 DP			
	03.76 - 02.80	3.5	144	M 116.982, 984		WR 8 DC+	WR 8 DP			
350SLC										
W107	01.72 - 02.76	3.5	148	M 116.982, 984		WR 7 DC+	WR 7 DP			
	03.76 - 02.80	3.5	144	M 116.982, 984		WR 8 DC+	WR 8 DP			
380SE / SEL										
W126	12.79 - 08.85	3.8	150-160	M 116.961, 963		WR 8 DC+	WR 8 DP		F4-4	
380SEC										
W126	10.81 - 07.85	3.8	150	M 116.963		WR 7 DC+	WR 7 DP		F6-4	
					FGB	WR 8 DC+	WR 8 DP		F4-4	
380SL										
W107	07.80 - 08.85	3.8	150-160	M 116.960, 962		WR 8 DC+	WR 8 DP		F4-4	
400SE										
W140	02.91 - 05.93	4.2	205-210	M 119.971;981					F3-4	
				Eng. no. →..011673		FR 8 DC+	FR 8 DP			
				Eng. no..011674→		FR 8 DPP 33+	FR 8 DPX			

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

◀ MERCEDES-BENZ						Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
420SEL								
W126	09.85 - 06.91	4.2	150-170	M 116.965		WR 8 DC+	WR 8 DP	F4-4
450SE								
W116	01.73 - 11.75 12.75 - 04.80	4.5 4.5	166 161-167	M 117.983 M 117.986	01.73 - 08.74	WR 7 DC+ WR 8 DC+	WR 7 DP WR 8 DP	
450SEL								
W116	01.73 - 11.75 07.75 - 03.80 12.75 - 04.80	4.5 6.8 4.5	166 212 161-167	M 117.983 M 100.985 M 117.986		WR 7 DC+ WR 8 DC+ WR 8 DC+	WR 7 DP WR 8 DP WR 8 DP	
450SL								
W107	01.73 - 11.75 12.75 - 10.80	4.5 4.5	161-167 161-167	M 117.982,985 M 117.982,985		WR 7 DC+ WR 8 DC+	WR 7 DP WR 8 DP	
450SLC								
W107	01.73 - 11.75 12.75 - 09.80	4.5 4.5	161-167 161-167	M 117.982,985 M 117.982,985		WR 7 DC+ WR 8 DC+	WR 7 DP WR 8 DP	
500SE								
W140	02.91 - 05.93	5.0	235-240	M 119.970;980		FR 8 DC+	FR 8 DP	F3-4
500SEC								
W126	10.81 - 08.85	5.0	170	M 117.963		WR 8 DC+	WR 8 DP	F4-4
W140	10.92 - 05.93	5.0	235-240	M 119.970;980		FR 8 DC+	FR 8 DP	F3-4
500SL								
W129	09.89 - 08.92	5.0	240	M 119.960		FR 7 DC+	FR 7 DP	F1-4
560SEC								
W126	10.85 - 06.91	5.6	178-205	M 117.968 <KAT>		WR 8 DC+	WR 8 DP	F4-4
560SEL								
W126	10.85 - 06.91	5.6	178-205	M 117.968 <KAT>		WR 8 DC+	WR 8 DP	F4-4
560SL								
W107	09.85 - 08.89	5.6	178	M 117.967		WR 8 DC+	WR 8 DP	F4-4
600								
W100	09.64 - 05.81	6.3	162-184	M 100.980,982		WR 8 DC+	WR 8 DP	
600SL								
W129	07.92 - 06.93	6.0	290	M 120.981;983		FR 8 DC+	FR 8 DP	F3-4
MG								
MGB GT								
	08.73 - 11.80	1.8	71			WR 7 DC+	WR 7 DP	

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type				Platinum	Platinum Performance
								Standard ^{1) 2)}	Premium ¹⁾
MGB GT V8									
08.73 - 11.76	3.5	101	V8			WR 8 BC+	WR 8 BP		
MGF									
10.95 - 03.02	1.8	88	18 K4F <K-Serie>			FR 7 KPP 33 U+		F1-4	
		107	18 K4K <MPI VVC K-Serie>			FR 7 KPP 33 U+		F1-4	
MGTF									
03.02 - 05.05	1.8	88	18 K4F K-Serie <DOHC>			FR 7 KPP 33 U+			
		118	18 K4F K-Serie- VVC- <DOHC>			FR 7 KPP 33 U+			
03.02→	1.8	100	18 K4F K-Serie <DOHC>			FR 7 KPP 33 U+			
Midget									
02.68 - 12.72	1.3	47				WR 7 DC+	WR 7 DP		
08.74 - 12.80	1.5	49				WR 8 DC+	WR 8 DP		
ZR									
10.01 - 05.05	1.8	118	18 K4K <K-Serie>			FR 7 KPP 33 U+			
ZS									
10.01 - 05.05	2.5	130	25 K4F <K-Serie 2.5KV6>			FR 7 KPP 33 U+			
ZT									
10.01 - 05.05	2.5	140	25 K4F <K-Serie>			FR 7 KPP 33 U+			
MINI (BMW)									
Cooper									
R 50	06.01 - 11.07	1.6	85	W10 B16A...	WI1	FGR 7 DQP+			F1-4
					WI4	FR 7 LDC+			
R 56	11.06 - 08.10	1.6	88	N12 B16...		ZQR 8 SI 302			
Cooper Cabrio									
R 52	07.04 - 07.08	1.6	85	W10 B16A...	WI1	FGR 7 DQP+			F1-4
					WI4	FR 7 LDC+			
R 57	03.09 - 06.10	1.6	88	N12 B16...		ZQR 8 SI 302			
Cooper Clubman									
R 55	11.07 - 07.10	1.6	88	N12 B16...		ZQR 8 SI 302			
Cooper S									
R 53	03.02 - 07.04	1.6	120	W11 B16A	WI1	FGR 7 DQP+			F1-4
					WI4	FR 7 LDC+			
	08.04 - 11.06	1.6	125	W11 B16A	WI1	FGR 7 DQP+			
					WI4	FR 7 LDC+			
R 56	11.06 - 07.10	1.6	128	N14 B16A..		ZR 7 SI 332 S			
Cooper S Cabrio									
R 52	08.04 - 07.08	1.6	125	W11 B16A	WI1	FGR 7 DQP+			F1-4
					WI4	FR 7 LDC+			
R 57	03.09 - 07.10	1.6	128	N14 B16A..		ZR 7 SI 332 S			

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

M

				Type					
◀ MINI							Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
Cooper S Clubman									
R55	11.07 - 07.10	1.6	120-128	N14 B16AB		ZR 7 SI 332 S			
John Cooper Works									
R53	08.04 - 11.06	1.6	154-160	W11 B16A		FR 6 DTC			
R56	07.08 →	1.6	155	N14 B16C		ZR 7 SI 332 S			
John Cooper Works Cabrio									
R52	08.04 - 07.08	1.6	154	W11 B16A		FR 6 DTC			
R57	03.09 →	1.6	155	N14 B16C		ZR 7 SI 332 S			
John Cooper Works Clubman									
R55	07.08 →	1.6	155	N14 B16C		ZR 7 SI 332 S			
John Cooper Works Coupe									
R58	09.11 →	1.6	155	N14 B16C		ZR 7 SI 332 S			
John Cooper Works Roadster									
R59	02.12 →	1.6	155	N14 B16C		ZR 7 SI 332 S			
MITSUBISHI									
ASX									
GA	05.10 →	2.0	110	4B11		FR 6 KI 332 S			
ASX 2.0 4x4									
GA	05.10 →	2.0	110	4B11		FR 6 KI 332 S			
Challenger									
	08.97 - 08.01	3.5	180	6G74 (DOHC)		FR 8 LI 332 S			
PA	02.98 →	3.0	136	6G72		FR 6 KI 332 S			
Colt									
RB	10.82 - 03.84	1.4	54	4G33		WR 8 DC+	WR 8 DP	F4-4	
		1.6	58	4G32		WR 8 DC+	WR 8 DP	F4-4	
RC	04.84 - 12.85	1.4	54	4G33		WR 8 DC+	WR 8 DP	F4-4	
		1.6	58	4G32		WR 8 DC+	WR 8 DP	F4-4	
RD	01.86 - 08.88	1.4	56	4G33		WR 7 DCX+	WR 7 DPX	F6-4	
	10.86 - 08.88	1.6	59	4G32		WR 7 DCX+	WR 7 DPX	F6-4	
RE	09.88 - 12.90	1.4	56	4G33		WR 7 DCX+	WR 7 DPX	F6-4	
		1.6	59	4G32		WR 7 DCX+	WR 7 DPX	F6-4	
CZ	04.04 - 06.10	1.5	80	4A91		FR 7 NPP 33			
CJ	10.04 →	1.5	77	4A91		FR 7 SI 30			
Cordia									
AA, AB	04.83 - 10.84	1.6	55	4G32		WR 8 DC+	WR 8 DP	F4-4	
	11.84 - 12.85	1.8	70	4G37		WR 8 DC+	WR 8 DP	F4-4	
AC	01.86 - 12.89	1.8	62	4G37		WR 8 DC+	WR 8 DP	F4-4	
Cordia Turbo									
AA, AB	05.84 - 12.85	1.8	110	4G62		WR 6 CC			
AC	01.86 - 12.89	1.8	90	4G62		WR 6 CC			

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					Platinum	Platinum Performance
								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
Express / Starwagon L300										
SA	03.80 - 12.81	1.6	52	4G32		WR 8 DC+	WR 8 DP			
SB	01.82 - 09.82	1.6	52	4G32		WR 8 DC+	WR 8 DP			
SC	10.82 - 12.84	1.6	52	4G32		WR 8 DC+	WR 8 DP			
		1.8	60	4G62		WR 8 DC+	WR 8 DP	F4-4		
SD	01.85 - 12.85	1.6	50	4G32		WR 8 DC+	WR 8 DP	F4-4		
		1.8	60	4G62		WR 8 DC+	WR 8 DP	F4-4		
		2.0	66	4G63		WR 8 DC+	WR 8 DP	F4-4		
SE	01.86 - 09.86	1.6	52	4G32		WR 8 DC+	WR 8 DP	F4-4		
SF	01.86 - 12.90	2.0	66	4G63		WR 8 DC+	WR 8 DP			
		2.4	81	4G64		WR 7 DC+	WR 7 DP	F1-4		
SF, SG	01.86 - 12.91	2.0	66	4G63		WR 8 DC+	WR 8 DP	F4-4		
		2.4	81	4G64		WR 7 DC+	WR 7 DP	F6-4		
SE	01.86 →	2.0	66	4G63		WR 8 DC+	WR 8 DP	F4-4		
SF	10.86 - 11.90	2.0	66	4G63		WR 8 DC+	WR 8 DP	F4-4		
SG	01.90 - 12.91	2.0	66	4G63		WR 8 DC+	WR 8 DP			
		2.4	81	4G64		WR 7 DC+	WR 7 DP	F1-4		
SH	09.91 →	2.4	81	4G64		WR 7 DCX+	WR 7 DPX	F6-4		
	01.92 - 08.94	2.0	66	4G63		WR 8 DC+	WR 8 DP	F4-4		
SJ	09.94 - 02.01	2.4	97	4G64		FR 8 DCX+	FR 8 DPX	F3-4		
WA	09.94 - 06.06	2.4	97	4G64		FR 8 DCX+	FR 8 DPX	F3-4		
SJ	09.94 →	2.0	78	4G63		WR 8 DC+	WR 8 DP	F4-4		
Express Utility L200										
MA	03.80 - 12.81	1.6	52	4G32		WR 8 DC+	WR 8 DP			
MB	01.81 - 12.84	2.0	64	4G52		WR 8 DC+	WR 8 DP			
MA	06.81 - 12.81	2.0	64	4G52		WR 8 DC+	WR 8 DP	F4-4		
MB	01.82 - 09.82	1.6	52	4G32		WR 8 DC+	WR 8 DP			
		2.0	64	4G52		WR 8 DC+	WR 8 DP	F4-4		
MC	10.82 - 12.84	1.6	52	4G32		WR 8 DC+	WR 8 DP			
		2.0	73	4G63		WR 8 DC+	WR 8 DP			
	01.85 - 12.85	2.0	65-74	4G63		WR 8 DC+	WR 8 DP	F4-4		
MD	01.85 - 12.85	2.0	65-74	4G63		WR 8 DC+	WR 8 DP	F4-4		
		66	4G63			WR 8 DC+	WR 8 DP	F4-4		
	01.86 →	1.6	52	4G32		WR 8 DC+	WR 8 DP	F4-4		
FTO										
	09.94 - 07.00	1.8	92	4G93 (SOHC)			FR 8 DPX			
		2.0	125-132	6A12 (DOHC)		FR 7 DCX+	FR 7 DPX	F1-6		
Galant										
HG	01.89 - 12.90	2.0	77	4G63 SOHC		WR 8 DCX+	WR 8 DPX	F4-4		
HG/HH	01.89 - 12.93	2.0	102	4G63 DOHC		FR 7 DCX+	FR 7 DPX	F1-4		
HH	01.90 - 12.93	2.0	77	4G63 SOHC		WR 8 DCX+	WR 8 DPX	F4-4		
HJ	11.92 - 05.96	2.0	101	4G63 Kat.		FR 7 DCX+	FR 7 DPX	F1-4		
			110	6A12 Kat.		FR 7 DCX+	FR 7 DPX	F1-4		
						FR 5 DPP 222				
Galant VR4										
HH	01.90 - 12.93	2.0	148	4G63 DOHC		FR 7 DCX+	FR 7 DPX			
Lancer										
C6/C7	04.88 - 05.90	1.6	91-92	4G61		WR 7 DC+	WR 7 DP	F6-4		
CA	08.88 - 09.90	1.5	56	4G15		WR 7 DC+	WR 7 DP	F6-4		
	01.89 - 09.90	1.5	61	4G15		WR 7 DC+	WR 7 DP	F6-4		
CB	10.90 - 09.92	1.5	65	4G15 SOHC		WR 7 DC+	WR 7 DP	F6-4		
		71	4G15 SOHC			WR 7 DC+	WR 7 DP			

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable



◀ MITSUBISHI								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
CB	10.90 - 09.92	1.6	90	4G61 DOHC			WR 7 DC+	WR 7 DP		F6-4
CA/CB/CD	05.92 - 12.96	1.8	100-103	4G93 Kat.			FR 7 DCX+	FR 7 DPX		F1-4
C6/C7	06.92 - 07.95	1.5	67	4G15			WR 8 DCX+	WR 8 DPX		F4-4
		1.6	83	4G92 Kat.			FR 7 DCX+	FR 7 DPX		F1-4
CC	10.92 - 06.96	1.5	65	4G15			WR 8 DC+	WR 8 DP		F4-4
		1.6	77	4G92 Kat.			FR 8 DCX+	FR 8 DPX		F3-4
		1.8	86	4G93 Kat.			FR 8 DCX+	FR 8 DPX		F3-4
CA/CB/CD	07.93 - 12.97	1.5	68	4G15 <MPI>			WR 8 DC+	WR 8 DP		F4-4
	12.93 - 12.96	1.6	66	4G92 MVV			FR 7 DCX+	FR 7 DPX		F1-4
CK/CP/CN	11.95 - 09.00	1.5	67-69	4G15			WR 8 DC+	WR 8 DP		F4-4
		1.6	66	4G92 Kat.			FR 7 DCX+	FR 7 DPX		F1-4
	05.96 - 05.01	1.8	85	4G93 Kat.			FR 8 DCX+	FR 8 DPX		F3-4
MG21/41	01.98 - 02.03	1.5	64	4G15			WR 8 DCX+	WR 8 DPX		F4-4
CS/CT	06.02 - 04.10	2.0	99	4G63			WR 7 KI 33 S			
	06.03 - 04.10	1.3	60	4G13	06.03 - 05.06		FR 7 DCX+	FR 7 DPX		F1-4
	01.05 - 06.07	2.0	84	4G94			FR 8 DCX+	FR 8 DPX		F3-4
CJ	03.07 →	2.0	177	4B11	03.07 - 05.08		FR 6 KI 332 S			
					10.11 →		FR 6 KI 332 S			
	07.07 →	2.0	114	4B11 <DOHC MIVEC 16v>			FR 6 KI 332 S			
	08.07 - 12.09	2.0	113	4B11			FR 6 KI 332 S			
CJ	09.08 →	2.3		4B12						F3-4
Lancer Evo										
	01.01 - 01.07	2.0	206	4G63 (DOHC)			FR 7 DCX+	FR 7 DPX		
Lancer GSR										
	10.95 - 05.96	1.8	151	4G93 (DOHC)			FR 7 DP			
L200										
K0/K1/K2/K3	06.90 - 05.91	3.0	110	6G72			WR 8 DCX+	WR 8 DPX		
L300										
HJ	06.83 - 12.87	1.8	60	4G62			WR 6 DC+	WR 6 DP		
P	11.86 - 10.88	2.4	80	G64B Kat.			WR 7 DCX+	WR 7 DPX		
	11.88 - 05.96	2.4	82	4G64 Kat.			WR 7 DCX+	WR 7 DPX		
Magna / Verada										
TM	04.85 - 03.87	2.6	83	4G54 <Astron II>			WR 7 DC+	WR 7 DP		F6-4
TN	04.87 - 05.89	2.6	83	4G54 <Astron II>			WR 7 DC+	WR 7 DP		F6-4
			93	4G54 EFI <Astron II>			WR 9 DC+	WR 9 DP		
TP	06.89 - 04.92	2.6	83	4G54 <Astron II>			WR 8 DC+	WR 8 DP		F4-4
			93	4G54 EFI <Astron II>			WR 9 DC+	WR 9 DP		
TR	04.91 - 02.94	2.6	98	4G54 EFI			WR 7 DC+	WR 7 DP		F6-4
KR	07.91 - 02.94	3.0	123	6G72			WR 9 DCX+	WR 9 DPX		F2-6
TR	10.91 - 02.94	2.6	85	4G54			WR 7 DC+	WR 7 DP		F6-4
	04.93 - 02.94	3.0	123	6G72			WR 9 DCX+	WR 9 DPX		F2-6
KS	03.94 - 09.96	3.0	120	6G72 <E32>			WR 9 DCX+	WR 9 DPX		F2-6
TS	03.94 - 12.96	2.6	85	4G54			WR 7 DC+	WR 7 DP		F6-4
	03.94 - 02.97	2.6	98	4G54			WR 7 DC+	WR 7 DP		F6-4
		3.0	123	6G72			WR 9 DCX+	WR 9 DPX		F2-6
TE	04.96 - 05.97	2.4	105	4G64			FR 7 DCX+	FR 7 DPX		F1-4
		3.0	140	6G72			HZY,WI9	FR 8 DPP 33+		
							VZY,WI3	FR 8 DCX+	FR 8 DPX	
KE	10.96 - 05.97	3.0	140	6G72			HZY,WI9	FR 6 KPP 33 X+		
		3.5	147	6G74 <E35>			VZY,WI3	FR 7 DCX+	FR 7 DPX	
							FR 8 DCX+	FR 8 DPX		

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					Platinum	Platinum Performance
							Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾	
KF	06.97 - 03.99	3.0	140	6G72	HZY,WI9	FR 6 KPP 33 X+				
					VZY,WI3	FR 7 DCX+	FR 7 DPX			
		3.5	147	6G74 <E35>		FR 8 DCX+	FR 8 DPX			
TF	06.97 - 03.99	2.4	105	4G64		FR 7 DCX+	FR 7 DPX	F1-4		
					3.0	140	6G72			
					HZY,WI9	FR 8 DPP 33+				
					VZY,WI3	FR 8 DCX+	FR 8 DPX			
KW	01.98 - 03.07	3.5	155	6G74 <E35>	HZY,WI9	FR 7 KPP 33 U+				
					VZY,WI3	FR 7 DCX+				
					WI1				F1-6	
KH	04.99 - 07.00	3.5	147	6G74 <E35>	HZY,WI9	FR 7 KPP 33 U+				
					VZY,WI3	FR 7 DCX+				
					WI1				F1-6	
TH	04.99 - 07.00	3.0	140	6G72 <E32>	HZY,WI9	FR 6 KPP 33 X+				
					VZY,WI3	FR 7 DCX+	FR 7 DPX			
		3.5	147	6G74 <E35>	HZY,WI9	FR 7 KPP 33 U+				
					VZY,WI3	FR 7 DCX+				
					WI1				F1-6	
KJ	08.00 - 07.01	3.5	150	6G74 <E35>	HZY,WI9	FR 7 KPP 33 U+				
					VZY,WI3	FR 7 DCX+				
					WI1				F1-6	
TJ	08.00 - 06.02	3.0	140	6G74 <E32>	HZY,WI9	FR 7 KPP 33 U+				
					VZY,WI3	FR 7 DCX+				
					WI1				F1-6	
		3.5	150	6G74 <E35>	HZY,WI9	FR 7 KPP 33 U+				
					VZY,WI3	FR 7 DCX+				
					WI1				F1-6	
KJ	08.01 - 06.02	3.5	155	6G74 <E35>	HZY,WI9	FR 7 KPP 33 U+				
					VZY,WI3	FR 7 DCX+				
					WI1				F1-6	
TJ II	07.02 - 06.03	3.5	163	6G74 <E35>	HZY,WI9	FR 7 KPP 33 U+				
					VZY,WI3	FR 7 DCX+				
					WI1				F1-6	
KJ II	07.02 - 07.03	3.5	155	6G74 <E35>	HZY,WI9	FR 7 KPP 33 U+				
					VZY,WI3	FR 7 DCX+				
					WI1				F1-6	
TJ II	07.02 - 01.04	3.5	155	6G74 <E35>	HZY,WI9	FR 7 KPP 33 U+				
					VZY,WI3	FR 7 DCX+				
					WI1				F1-6	
KL	06.03 - 09.04	3.5	155	6G74 <E35>	HZY,WI9	FR 7 KPP 33 U+				
					VZY,WI3	FR 7 DCX+				
					WI1				F1-6	
TL	06.03 - 09.04	3.5	155	6G74 <E35>	HZY,WI9	FR 7 KPP 33 U+				
					VZY,WI3	FR 7 DCX+				
					WI1				F1-6	
TW	10.04 - 09.05	3.5	143	6G74 <E40>	HZY,WI9	FR 8 DPP 33+				
					VZY,WI3	FR 8 DCX+	FR 8 DPX			
			155	6G74 <E35>	HZY,WI9	FR 8 DPP 33+				
					VZY,WI3	FR 8 DCX+	FR 8 DPX			
Mirage										
CE	01.93 →	1.5	68	4G15 <SOHC Kat.>			WR 8 DCX+	WR 8 DPX	F4-4	
CE	06.96 - 12.03	1.5	69	4G15 S3			WR 8 DCX+	WR 8 DPX	F4-4	
Nimbus										
UA	05.84 - 12.85	1.8	70	4G37			WR 7 DC+	WR 7 DP	F6-4	
UB	01.86 - 08.87	1.8	62	4G37			WR 7 DC+	WR 7 DP	F6-4	
UC	09.87 - 11.91	2.0	70	4G63			WR 7 DC+	WR 7 DP	F6-4	
UF	01.92 - 11.98	2.4	88-103	4G64 SOHC			WR 7 DCX+	WR 7 DPX	F6-4	

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable



							
◀ MITSUBISHI					Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
Outlander							
ZE	05.03 - 07.04	2.4	100	4G64S4M	FR 8 DCX+	FR 8 DPX	F3-4
ZF	08.04 - 10.06	2.4	120	4G69 MIVEC	HR 8 MCV+		
ZG/ZH	11.06→	2.4	125	4B12			F3-4
	08.08→	2.4	125	4B12			F3-4
Pajero							
NA-NG	12.82 - 04.91	2.6	76-79	4G54	WR 8 DC+	WR 8 DP	F4-4
NF/NG	09.88 - 04.91	3.0	105	6G72	WR 8 DCX+	WR 8 DPX	
NF-NH	09.88 - 04.91	3.0	110	6G72 (SOHC)	WR 8 DCX+	WR 8 DPX	
NG-NL	10.90 - 09.99	3.0	114	6G72 (SOHC)	WR 8 DCX+	WR 8 DPX	
NH	05.91 - 10.93	2.6	79	4G54	WR 8 DC+	WR 8 DP	F4-4
NH-NL	05.91 - 08.97	3.0	109	6G72	WR 8 DCX+	WR 8 DPX	
NJ-NL	07.93 - 05.97	3.5	169	6G74 (DOHC)	FR 7 KPP 33 U+		F1-6
NJ-NM	11.93 - 02.00	3.5	153-154	6G74 Kat.	FR 7 KPP 33 U+		F1-6
NK/NL	04.96 - 09.99	2.4	107	4G64 (SOHC)		FR 8 DPX	
NL-NW	09.97→	3.0	136	6G72 OHC Kat.	WR 8 DCX+	WR 8 DPX	
NL/NM	06.99 - 07.00	3.5	162	6G74 (DOHC)	FR 8 LI 332 S		
NM-NW	01.00→	3.5	140	6G74 DOHC 24V	FR 5 DPP 222		
NM-NP	07.00 - 10.05	3.5	162	6G74 (DOHC)	FR 8 LI 332 S		
NP-NW	01.03→	3.8	204	6G75	FGR 7 KQE 0		F1-6
NS,NT	10.06→	3.8	183-185	6G75	FR 6 KI 332 S		
Pajero iO							
QA	06.98 - 08.01	1.8	88	4G93 DOHC	08.99 - 08.01	FR 7 LI 332 S	
	03.99 - 09.01	1.6	75	4G18 <6-T1>		FR 7 DC+	FR 7 DP
	07.00 - 01.04	2.0	95	4G94		FR 8 LI 332 S	F1-4
RVR							
	06.91 - 11.97	1.8	88	4G93 (SOHC)	FR 8 DCX+	FR 8 DPX	F3-4
	09.92 - 11.97	2.0	118	4G63 (DOHC)	WR 7 DCX+	WR 7 DPX	F6-4
	09.94 - 11.97	2.0	169	4G63 (DOHC) Org. E-N23WG-SNHF, Org. E-N23WG-SPHF	WR 7 DC+	WR 7 DP	
	09.97 - 08.02	1.8	103	4G93 (DOHC)	FR 8 HDC+		
		2.4	121	4G64 (DOHC)	FR 8 HDC+		
Sigma							
GE	10.77 - 12.79	1.9	60	M324, M334	WR 7 DCX+	WR 7 DPX	
	10.77 - 04.80	1.6	52	4G32	WR 7 DC+	WR 7 DP	
	01.79 - 04.80	2.0	64	M421-31, M425-35	WR 7 DCX+	WR 7 DPX	
GK	03.84 - 06.85	2.0	70	M432	WR 8 DC+	WR 8 DP	F4-4
		2.6	76	M531	WR 8 DC+	WR 8 DP	F4-4
				M532	WR 8 DC+	WR 8 DP	F4-4
		83		M561	WR 8 DC+	WR 8 DP	F4-4
				M562	WR 8 DC+	WR 8 DP	F4-4
GN	07.85 - 12.85	2.0	70	M462T	WR 8 DC+	WR 8 DP	F4-4
	07.85 - 12.87	2.6	83	M571	WR 8 DC+	WR 8 DP	F4-4
				M572	WR 8 DC+	WR 8 DP	F4-4
Sigma Scorpion							
GE	10.77 - 12.79	2.0	66-79	4G52	WR 7 DC+	WR 7 DP	
GJ, GK, GL	11.80 - 10.85	2.6	78	4G54	WR 8 DC+	WR 8 DP	F4-4
Starion							
JA	03.82 - 08.84	2.0	125	4G63T	WR 6 DC+	WR 6 DP	

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					Platinum	Platinum Performance
								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
JB	09.84 - 12.85	2.0	125	4G63T			WR 6 DC+	WR 6 DP		
JD	01.86 - 12.87	2.0	110	4G63T			WR 6 DC+	WR 6 DP		
	06.86 - 03.90	2.6	108-114	G54B Kat.			WR 7 DCX+	WR 7 DPX		
Triton										
ME	10.86 - 06.88	2.6	79	4G54			WR 8 DC+	WR 8 DP	F4-4	
			84	4G54			WR 8 DC+	WR 8 DP	F4-4	
MF	07.88 - 08.89	2.6	79	4G54			WR 8 DC+	WR 8 DP	F4-4	
			84	4G54			WR 8 DC+	WR 8 DP	F4-4	
MG	09.89 - 08.90	2.6	79	4G54			WR 8 DC+	WR 8 DP	F4-4	
			84	4G54			WR 8 DC+	WR 8 DP	F4-4	
MH	09.90 - 07.92	2.6	79	4G54			WR 8 DC+	WR 8 DP	F4-4	
			84	4G54			WR 8 DC+	WR 8 DP	F4-4	
MJ	10.90 - 09.96	3.0	109	6G72			WR 8 DCX+	WR 8 DPX		
	08.92 - 09.96	2.6	79	4G54			WR 8 DC+	WR 8 DP	F4-4	
			84	4G54			WR 8 DC+	WR 8 DP	F4-4	
MK	10.96 - 12.03	2.4	97	4G64			FR 8 DCX+	FR 8 DPX	F3-4	
	10.96 - 04.07	3.0	133	6G72			FGR 7 KQE 0		F1-6	
	01.04 - 04.07	3.0	133	6G72			FR 5 DPP 222			
	02.07 →	3.5	131-137	6G74 (SOHC)			FR 8 DPP 33+			
380										
DL I	10.05 - 03.06	3.8	175	6G75			FR 8 DI 30			
DL II	04.06 - 06.07	3.8	175	6G75			FR 8 DI 30			
DL III	07.07 - 03.08	3.8	175	6G75			FR 8 DI 30			
3000 GT										
	10.92 - 09.97	3.0	206-210	6G72			FR 5 DPP 222			
MORGAN										
Aero 8										
	03.04 →	4.4	243-245	BMW 4.4-V8	WI1	FGR 7 DQP+				
					WI4	FR 7 LDC+				
Plus 4										
	09.87 - 10.92	2.0	98-103	M16i		FR 7 DC+	FR 7 DP	F1-4		
Plus 8										
	01.84 - 09.90	3.5	142	V8		WR 7 DC+	WR 7 DP			
	01.90 - 09.03	3.9	140	V8 KAT Rover		WR 7 DC+	WR 7 DP			
4/4										
	02.93 - 09.99	1.8	89-92	Zetec MPI-Ford EEC4		HR 8 MCV+	HR 8 MPV			
NISSAN										
Bluebird										
910	04.81 - 05.83	2.0	70	L20B		WR 7 DCX+	WR 7 DPX	F6-4		
	06.83 - 01.85	2.0	72	L20B		WR 7 DCX+	WR 7 DPX	F6-4		
	02.85 - 06.86	2.0	73	CA20S		FR 7 DCX+	FR 7 DPX	F1-4		
	09.91 - 11.95	2.0	154	SR20DET		F 5 DP 0 R				
U13	07.93 - 09.97	2.4	112	KA24DE		FR 7 DCX+	FR 7 DPX	F1-4		

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

◀ NISSAN							Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
Cabstar									
H40	12.81 - 10.86	2.2	71	Z22S		WR 7 DC+	WR 7 DP		
	01.82 - 08.86	2.0	66	Z20				F4-4	
Cefiro									
	09.88 - 08.94	2.0	92	RB20E		FR 8 DCX+	FR 8 DPX		
			114	RB20DE		FR 8 DPP 33+			
			151	RB20DET		FR 8 DPP 33+			
	06.92 - 08.94	2.5	132	RB25DE		FR 7 KPP 33 U+		F1-6	
	08.94 - 12.98	2.0	114	VQ20DE		FR 7 KPP 33 U+		F1-6	
		2.5	140	VQ25DE		FR 7 KPP 33 U+		F1-6	
		3.0	162	VQ30DE		FQR 7 ME			
A32	01.98 - 06.01	3.0	142-162	VQ30DE		FR 6 KPP 33 X+			
	12.98 - 08.02	2.0	118	VQ20DE		FR 7 KPP 33 U+		F1-6	
Datsun Pick-Up									
521	05.68 - 12.71	1.3	46-50	J13		WR 8 CC	WR 8 CP		
620	01.72 - 12.80	1.5	57	J15		WR 8 DCX+	WR 8 DPX		
Datsun Silvia 1600									
311	05.65 - 10.67	1.6	72			WR 8 CC	WR 8 CP		
Datsun Silvia 2000									
311	03.67 - 12.70	2.0	101-112			WR 8 CC	WR 8 CP		
Datsun Stanza									
A10	05.78 - 12.83	1.6	66-70	L16		WR 7 DC+	WR 7 DP	F6-4	
Datsun Sunny									
B310	08.78 - 12.79	1.2	38-40	A12		WR 8 DCX+	WR 8 DP		
	09.80 - 02.82	1.5	51-63	A15	09.78 - 12.79	U22	WR 8 DPX		
							WR 8 DPX		
Datsun 240K									
C110	09.72 - 11.77	2.4	97	L24		WR 8 DC+	WR 8 DP		
Datsun 240Z									
S30	10.69 - 07.73	2.4	112	L24		WR 7 DC+	WR 7 DP		
Datsun 260Z									
S30	08.73 - 06.78	2.6	104	L26		WR 7 DC+	WR 7 DP		
Datsun 280C									
430	11.82 - 04.83	2.8	105	L28E		WR 7 DCX+	WR 7 DPX		
Dualis									
J10	12.06 →	2.0	103-104	MR20DE		VR 7 SPP 33			
	05.07 →	2.0	101	MR20DE		VR 7 SPP 33			
Exa									
	10.83 - 02.86	1.5	77	E15ET		WR 7 DC+	WR 7 DP		
	03.86 - 06.87	1.5	74	E15ET		WR 7 DCX+	WR 7 DPX		
KEN13	01.87 - 12.88	1.6	85	CA16DE		FR 6 KPP 33 X+			F8-4

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

					Type					
KCN13	01.88 - 12.91	1.8	93	CA18DE			Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾	
Fairlady							FR 6 KPP 33 X+		F8-4	
	07.89 - 08.00	3.0	169	VG30DE			FR 5 DPP 222			
Gazelle										
S12	10.83 - 02.88	2.0	107	CA20E			FR 8 DCX+	FR 8 DPX	F3-4	
GT-R							F 6 DCX	FR 6 DPX		
	01.91 - 12.93	2.6	205	RB26DETT						
Homer							WR 8 CC	WR 8 CP		
	01.76 - 12.83	2.0	55	H20						
Laurel										
	12.88 - 01.93	1.8	67	CA18I			FR 8 DCX+	FR 8 DPX	F3-4	
		2.0	92	RB20E			FR 8 DCX+	FR 8 DPX		
			114	RB20DE			FR 8 DPP 33+			
			151	RB20DET			FR 8 DPP 33+			
	10.91 - 01.93	2.5	132	RB25DE			FR 7 KPP 33 U+		F1-6	
	01.93 - 06.97	2.5	140	RB25DE			FR 7 KPP 33 U+		F1-6	
	01.93 - 08.02	2.0	110-114	RB20DE			FR 6 KPP 33 X+			
	01.93 - 12.03	2.0	89-92	RB20E			FR 8 DCX+	FR 8 DPX		
	01.94 - 06.97	2.5	173	RB25DET			FR 7 KPP 33 U+			
	06.97 - 08.02	2.0	114	RB20DE			FR 7 KPP 33 U+		F1-6	
		2.5	147	RB25DE			FR 7 KPP 33 U+		F1-6	
	08.99 - 08.02	2.5	206	RB25DET			FR 7 KPP 33 U+			
Maxima										
J30	02.90 - 06.94	3.0	122	VG30E			FR 7 DCX+	FR 7 DPX	F1-6	
A32	10.94 - 01.00	3.0	142	VQ30DE			FR 6 KPP 33 X+			
CA33	01.00 - 01.06	3.0	147	VQ30DE			FR 6 KPP 33 X+			
A34	02.03 - 05.08	3.5	195	VQ35DE	ELK		FR 8 ME	FR 8 NP		
J31	07.06 - 02.08	3.5	180	VQ35DE	ELK		FR 8 ME	FR 8 NP		
Micra										
K11E	05.95 - 12.97	1.3	55	CG13DE			FR 7 DCX+	FR 7 DPX	F1-4	
K12E	06.05 - 10.10	1.4	65	CR14DE			FR 8 ME	FR 8 NP		
Murano										
Z50	11.04 - 12.08	3.5	172	VQ35DE	ELK		FR 8 ME	FR 8 NP		
Navara										
D21	09.85 - 02.92	2.4	75	Z24			WR 9 DC+	WR 9 DP		
	09.85 - 09.95	2.0	65	Z20			WR 9 DC+	WR 9 DP		
	03.92 - 01.97	2.4	93	KA24E			FR 7 HC 0 X			
		3.0	113	VG30E			FR 8 DCX+	FR 8 DPX		
	06.92 - 03.97	3.0	113	VG30E			FR 7 KC+	FR 7 KP	F1-6	
D22	02.97 - 12.05	2.4	93	KA24E			FR 7 HC 0 X			
	10.99 →	3.3	125				FR 7 KPP 33 U+		F1-6	
	06.00 - 11.05	3.0	120	VG30E			FR 7 KC+	FR 7 KP	F1-6	
	06.06 →	4.0	198	VQ40DE	ELK		FR 8 SC+			
							FR 8 ME	FR 8 NP		

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					
◀ NISSAN							Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
Nomad									
	12.86 - 12.92	2.4	74	Z24			WR 8 DC+	WR 8 DP	F4-4
NX									
B13	08.90 - 09.93	2.0	104	SR20DE			FR 7 KC+	FR 7 KP	F1-4
Pathfinder									
D21	08.86 - 07.92	2.4	74-80	Z24S			WR 8 DCX+	WR 8 DP	F4-4
	09.90 - 12.92	2.4	74	Z24			WR 8 DC+	WR 8 DP	F4-4
D21	07.92 - 07.95	3.0	113	VG30E			FR 7 DCX+	FR 7 DPX	F1-6
R50	09.95 - 06.05	3.3	110-125	VG33E			FR 8 DCX+	FR 8 DPX	
R51	06.05→	4.0	198	VQ40DE	ELK		FR 8 ME	FR 8 NP	
Patrol									
60	01.67 - 12.80	4.0	103	P			WR 8 CC	WR 8 CP	
61	01.79 - 12.82	4.0	103	P40			WR 8 DCX+	WR 8 DP	
160	11.79 - 08.88	4.0	110	P40			WR 8 DCX+	WR 8 DP	
	07.80 - 08.88	2.8	99	L28			WR 7 DCX+	WR 7 DP	
	04.90 - 11.97	3.0	100	RB30S			FR 7 DC+	FR 7 DP	F1-6
Y60	04.90 - 11.97	3.0	100	RB30S			FR 8 DC+	FR 8 DP	F1-6
	01.92 - 12.95	4.2	129	TB42E			WR 8 DCX+	WR 8 DPX	
Y60	02.92 - 11.97	4.2	129	TB42E			WR 8 DCX+	WR 8 DP	
Y61	08.97 - 10.01	4.5	147	TB45E			WR 7 DCX+	WR 7 DPX	
	11.02 - 06.07	4.8	180	TB48DE	ELK		FR 8 ME	FR 8 NP	
Y61	08.04→	4.8	190	TB48DE			FR 8 SC+		
Pintara									
R31	06.86 - 12.90	2.0	78	CA20E			FR 8 DCX+	FR 8 DPX	F3-4
U12	08.89 - 10.92	2.0	83	CA20E	AUS		FR 8 DCX+	FR 8 DPX	F3-4
		2.4	96	KA24E	EIN		FR 7 DCX+	FR 7 DPX	F1-4
							FR 7 HC 0 X		
Prairie									
M10	09.82 - 01.86	1.5	51	E15S			WR 8 DCX+	WR 8 DPX	F4-4
Pulsar									
N10	09.79 - 08.81	1.4	59	A14			WR 8 DCX+	WR 8 DP	
N12	04.82 - 12.85	1.3	44	E13			WR 8 DC+	WR 8 DP	F4-4
	04.82 - 02.86	1.5	51	E15					F4-4
	08.83 - 03.86	1.3		E13			WR 7 DC+	WR 7 DP	
N12	04.84 - 07.87	1.5	74	E15T			WR 7 DCX+	WR 7 DPX	
	01.86 - 12.87	1.5	74	E15ET			WR 7 DCX+	WR 7 DPX	
		1.6	52	E16	01.86 - 12.86		WR 8 DC+	WR 8 DP	F4-4
					01.87 - 12.87		WR 7 DC+	WR 7 DP	F6-4
N12	06.86 - 07.87	1.6	52	E16S			WR 8 DCX+	WR 8 DPX	F4-4
N13	08.87 - 10.91	1.6	56	16LF			WR 7 DCX+	WR 7 DPX	F6-4
		1.8	79	18LE			WR 7 DCX+	WR 7 DPX	F6-4
N14	08.91 - 05.95	1.6	86	GA16DE			FR 8 DC+	FR 8 DP	F1-4
		2.0	105	SR20DE	NOR		FR 7 KPP 33 U+		F1-4
					TW		FR 5 DPP 222		
N15	08.95 - 06.00	1.6	86	GA16DE	TW		FR 7 DCX+	FR 7 DPX	
		2.0	105	SR20DE			FR 8 DC+	FR 8 DP	F1-4
	10.95 - 10.99	1.6	86	GA16DE			FR 8 DCX+	FR 8 DPX	F3-4
N16	07.00 - 02.03	1.6	83	QG16DE <DOHC-16V-EFI>			FR 7 DC+	FR 7 DP	F1-4
	07.00 - 01.06	1.8	92	QG18DE <DOHC-16V-EFI>	06.03 - 01.06		FR 8 ME		F13-4

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					Platinum	Platinum Performance
N16	07.00→	1.8	92	QG18DE <DOHC-16V-EFI>	07.00 - 05.03	FR 7 DC+	Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾	F1-4
					ELK			FR 7 DP		
					06.03→	FR 8 ME				F13-4
Serena										
	07.92 - 12.95	2.0	107	SR20DE	WI1					F1-4
					WI3	FR 7 KC+	FR 7 KP			
Silvia										
	05.88 - 01.91	1.8	99	CA18DE		FR 6 KPP 33 X+				F8-4
			129	CA18DET		FR 6 KPP 33 X+				
	01.91 - 10.93	2.0	103	SR20DE		FR 5 DPP 222				
			151	SR20DET		F 5 DP 0 R				
	10.93 - 01.99	2.0	118	SR20DE		FR 7 KC+	FR 7 KP			F1-4
			162	SR20DET		F 5 DP 0 R				
	01.99 - 08.02	2.0	165	SR20DE		FR 7 KPP 33 U+				F1-4
			184	SR20DET		F 5 DP 0 R				
S15	11.01 - 08.03	2.0	118	SR20DE		FR 5 DPP 222				
Skyline										
C210	10.77 - 07.81	1.8	L18			WR 8 DCX+	WR 8 DP			
		2.4	L24			WR 8 DC+	WR 8 DP			
		97	L24			WR 8 DC+	WR 8 DP			
	10.77 - 08.83	2.4	94	L24E <SOHC - MPFI>		WR 8 CC	WR 8 CP			
R30	08.81 - 08.85	2.4	94	L24E		WR 7 DCX+	WR 7 DPX			
R31	07.86 - 12.90	3.0	114	RB30E		FR 7 DCX+	FR 7 DPX		F1-6	
	05.89 - 08.93	1.8	67	CA18I		FR 8 DCX+	FR 8 DPX		F3-4	
		2.0	92	RB20E		FR 8 DCX+	FR 8 DPX			
		114	RB20DE	05.89 - 08.91		FR 8 DPP 33+				
				09.91 - 08.93		FR 6 KPP 33 X+				
		158	RB20DET	05.89 - 08.91		FR 8 DPP 33+				
				09.91 - 08.93		FR 6 KPP 33 X+				
	08.89 - 08.93	2.0	158	RB20DET	08.89 - 08.91	FR 8 DPP 33+				
	08.91 - 08.93	2.5	132	RB25DE		FR 7 KPP 33 U+			F1-6	
	08.93 - 05.98	2.5	140	RB25DE		FR 7 KPP 33 U+			F1-6	
		140-147	RB25DE			FR 7 KPP 33 U+			F1-6	
		180-184	RB25DET			FR 7 KPP 33 U+				
		184	RB25DET			FR 7 KPP 33 U+				
	08.93 - 01.99	2.0	96	RB20E		FR 8 DCX+	FR 8 DPX			
	05.98 - 06.01	2.0	114	RB20DE		FR 7 KPP 33 U+			F1-6	
		2.5	147	RB25DE		FR 7 KPP 33 U+			F1-6	
		206	RB25DET			FR 7 KPP 33 U+				
	01.02 - 09.07	3.5	200	VQ35DE	ELK	FR 8 ME	FR 8 NP			
Skyline GT-R										
	08.89 - 11.94	2.6	206	RB26DETT		FR 6 KPP 33 X+				
	01.95 - 08.02	2.6	206	RB26DETT		FR 6 KPP 33 X+				
Terrano										
WD21	08.86 - 11.95	2.4	76	Z24		WR 7 DCX+	WR 7 DPX			
	08.87 - 10.89	3.0	103	VG30		FR 8 DCX+	FR 8 DPX			
	10.89 - 08.95	3.0	114	VG30E		FR 7 KC+	FR 7 KP		F1-6	
	09.95 - 08.02	3.3	125	VG33E		FR 8 DCX+	FR 8 DPX			
WD21	09.95 - 12.05	3.3	125	VG33E		FR 8 DCX+	FR 8 DPX			
R20	11.96 - 12.99	2.4	85-87	KA24E		FR 7 HC O X				

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

◀ NISSAN							Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
Tienda									
01.05→ 1.8 94 MR18DE 01.05 - 11.05 VR 7 SPP 33									
12.05→ FR 8 ME									
C11	02.07→	1.8	93	MR18DE			VR 7 SPP 33		
Urvan									
E23	07.80 - 04.82	2.0	55	H20			WR 7 DC+	WR 7 DP	
	01.82 - 12.86	2.0	66	Z20			WR 8 DC+	WR 8 DP	F4-4
E24	11.86 - 06.97	2.4	74	Z24S			WR 9 DC+	WR 9 DP	
Vanette									
C120	10.78 - 05.81	1.4	48-59	A14					F4-4
	10.78 - 06.87	1.2	38-40	A12					F4-4
		1.5	51	A15			WR 8 DCX+	WR 8 DPX	F4-4
GC22	05.86 - 04.93	2.0	66	Z20S			WR 7 DCX+	WR 7 DP	F6-4
	06.86 - 10.91	2.4	74	Z24S			WR 8 DCX+	WR 8 DPX	F4-4
	09.86 - 04.93	2.0	64	Z20			WR 7 DCX+	WR 7 DP	F6-4
X-Trail									
	09.01→	2.5	132	QR25DE			FR 8 SC+		
T30	09.02 - 03.07	2.5	121	QR25DE			FR 8 ME	FR 8 NP	F13-4
180SX									
	03.89 - 01.91	1.8	129	CA18DET			FR 6 KPP 33 X+		
	01.91 - 01.99	2.0	151	SR20DET			F 5 DP 0 R		
	08.96 - 01.99	2.0	103	SR20DE			FR 5 DPP 222		
200SX									
S13	09.88 - 12.93	1.8	129	CA18DT <CA18ET>			FR 7 DCX+	FR 7 DPX	
S14	04.94 - 12.99	2.0	147	SR20DET			FR 5 DPP 222		
280ZX									
S130	09.78 - 05.84	2.8	103-114	L28E			WR 7 DCX+	WR 7 DPX	
300C									
Y30	01.84 - 12.85	3.0	124	VG30E			FR 7 DCX+	FR 7 DPX	F1-6
	01.85 - 12.88	3.0	113	VG30E			FR 7 DCX+	FR 7 DPX	F1-6
300ZX									
Z31	04.84 - 12.85	3.0	124	VG30E			FR 7 DCX+	FR 7 DPX	F1-6
	09.85 - 09.89	3.0	155	VG30ET			FR 7 DCX+	FR 7 DPX	
Z32	01.90 - 11.95	3.0	168	VG30DE			FR 5 DPP 222		
	01.90 - 03.96	3.0	197-208	VG30DETT			FR 7 KPP 33 U+		
	01.90 - 08.96	3.0	166	VG30DE <VG30DETT>			FR 7 KPP 33 U+		
350Z									
Z33	09.02 - 01.07	3.5	206-222	VQ35DE	ELK		FR 8 ME	FR 8 NP	
350Z Cabriolet									
Z33	09.03 - 01.07	3.5	206-222	VQ35DE	ELK		FR 8 ME	FR 8 NP	

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

					Type				Platinum	Platinum Performance	
									Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
OPEL											
Astra											
J	09.12→	1.6	132	A 16 LET <Ecotec>		FR 7 KPP 33+					
Astra GTC											
J	09.12→	1.6	132	A 16 LET <Turbo ecoFLEX>		FR 7 KPP 33+					
Astra Sports Tourer											
J	09.12→	1.6	132	A 16 LET <Ecotec>		FR 7 KPP 33+					
Corsa											
D	09.12→	1.4	74	A 14 XER <Twinport ECO>		FQR 8 LEU 2					
PAGANI											
Zonda											
	10.99→	6.0	290	M120 E60		FR 8 DC+	FR 8 DP				
PEUGEOT											
Partner											
B9	05.08→	1.6	66	NFR <TU5JP4B>		FR 8 SC+					
RCZ 1.6 THP											
T75	01.10→	1.6	115	5FV <EP6CDT>		ZR 7 SI 332 S					
			147	5FU <EP6CDTX>		ZR 7 SI 332 S					
205											
	10.86 - 10.87	1.9	75	DFZ <XU9J1 Kat.>	10.86 - 07.87	HR 7 DC+	HR 7 DP	F12-4			
					08.87 - 10.87	FR 7 DC+	FR 7 DP	F1-4			
	10.87 - 09.98	1.9	90-94	D6B <XU9JA>		FR 7 DC+	FR 7 DP	F1-4			
205 GTi											
	10.87 - 03.91	1.9	75	DFZ <XU9J1 Kat.>		FR 7 DC+	FR 7 DP	F1-4			
	04.91 - 04.94	1.9	88	DFY,DKZ <XU9JAZ Kat.>		FR 7 DC+	FR 7 DP	F1-4			
205 Si											
	04.91 - 04.94	1.6	65	BDY <XU5M Kat.>		FR 7 DC+	FR 7 DP	F1-4			
206											
T1	06.98 - 08.07	1.6	66	NFZ <TU5JP>		FR 7 DC+	FR 7 DP	F1-4			
	03.00 - 08.07	1.6	80	NFU <TU5JP4>		FR 8 SC+	FR 8 NP	F13-4			
	03.00 - 02.09	1.4	55	KF... <TU3JP/TU3A/L4/FL5>		FR 7 DC+	FR 7 DP	F1-4			
	10.00 - 11.04	2.0	100	RFN <EW10J4>		FR 8 ME	FR 8 NP	F13-4			
	06.01 - 02.07	1.6	79	N6A <TU5JP4>		FR 8 ME		F13-4			
T1	03.03 - 08.06	2.0	130	RFK <EW10J4S>		FQR 7 ME					
	02.04 - 12.05	1.4	55	KFW <TU3JP>		FR 7 DC+	FR 7 DP	F1-4			
206CC											
T1	09.00 - 03.07	1.6	80	NFU <TU5JP4>		FR 8 SC+	FR 8 NP	F13-4			

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

◀ PEUGEOT								Standard ^{1) 2)}	Premium ¹⁾
T1	09.00 - 03.07	2.0	100	RFN <EW10J4>			FR 8 ME	FR 8 NP	F13-4
207									
A7	05.06 - 06.08	1.4	65	KFU <ET3J4>			VR 8 SC+		
	05.06 - 06.09	1.4	54	KF... <TU3A>			FR 7 DC+	FR 7 DP	F1-4
	07.06 - 04.10	1.6	110	5FX <EP6DT>			ZR 7 SI 332 S		
	03.07 - 06.09	1.6	88	5FW <EP6>			ZQR 8 SI 302		
	07.09 →	1.6	88	5FS <EP6C>			ZQR 8 SI 302		
207 GTi									
A7	04.07 - 02.11	1.6	128	5FY <EP6DTS>			ZR 7 SI 332 S		
207CC									
A7	03.07 - 06.09	1.6	88	5FW <EP6>			ZQR 8 SI 302		
	03.07 - 07.10	1.6	110	5FX <EP6DT>			ZR 7 SI 332 S		
	07.09 →	1.6	88	5FS <EP6C>			ZQR 8 SI 302		
306									
N3	01.93 - 04.97	1.8	74-76	LFZ <XU7JP KAT.>			FR 7 DC+	FR 7 DP	F1-4
	08.93 - 04.97	2.0	89-90	RFX <XU10J2 KAT.>			FR 7 DC+	FR 7 DP	F1-4
				R6D <XU10J2>			FR 7 DC+	FR 7 DP	F1-4
			110-114	RFY <XU10J4>			FR 7 DC+	FR 7 DP	F1-4
N5	05.97 - 10.03	1.8	74-76	LFZ <XU7JP KAT.>			FR 7 DC+	FR 7 DP	F1-4
			L6A <XU7JP>				FR 7 DC+	FR 7 DP	F1-4
		81	LFY <XU7JP4>				FR 7 DC+	FR 7 DP	F1-4
		2.0	97-99	RFV <XU10J4R>			FR 7 DC+	FR 7 DP	F1-4
			R6E <XU10J4R>				FR 7 DC+	FR 7 DP	F1-4
			120	RFS <XU10J4RS>					F1-4
				Org. → 8028	05.97 - 11.98		FGR 7 DQE+		
				Org. 8029 →	12.98 - 10.03		FR 7 DC+	FR 7 DP	
	12.97 - 12.07	1.8	85	<XU7JP4>			FR 7 DC+	FR 7 DP	F1-4
306CC									
N3	01.93 - 04.97	1.8	74-76	LFZ <XU7JP KAT.>			FR 7 DC+	FR 7 DP	F1-4
N5	05.97 - 10.03	1.8	81	LFY <XU7JP4>			FR 7 DC+	FR 7 DP	F1-4
		2.0	97-99	RFV <XU10J4R>			FR 7 DC+	FR 7 DP	F1-4
307									
T5	08.00 - 05.05	1.6	80	NFU <TU5JP4>			FR 8 SC+	FR 8 NP	F13-4
		2.0	100	RFN <EW10J4>			FR 8 ME	FR 8 NP	F13-4
	10.03 - 05.05	2.0	130	RFK <EW10J4S>			FQR 7 ME		
T6	06.05 - 03.09	2.0	103	RFJ <EW10A>			FR 8 SC+	FR 8 NP	F13-4
			130	RFK <EW10J4S>			FQR 7 ME		
308									
T7	09.07 →	1.6	88	5FW <EP6>			ZQR 8 SI 302		
			110	5FX <EP6DT>			ZR 7 SI 332 S		
	05.08 - 04.10	1.6	103	5FT <EP6DT>			ZR 7 SI 332 S		
308CC									
T7	03.09 →	1.6	103	5FT <EP6DT>			ZR 7 SI 332 S		
404									
	11.62 - 05.70	1.6	54-60	<XC6 / XC7>			WR 7 DC+	WR 7 DP	

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

					Type					
							Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾	
405										
15	04.88 - 12.92	1.9	108-111	DFW <XU9J4Z Kat.>		FR 7 DC+	FR 7 DP	F1-4		
	07.88 - 12.92	1.9	77	DFZ <XU9J1 Kat.>		FR 7 DC+	FR 7 DP			
			88	DKZ,DFY <XU9JAZ Kat.>		FR 7 DC+	FR 7 DP	F1-4		
	02.89 - 11.91	1.9	82	DFV <XU9J2 Kat.>		FR 7 DC+	FR 7 DP	F1-4		
4	06.92 - 04.97	2.0	89-91	RFX <XU10J2 Kat.>		FR 7 DC+	FR 7 DP	F1-4		
	01.93 - 04.97	2.0	110-118	RFT <XU10J4>		FR 7 DC+	FR 7 DP	F1-4		
				RFY <XU10J4>		FR 7 DC+	FR 7 DP	F1-4		
406										
D8	10.95 - 03.99	2.0	97-99	RFV <XU10J4R>		FR 7 DC+	FR 7 DP	F1-4		
	08.96 - 03.99	3.0	140-143	XFZ <ES9J4>		FR 8 KDC				
D9	04.99 - 08.00	2.0	99	RFR <EW10J4>		FR 8 ME	FR 8 NP	F13-4		
	04.99 - 06.04	1.8	81-82	LFY <XU7JP4>		FR 7 DC+	FR 7 DP	F1-4		
		2.0	97	RFV <XU10J4R>		FR 7 DC+	FR 7 DP	F1-4		
	04.99 - 02.05	2.0	97-99	RFV <XU10J4R>		FR 7 DC+	FR 7 DP	F1-4		
		3.0	140	XFZ <ES9J4>		FR 8 KDC				
	12.99 - 02.05	3.0	150	XFX <ES9J4S>		FR 8 SPP 332				
	08.00 - 06.04	2.0	100	RFN <EW10J4>		FR 8 ME	FR 8 NP	F13-4		
407										
D2	05.04 - 10.05	2.2	116	3FZ <EW12J4>		FR 8 ME	FR 8 NP	F13-4		
	05.04 - 11.05	2.0	100	RFN <EW10J4>		FR 8 ME	FR 8 NP			
	05.04 - 12.06	3.0	155	XFV <ES9A>		FR 8 SPP 332				
504										
	06.70 - 05.71	1.8	65	<XM1>		WR 7 DC+	WR 7 DP			
	06.71 - 06.76	2.0	69-72	<XN1>		WR 7 DC+	WR 7 DP			
			82	<XN2 Kugelfischer-Inj>		WR 7 DC+	WR 7 DP	F6-4		
	07.76 - 06.83	2.0	71	XN1 / 75 <XNA>		WR 7 DC+	WR 7 DP			
505										
	09.80 - 12.85	2.0	71	<XNA2>		WR 7 DC+	WR 7 DP			
	09.83 - 12.83	2.2	85	<ZDJK>		HR 6 DC+	HR 6 DP	F11-4		
	01.84 - 10.84	2.2	85-86	851-90 <ZDJK>		HR 6 DC+	HR 6 DP	F11-4		
	02.85 - 12.85	2.2	94	851B,851Y <ZDJL>		HR 6 DC+	HR 6 DP	F11-4		
	02.86 - 06.87	2.0	71	<XN6 Kat.>		WR 7 DC+	WR 7 DP			
	03.86 - 12.93	2.2	87	851X <ZDJL Kat.>		HR 6 DC+	HR 6 DP	F11-4		
604										
	03.78 - 12.82	2.7	106-107	140 <ZMJ K-Jetronic>		HR 7 DC+	HR 7 DP			
	06.83 - 06.86	2.8	110-114	154A <ZNJK>		HR 7 DC+	HR 7 DP			
605										
Y30	07.93 - 05.99	3.0	123-125	UFZ <ZPJ KAT.>		FGR 7 DQE+			F1-6	
607										
Z8	03.00 - 11.04	2.9	152	XFX <ES9J4S>		FR 8 SPP 332				
Z9	12.04 →	3.0	155	XFV <ES9A>		FR 8 SPP 332				
3008										
T8	05.09 →	1.6	115	5FV <EP6CDT>		ZR 7 SI 332 S				

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

									Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
PORSCHE											
Boxster											
986	10.96 - 08.99	2.5	150	M96.20		FR 7 LDC+				F1-6	
	09.99 - 08.02	2.7	162	M96.22		FGR 6 KQE					
	09.02 - 08.04	2.7	168	M96.23		FGR 6 KQE					
987	09.04 - 08.06	2.7	176	M96.25		FGR 5 KQE 0					
	09.06 - 01.09	2.7	180	M97.20		FGR 5 KQE 0					
	02.09 →	2.9	188-193	MA1.20		FGR 5 NQE 04					
Boxster S											
986	09.99 - 08.02	3.2	185	M96.21		FGR 6 KQE					
	09.02 - 08.04	3.2	191-196	M96.24		FGR 6 KQE					
987	09.04 - 08.06	3.2	206	M96.26		FGR 5 KQE 0					
	09.06 - 08.08	3.4	217-223	M97.2...		FGR 5 KQE 0					
	09.08 →	3.4	228-231	MA1.21		FGR 5 NQE 04					
Boxster Spyder											
987	09.10 →	3.4	235	MA1.21C		FGR 5 NQE 04					
Cayenne GTS											
9PA	08.07 - 08.10	4.8	298	M48.01G		FGR 5 NQE 04					
Cayenne S											
9PA	09.02 - 01.07	4.5	250	M48.00		FGR 6 KQE					
	02.07 - 08.10	4.8	283	M48.01		FGR 5 NQE 04					
92A	09.10 →	4.8	294	M48.02		FGR 5 NQE 04					
Cayenne Turbo											
9PA	09.02 - 01.07	4.5	331	M48.50		FR 6 DPP 332 S					
	02.07 - 08.10	4.8	368-411	M48.51		FR 6 NPP 332					
92A	09.10 →	4.8	368	M48.52		FR 6 NPP 332					
Cayenne Turbo S											
9PA	02.07 - 08.10	4.8	404	M48.51T	08.08 - 08.10		FR 6 NPP 332				
Cayman											
987C	09.06 - 01.09	2.7	180	M97.20		FGR 5 KQE 0					
	02.09 →	2.9	195	MA1.20C		FGR 5 NQE 04					
Cayman R											
987C	02.10 →	3.4	243	MA1.21C		FGR 5 NQE 04					
Cayman S											
987C	11.05 - 01.09	3.4	217	M97.21		FGR 5 KQE 0					
	02.09 →	3.4	235	MA1.21C		FGR 5 NQE 04					
Panamera											
970	05.10 →	3.6	220	M46.20		FGR 5 NQE 04					
				M46.40		FGR 5 NQE 04					
	03.11 →	4.8	404	M48.70		FR 6 NPP 332					

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					Platinum	Platinum Performance	
									Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
Panamera S											
970	03.09→	4.8	294	M48.20			FGR 5 NQE 04				
Panamera Turbo											
970	03.09→	4.8	368	M48.70			FR 6 NPP 332				
Panamera 4S											
970	03.09→	4.8	294	M48.40			FGR 5 NQE 04				
356											
B	01.60 - 08.63	1.6	44	616.1			WR 6 BC				
C	09.63 - 12.65	1.6	55	616.15			WR 6 BC				
911											
	09.64 - 08.67	2.0	95	901.0...			WR 4 DP 0				
	09.73 - 08.74	2.7	110	911.9...			WR 5 DC+	WR 5 DP			
	09.73 - 08.75	2.7	154	911.83			WR 3 CC	WR 3 CP			
					WW		F 5 DP 0 R				
	09.74 - 08.75	2.7	110	911.4...			WR 5 DC+	WR 5 DP			
			129	911.4...			WR 5 DC+	WR 5 DP			
	09.75 - 06.77	2.7	121	911.8...			WR 5 DC+	WR 5 DP			
		3.0	147	930...			WR 3 CC	WR 3 CP			
					WW		F 5 DP 0 R				
	07.77 - 06.79	3.0	132	930...			WR 3 CC	WR 3 CP			
	07.80 - 07.83	3.0	150	930.10			WR 3 CC	WR 3 CP			
	09.83 - 07.86	3.2	152	930.21			WR 7 DC+	WR 7 DP			
997	08.06 - 05.08	3.6	235-239	M96.05			FGR 5 KQE 0				
		3.8	261	M97.01			FGR 5 KQE 0				
	08.07 - 08.09	3.6	353	M97.70			FR 6 DPP 332 S				
911 Carrera											
964	09.89 - 08.93	3.6	184	M64.0...	DOZ		FR 5 DTC				
					DOZ,FGB		FR 6 LDC				
993	09.93 - 08.95	3.6	200	M64.0...	FGB		FR 5 DTC				
					FGB		FR 6 LDC				
	09.94 - 08.97	3.8	200-220	M64.20	FGB		FR 5 DTC				
					FGB		FR 6 LDC				
	09.95 - 08.97	3.6	210	M64.2...	FGB		FR 5 DTC				
					FGB		FR 6 LDC				
996	09.97 - 08.99	3.4	220	M96.01			FGR 6 KQE				
	09.99 - 08.01	3.4	220	M96.04			FGR 6 KQE				
	09.01 - 07.04	3.6	235	M96.03			FGR 6 KQE				
997	08.04 - 05.08	3.6	235-239	M96.05			FGR 5 KQE 0				
	04.05 - 05.08	3.8	261	M97.01			FGR 5 KQE 0				
997 GT3	03.06 - 12.08	3.6	305	M97.76			Y 5 DDC				
997	06.08→	3.6	254	MA1.02			FGR 5 NQE 04				
911 Carrera Cab											
997	06.08→	3.6	254	MA1.02			FGR 5 NQE 04				
911 Carrera S											
997	08.04 - 05.08	3.8	261	M97.01			FGR 5 KQE 0				
	06.08→	3.8	283	MA1.01			FGR 5 NQE 04				

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					
◀ PORSCHE						Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾	
911 Carrera S Cab									
997	06.08→	3.8	283	MA1.01		FGR 5 NQE 04			
911 Carrera 4									
964	09.89-08.93	3.6	184	M64.01	DOZ DOZ,FGB	FR 5 DTC FR 6 LDC			
993	09.94-08.95	3.6	200	M64.05	FGB	FR 5 DTC FR 6 LDC			
	09.95-08.97	3.6	210	M64.21	FGB	FR 5 DTC FR 6 LDC			
996	09.98-08.99	3.4	220	M96.02		FGR 6 KQE			
	09.01-07.04	3.6	235	M96.03		FGR 6 KQE			
997	10.05-05.08	3.8	261	M97.01		FGR 5 KQE 0			
	06.08→	3.6	254	MA1.02		FGR 5 NQE 04			
911 Carrera 4 Cab									
997	06.08→	3.6	254	MA1.02		FGR 5 NQE 04			
911 Carrera 4S									
997	06.08→	3.8	283	MA1.01		FGR 5 NQE 04			
911 Carrera 4S Cab									
997	06.08→	3.8	283	MA1.01		FGR 5 NQE 04			
911 GTS									
997	10.10→	3.8	300	MA1.01		FGR 4 NQE04			
911 GTS Cab									
997	10.10→	3.8	300	MA1.01		FGR 4 NQE04			
911 GT2									
996T/GT2/ GT3	06.01-09.04	3.6	340	M96.70S		FR 6 LDC			
997	09.07-08.09	3.6	390	M97.70S		FR 6 DPP 332 S			
911 GT2 RS									
997	09.10-08.11	3.6	456	M97.70		FR 6 DPP 332 S			
911 GT3									
996T/GT2/ GT3	03.99-08.01	3.6	265	M96.76		FR 6 LDC			
997 GT3	08.09-08.11	3.8	320	M97.77		Y 5 DDC			
911 GT3 RS									
997 GT3	08.10-08.11	3.8	331	M97.77		Y 5 DDC			
911 Targa 4									
997	06.08→	3.6	254	MA1.02		FGR 5 NQE 04			
911 Targa 4S									
997	06.08→	3.8	283	MA1.01		FGR 5 NQE 04			

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					Platinum	Platinum Performance
Standard ^{1) 2)}										
911 Turbo										
930	09.75 - 08.77	3.0	180-191	930...		W 3 DP 0				
	10.77 - 07.82	3.3	221	930.60		F 5 DP 0 R				
964	12.90 - 08.92	3.3	235	M30.69		WR 4 DP 0				
	02.93 - 08.93	3.6	265	M64.50		FR 6 LDC				
993	03.95 - 08.97	3.6	300	M64.60		FR 6 LDC				
996T/GT2/	06.00 - 09.05	3.6	309	M96.70		FR 6 LDC				
GT3	02.03 - 09.05	3.6	331	M96.70E		FR 6 LDC				
997	03.06 - 08.09	3.6	353	M97.70		FR 6 DPP 332 S				
	10.09→	3.8	368	MA1.70		FR 6 NPP 332				
911 Turbo Cab										
997	10.09→	3.8	368	MA1.70		FR 6 NPP 332				
911 Turbo S										
997	05.10→	3.8	390	MA1.70		FR 6 NPP 332				
911 Turbo S Cab										
997	05.10→	3.8	390	MA1.70		FR 6 NPP 332				
911E										
	09.68 - 08.69	2.0	103	901.0...		W 3 DP 0				
	09.69 - 08.71	2.2	114	911.0...		W 3 DP 0				
	09.71 - 08.73	2.3	121	911...		WR 3 CC	WR 3 CP			
911S										
	09.66 - 08.68	2.0	117	901.0...		W 3 DP 0				
	09.68 - 08.69	2.0	125	901.10		W 3 DP 0				
	09.69 - 08.71	2.2	132	911.02		W 3 DP 0				
	09.71 - 08.73	2.3	140	911...		WR 3 CC	WR 3 CP			
	09.73 - 08.74	2.7	129	911.9...		WR 5 DC+	WR 5 DP			
911T										
	09.69 - 08.71	2.2	92	911...		F 5 DP 0 R				
				911.0...		WR 5 DC+	WR 5 DP			
	09.71 - 08.73	2.3	96	911...		WR 5 DC+	WR 5 DP			
912										
	09.65 - 08.69	1.6	66	616.36		WR 5 BC				
924										
	05.77 - 03.82	2.0	92	047...		WR 5 DC+	WR 5 DP			
924 Turbo										
	01.81 - 06.82	2.0	115	M31.04		W 3 DP 0				
928S										
	05.77 - 07.82	4.5	177	M28.0...		WR 8 DC+	WR 8 DP			
	09.82 - 07.83	4.7	221	M28.1...		WR 7 DC+	WR 7 DP		F6-4	
	08.83 - 07.86	4.7	228	M28.2...		WR 7 DC+	WR 7 DP		F6-4	
	08.85 - 07.86	4.7	212	M28...		WR 7 DC+	WR 7 DP		F6-4	
	08.86 - 07.91	5.0	235	M2842...		WR 7 DC+	WR 7 DP		F6-4	
	08.91 - 11.95	5.4	257	M28...		WR 7 DC+	WR 7 DP		F6-4	

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

P

				Type					
								Standard ^{1) 2)}	Premium ¹⁾
944									Performance ³⁾
07.81 - 07.87	2.5	120	M44.0...				WR 7 DC+	WR 7 DP	F6-4
08.85 - 07.88	2.5	162	M44.51				WR 7 DC+	WR 7 DP	
09.87 - 07.91	2.5	184	M44.52				WR 7 DC+	WR 7 DP	
11.88 - 07.89	2.7	121	M44.1...				WR 7 DC+	WR 7 DP	F6-4
12.88 - 07.91	3.0	155	M44.41				WR 5 DC+	WR 5 DP	
968									
08.91 - 11.95	3.0	176	M44.4...				WR 7 DC+	WR 7 DP	F6-4
PROTON									
GEN2									
02.04→	1.6	82	S4PH <Campro>				HR 7 DCX+	HR 7 DPX	F12-4
					BGB,WI3		HR 6 KI 332 S		
M21									
C90	10.97 - 11.00	1.8	99	4G93			FR 7 DC+	FR 7 DP	
Persona									
C90 CCO	01.93 - 12.97	1.5	66	4G15 Euro I			WR 8 DC+	WR 8 DP	F4-4
C90 CC1	12.95 - 06.99	1.3	55	4G13 Euro II			WR 8 DCX+	WR 8 DPX	F4-4
		1.6	70	4G92 Euro II <SOHC>			FR 7 DCX+	FR 7 DPX	F1-4
	12.95→	1.5	66	4G15 <Euro II>			WR 8 DCX+	WR 8 DPX	F4-4
	08.07→	1.6	82	S4PH <Campro>		BGB,WI3	HR 7 DCX+	HR 7 DPX	F12-4
Satria									
C90	03.96→	1.3	60	4G13			WR 8 DC+	WR 8 DP	F4-4
		1.5	60-64	4G15			WR 7 DC+	WR 7 DP	F6-4
		1.6	88	4G92			FR 7 DC+	FR 7 DP	F1-4
	11.98→	1.8	103	4G93			FR 7 DC+	FR 7 DP	F1-4
S16									
02.08→	1.3	70	S4PE <Campro MPI DOHC>				HR 7 DCX+		F12-4
					BGB,WI3		HR 6 KI 332 S		
Waja									
CF1	09.00→	1.6	76	4G18 S4			FR 7 DCX+	FR 7 DPX	F1-4
Wira									
	05.95 - 11.96	1.5	63-66	4G15			WR 8 DC+	WR 8 DP	F4-4
C90	05.95 - 11.96	1.5	63-66	4G15			WR 8 DC+	WR 8 DP	F4-4
	05.95 - 12.96	1.6	82-83	4G92	05.95 - 08.95		FR 8 DC+	FR 8 DP	F3-4
					09.95 - 12.96		FR 7 DC+	FR 7 DP	F1-4
RENAULT									
Clio									
BB./CB./SB.	06.98 - 10.07	1.6	79	K4M 748			FR 7 DC+	FR 7 DP	F1-4
	03.99 - 10.07	2.0	124	F4R 730			FR 6 KPP 33 X+		F8-4
	10.99 - 10.07	1.4	70	K4J 713			FR 7 DC+	FR 7 DP	F1-4
			70-72	K4J 712			FR 7 DC+	FR 7 DP	F1-4

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					Platinum	Platinum Performance
								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
BB./CB./SB.	05.00 - 10.07	1.4	70	K4J 711		FR 7 DC+	FR 7 DP	F1-4		
				K4J 715		FR 7 DC+	FR 7 DP	F1-4		
	08.00 - 10.07	1.4	70	K4J 710		FR 7 DC+	FR 7 DP	F1-4		
	08.00 - 10.07	1.6	79	K4M 708		FR 7 DC+	FR 7 DP	F1-4		
	06.01 - 10.07	1.6	66	K4M 744		FR 7 DC+	FR 7 DP			
		2.0	124	F4R 732		FR 6 KPP 33 X+			F8-4	
				F4R 736		FR 6 KPP 33 X+			F8-4	
LB	06.01 - 10.07	1.4	70-72	K4J 712		FR 7 DC+	FR 7 DP	F1-4		
	11.01 - 10.07	1.4	70	K4J 713		FR 7 DC+	FR 7 DP	F1-4		
BB./CB./SB.	12.02 - 10.07	1.6	66	K4M 742		FR 7 DC+	FR 7 DP	F1-4		
	03.03 - 10.07	2.0	124	F4R 738		FR 6 KPP 33 X+			F8-4	
BR/CR	06.05 →	1.4	72	K4J 780		FR 7 DC+	FR 7 DP	F1-4		
	12.05 →	2.0	145	F4R 830		FR 7 KI 332 S				
	11.09 →	2.0	147,5	F4R 832		FR 7 KI 332 S				
Fuego										
	10.82 - 10.85	2.0	80	829 710		HR 5 DC				
Kangoo										
FC./KC.	01.03 - 12.07	1.6	70	K4M 732		FR 7 DC+	FR 7 DP	F1-4		
Laguna										
B56	01.94 - 12.96	2.0	83-85	F3R 722		WR 8 DCX+			F4-4	
	01.94 - 02.01	2.0	83-85	F3R 723		WR 8 DCX+			F4-4	
		3.0	123-125	Z7X 760		FR 7 DC+	FR 7 DP	F1-6		
BG.	03.01 - 09.07	2.0	103	F4R 712		FR 7 DC+	FR 7 DP	F1-4		
		3.0	152	L7X 731		FR 8 SPP 332				
	06.01 - 09.07	2.0	99	F4R 713		FR 7 DC+	FR 7 DP			
BT	10.07 →	2.0	125	F4R 811		FR 7 DPP+				
KT	10.07 →	2.0	125	F4R 811		FR 7 DPP+				
Megane										
X64	03.99 - 09.03	1.6	79	K4M 700		FR 7 DC+	FR 7 DP	F1-4		
BM./CM./GM./	03.03 - 10.08	2.0	165	F4R 774		FR 7 DPP+				
SM.										
LM	07.03 - 10.09	2.0	99	F4R 771		FR 7 DC+	FR 7 DP			
EM	10.03 - 03.10	1.6	83	K4M 760		FR 7 DC+	FR 7 DP	F1-4		
				K4M 761		FR 7 DC+	FR 7 DP	F1-4		
		2.0	99	F4R 770		FR 7 DC+	FR 7 DP	F1-4		
				F4R 771		FR 7 DC+	FR 7 DP	F1-4		
BM./CM./GM./	05.05 - 10.08	1.6	83	K4M 812		FR 7 DC+	FR 7 DP	F1-4		
SM.										
Megane III Hatchback 2.0										
BZ	11.08 →	2.0	103	M4R 711		VR 7 SPP 33				
R 10										
	10.66 - 02.71	1.1	37	688		WR 8 BC+	WR 8 BP			
R 12										
	04.70 - 12.81	1.3	41	810 97		WR 7 BC+	WR 7 BP			
	04.71 - 12.89	1.4	44	C1J 791		WR 8 DC+	WR 8 DP	F4-4		
	10.76 - 12.81	1.4	51	847 99		WR 7 DC+	WR 7 DP			
R 15										
	10.71 - 02.76	1.6	66	807		WR 6 DC+	WR 6 DP			

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

◀ RENAULT						Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾	
R 16									
01.68 - 07.76	1.6	61	807			WR 7 DC+	WR 7 DP		
R 17									
10.71 - 02.76	1.6	66	807			WR 6 DC+	WR 6 DP		
R 18									
04.78 - 02.86	1.6	57	A2M 723			WR 7 DC+	WR 7 DP	F6-4	
R 19									
X53	09.88 - 12.95	1.7	66-70	F3N 742 Kat. F3N 743 Kat.		WR 7 DC+	WR 7 DP	F6-4	
	05.92 - 12.95	1.8	79-83	F3P 700 Kat.		WR 7 DC+	WR 7 DP		
	09.94 - 12.95	1.8	79-83	F3P 682 Kat.		WR 8 DCX+		F4-4	
	10.94 - 12.95	1.8	79	F3P 765 Kat.		WR 8 DCX+		F4-4	
R 20									
10.77 - 12.83	2.0	76-81	829			HR 6 DC+	HR 6 DP	F11-4	
R 21									
L48	07.86 - 12.94	2.2	79-81	J7T 754,755 Kat.					F11-4
	10.86 - 03.93	2.0	86	J7R 750,751		HR 5 DC			
R 25									
	01.84 - 10.86	2.2	89	J7T 706,707		HR 5 DC			
	10.85 - 10.86	2.2	79	J7T 708		HR 7 DC+	HR 7 DP	F12-4	
	10.86 - 12.92	2.2	79-81	J7T 732,733 Kat.		HR 5 DC			
	05.88 - 12.92	2.9	115	Z7W 701		HR 6 DC+	HR 6 DP		
Scenic									
JA.	03.99 - 04.03	1.6	79	K4M 700		FR 7 DC+	FR 7 DP	F1-4	
	06.99 - 04.03	2.0	101,5	F4R 744		FR 7 DC+	FR 7 DP	F1-4	
	06.00 - 04.03	2.0	102	F4R 746		FR 7 DC+	FR 7 DP	F1-4	
JM	05.03 - 04.09	2.0	99	F4R 770 F4R 771		FR 7 DC+	FR 7 DP	F1-4	
8						FR 7 DC+	FR 7 DP	F1-4	
	07.65 - 07.76	1.0	32	689 71		WR 7 BC+	WR 7 BP		
	02.69 - 07.76	1.1	41	688 02		WR 7 BC+	WR 7 BP		
ROLLS-ROYCE									
Camargue									
	03.75 - 06.85	6.8	194	OHV V8	02.80 - 06.85	WR 8 DC+	WR 8 DP		
Corniche									
	01.87 - 05.90	6.8	176	OHV V8 Kat.		WR 9 DC+	WR 9 DP		
Flying Spur									
	08.94 - 07.95	6.8	182	OHV V8		WR 9 DC+	WR 9 DP		

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					Platinum	Platinum Performance	
									Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
Park Ward											
	03.00 - 12.02	5.4	240				FGR 7 DQP+				
Phantom											
RR1	03.03→	6.8	338	N73 B68A			FGR 7 DQP+				
Phantom Coupe											
RR3	09.08→	6.8	338	N73 B68A			FGR 7 DQP+				
Phantom Drophead											
RR2	06.07→	6.8	338	N73 B68A			FGR 7 DQP+				
Silver Dawn											
	09.94 - 08.97	6.8	182	OHV V8			WR 9 DC+	WR 9 DP			
Silver Seraph											
	03.98 - 12.02	5.4	240	V12			FGR 7 DQP+				
Silver Spirit											
	01.87 - 07.89	6.8	162	OHV V8 <Kat.>	01.87 - 08.88		WR 8 DC+	WR 8 DP		F4-4	
					09.88 - 07.89		WR 9 DCX+	WR 9 DPX			
Silver Spur											
	01.87 - 07.89	6.8	162	OHV V8 <Kat.>	01.87 - 08.88		WR 8 DC+	WR 8 DP		F4-4	
					09.88 - 07.89		WR 9 DCX+	WR 9 DPX			
	07.89 - 03.93	6.8	162	OHV V8 <Kat.>			WR 9 DCX+	WR 9 DPX			
ROVER											
3.5 Litre											
P5B	09.68 - 12.71	3.5	118	V8			WR 8 BC+	WR 8 BP			
75											
	01.99 - 05.05	2.5	130	25 K4F <KV 6>			FR 7 KPP 33 U+			F1-6	
825											
	10.86 - 10.88	2.5	110	C25A V6 <KAT.>			FR 7 DCX+	FR 7 DPX			
827											
	02.88 - 10.91	2.7	130	C27A V6			FR 7 DCX+	FR 7 DPX		F1-6	
2000-3500											
P6	01.65 - 12.72	2.0	66-81				WR 7 DC+	WR 7 DP			
3500											
P6B	04.68 - 05.76	3.5	107				WR 8 BC+	WR 8 BP			
SD1	12.78 - 10.82	3.5	102	V8			WR 7 DC+	WR 7 DP			
	10.82 - 10.86	3.5	107-136	V8			WR 7 DC+	WR 7 DP		F6-4	

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
SAAB (SAAB AUTOMOBILE AB)										
9-3										
9400	03.98 - 08.00	2.0	96	B204I			FR 7 DCX+	FR 7 DPX	F1-4	
			136	B204L			F6 DCX	FR 6 DPX		
		2.3	110	B234I			FR 6 KPP 33+		F8-4	
	09.98 - 08.00	2.0	113	B204E			F6 DCX	FR 6 DPX		
	09.99 - 08.00	2.3	169	B235R			FR 6 KPP 33 X+			
	09.99 - 08.02	2.0	110	B205E <(Ecopower)>			FR 7 DCX+			
			136	B205L			FR 6 KPP 33 X+			
			151	B205R <Ecopower DOHC>			FR 6 KPP 33 X+			
9440	09.02 - 02.11	2.0	110	B207E			FR 6 KPP 33 X+			
			129	B207L			FR 6 KPP 33 X+			
	02.03 →	2.0	154	B207R			FR 6 KPP 33 X+			
	09.05 →	2.8	184-188	B284L <Turbo>	09.05 - 08.07		FR 7 NPP 332			
	07.07 →	2.0	145-147	B207R						
			Eng. no. →11765305				FR 6 DC+	FR 6 DP		
9-3 Cabriolet										
9440	08.03 - 02.11	2.0	110	B207E			FR 6 KPP 33 X+			
			129	B207L			FR 6 KPP 33 X+			
			154	B207R			FR 6 KPP 33 X+			
	09.05 - 02.11	2.8	184-188	B284L <Turbo>	09.05 - 08.07		FR 7 NPP 332			
9-3 Kombi										
9440	03.05 →	2.0	129	B207L			FR 6 KPP 33 X+			
			154	B207R			FR 6 KPP 33 X+			
		2.8	184-188	B284L <Turbo>	03.05 - 08.07		FR 7 NPP 332			
9-5										
9600	06.97 - 08.09	2.0	110	B205E <Ecopower>			FR 7 DCX+			
	06.99 - 08.03	3.0	147	B308E <Ecopower>			FR 6 KPP 33 X+			
	09.99 - 08.00	2.0	140	B205E <Ecopower>			FR 7 DCX+			
	09.00 - 02.10	2.3	136	B235E <Ecopower>			FR 7 DCX+			
	09.01 - 02.10	2.3	184	B235R			FR 6 KPP 33 X+			
	09.03 - 02.10	2.3	162	B235L			FR 7 DCX+			
9-5 Kombi										
9600	09.00 - 02.10	2.3	136	B235E <Ecopower>			FR 7 DCX+			
	09.01 - 02.10	2.3	184	B235R			FR 6 KPP 33 X+			
99										
	01.72 - 08.74	2.0	81	BE 20			WR 6 DC+	WR 6 DP		
	06.72 - 08.74	2.0	70	B 20			WR 7 DC+	WR 7 DP		
	09.74 - 12.75	2.0	81	BE 20			WR 7 DC+	WR 7 DP		
	09.75 - 08.81	2.0	74	B 20			WR 7 DC+	WR 7 DP		
	01.76 - 08.81	2.0	87	BI 20			WR 7 DC+	WR 7 DP		
	10.77 - 08.80	2.0	107	BSI 20			WR 6 DC+	WR 6 DP		
900										
	09.78 - 08.83	2.0	85-87	BI 20			WR 7 DC+	WR 7 DP	F6-4	
	09.79 - 08.83	2.0	73-74	B 20			WR 7 DC+	WR 7 DP	F6-4	
	09.83 - 08.90	2.0	81	B 201 I Kat.					F6-4	
	09.85 - 08.91	2.0	81	B 201 I Kat.			WR 7 DC+	WR 7 DP	F6-4	
	09.85 - 08.92	2.0	92-93	B 202 I Kat.			FR 6 KPP 33+		F8-4	

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					
								Standard ^{1) 2)}	Premium ¹⁾
09.90 - 08.93	2.1	100-103	B 2121 Kat.				FR 6 KPP 33+		F8-4
09.90 - 08.94	2.1	103	B 2121 Kat.				FR 6 KPP 33+		F8-4
09.93 - 08.98	2.0	98	B 2061 Kat.				FR 6 KPP 33+		F8-4
09.93 - 10.98	2.5	125	B 2581				FLR 8 LDCU+		
							SW	FR 7 LDC+	
09.94 - 08.98	2.0	96	B 2041 Kat.				FR 7 DCX+	FR 7 DPX	F1-4
900 Turbo									
08.84 - 08.93	2.0	118	B 202 L Kat.				F 6 DCX	FR 6 DPX	
900 Turbo Cabriolet									
08.86 - 09.93	2.0	118	B 202 L Kat.				F 6 DCX	FR 6 DPX	
9000									
09.85 - 08.88	2.0	118-120	B 202 L <Turbo-Katalysator>				F 6 DCX	FR 6 DPX	
08.86 - 08.93	2.0	90-92	B 2021 <Kat>				FR 8 DC+	FR 8 DP	F3-4
09.89 - 08.93	2.0	92-96	B 2021 <Kat>				FR 8 DC+	FR 8 DP	F3-4
	2.3	107-114	B 2341 <Kat>				FR 7 DCX+	FR 7 DPX	F1-4
01.90 - 08.93	2.0	118-121	B 202 L <Turbo-Katalysator>				F 6 DCX	FR 6 DPX	
09.90 - 08.93	2.3	143	B 234 L <Turbo-Katalysator>				F 6 DCX	FR 6 DPX	
09.92 - 12.98	2.0	108	B 202 S <Turbo-Katalysator>				FR 5 DCX		
09.93 - 12.98	2.3	108	B 2341 <Kat>				FR 7 DCX+	FR 7 DPX	F1-4
		147	B 234 L <Kat>				F 6 DCX	FR 6 DPX	
09.94 - 12.98	3.0	155	B 3081 <Kat>				FLR 8 LDCU+		
							SW	FR 7 LDC+	
SEAT									
Cordoba									
6K2	09.93 - 04.96	2.0	85	2E			WR 7 LTC+		F6-4
	07.94 - 12.02	1.8	66	ADZ			WR 7 LTC+		F6-4
	12.95 - 11.02	1.6	74	AFT			FR 7 LDC+		F1-4
	03.97 - 12.98	1.6	55	AEE			WR 7 LTC+		F6-4
Ibiza									
6K1	03.93 - 04.96	2.0	85	2E			WR 7 LTC+		F6-4
	09.93 - 12.95	1.4	44	ABD			WR 8 DC+	WR 8 DP	F4-4
	12.95 - 12.97	1.4	44	AEX			WR 7 LTC+		F6-4
	06.96 - 10.99	2.0	110	ABF			F 5 DP 0 R		
Toledo									
1L2	05.91 - 06.96	2.0	85	2E			WR 7 LTC+		F6-4
	03.94 - 03.99	2.0	110	ABF			F 5 DP 0 R		
	03.96 - 03.99	2.0	85	AGG			WR 7 LTC+		
SKODA									
Fabia									
5J2	03.10 →	1.2	77	CBZB <DB0>			FR 6 HI 332		
Fabia 1.2 Combi									
5J5	03.10 →	1.2	77	CBZB <DB0>			FR 6 HI 332		

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

◀ SKODA						Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾	
Fabia 1.4 TSI Combi RS									
5J5	05.10→	1.4	132	CAVE <D32>		FR 6 HI 332			
Fabia 1.4 TSI RS									
5J2	05.10→	1.4	132	CAVE <D32>		FR 6 HI 332			
Octavia									
1Z3	05.05→	1.6	75	BSE <MW6>		FR 7 LDC+			
	10.05 - 10.08	2.0	147	BWA <D2L>		FR 5 KPP 332 S			
	11.05 - 10.08	2.0	110	BVY <D2Z>		FR 7 HPP 332 W			
	06.07 - 10.08	1.8	118	BZB <D67>		FR 5 KPP 332 S			
	11.08→	1.4	90	CAXA <D4X>		FR 6 HI 332			
		1.8	118	CDAA <D67>		FR 5 KPP 332 S			
		2.0	147	CCZA <DL2>		FR 5 KPP 332 S			
1Z5	11.08→	1.4	90	CAXA <D4X>		FR 6 HI 332			
		1.8	118	CDAA <D67>		FR 5 KPP 332 S			
		2.0	147	CCZA <DL2>		FR 5 KPP 332 S			
Octavia Combi									
1U5	08.00 - 12.10	1.8	110	AUM		FR 7 KPP 33+			
1Z5	05.05→	1.6	75	BSE <MW6>		FR 7 LDC+			
	10.05 - 10.08	2.0	147	BWA <D2L>		FR 5 KPP 332 S			
	11.05 - 10.08	2.0	110	BVY <D2Z>		FR 7 HPP 332 W			
	06.07 - 10.08	1.8	118	BZB <D67>		FR 5 KPP 332 S			
Roomster									
5J7	05.06 - 07.10	1.6	77	BTS <TT0>		FR 7 HC+			
Roomster 1.2 TSI									
5J7	03.10→	1.2	77	CBZB <DB0>		FR 6 HI 332			
Superb									
3T4	09.08→	1.8	118	CDAA <D67>		FR 5 KPP 332 S			
Superb Kombi									
3T5	09.09→	1.8	118	CDAA		FR 5 KPP 332 S			
120 L									
	08.76 - 12.90	1.2	38			WR 7 BC+	WR 7 BP		
SMART (MCC)									
FORFOUR									
454	01.04 - 06.07	1.3	70	135.930		FR 7 SE			
		1.5	80	135.950		FR 7 SE			
FORTWO									
450	02.04 - 03.07	0.7	45	160.910	DOZ,WI6	YR 6 NI 332 S			
451	04.07→	1.0	52	132.910 <RA1>		YR 7 NE			
					BGB,WI3	YR 6 NI 332 S			
Roadster									
452	04.03 - 11.05	0.7	60	160.922	DOZ,WI6	YR 6 NI 332 S			

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type						
								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
Smart										
450	01.03 - 01.04	0.7	45	160.920	DOZ,W16	YR 6 NI 332 S				
SSANGYONG										
Chairman										
	09.03 - 01.08	3.2	162	162-994-000 <DOHC M104>		FR 7 LDC+			F1-6	
Korando										
KJ	07.96 - 12.05	2.3	103-105	M161 E23 <M 111>		FR 8 DC+	FR 8 DP	F3-4		
		3.2	154-162	M162.995 E32		FR 8 DC+	FR 8 DP			
Musso										
MJ	01.96 - 12.05	3.2	162	M162 E32 <M 104.>		FR 8 DC+	FR 8 DP			
	05.96 - 12.05	2.3	103-110	M161 E23 <M 111.970>		FR 8 DC+	FR 8 DP	F3-4		
Rexton										
	09.02 - 12.09	3.2	162	E32(M162.995.)		FR 8 DC+	FR 8 DP			
SUBARU										
Forester										
SF	01.97 - 07.98	2.0	90	EJ20J		FR 8 DCX+	FR 8 DPX	F3-4		
	03.98 - 05.02	2.0	92	EJ202		FR 8 DCX+	FR 8 DPX	F3-4		
			125-130	EJ205		FR 6 KPP 33+				
	07.98 - 05.02	2.5	110	EJ25		FR 7 KPP 33 U+		F1-4		
SG	06.02 - 05.05	2.5	115	EJ251		FR 8 DCX+	FR 8 DPX	F3-4		
	04.03 - 11.07	2.5	155	EJ255		FR 7 NI 33				
	06.05 - 11.07	2.5	129	EJ253		FR 7 KPP 33 U+		F1-4		
			169	EJ255		FR 7 NI 33				
S12	12.07 →	2.5	126	EJ253		FR 7 KPP 33 U+				
			169	EJ255				F3-4		
Impreza										
	01.93 - 12.95	1.6	66	EJ16		FR 7 DCX+	FR 7 DPX	F1-4		
GC	01.93 - 12.95	1.8	76	EJ18S		FR 7 DCX+	FR 7 DPX	F1-4		
GF	01.93 - 12.95	1.8	76	EJ18S		FR 7 DCX+	FR 7 DPX	F1-4		
GC	01.93 - 07.96	1.8	76	EJ18E		FR 7 DCX+	FR 7 DPX	F1-4		
GC,GF	10.93 - 09.00	1.6	66	EJ16E		FR 7 DCX+	FR 7 DPX	F1-4		
	08.95 - 07.98	2.0	85	EJ20E		FR 7 DCX+	FR 7 DPX	F1-4		
	08.96 - 07.98	1.6	66	EJ16J		FR 7 DCX+	FR 7 DPX	F1-4		
GD,GG	10.00 - 06.07	2.0	92	EJ201		FR 8 DCX+	FR 8 DPX	F3-4		
	07.01 - 05.05	2.5	112	EJ251		FR 8 DCX+	FR 8 DPX	F3-4		
	06.05 - 06.07	2.0	118	EJ204		FR 7 NI 33				
Impreza WRX										
GC,GF	12.93 - 07.98	2.0	155	EJ20G		FR 6 KPP 33+				
	08.98 - 09.00	2.0	160	EJ205		FR 5 DPP 222				
GD,GG	10.00 - 10.02	2.0	160	EJ205		FR 6 KPP 33 X+				
	11.02 - 05.05	2.0	165	EJ205		FR 6 KPP 33+				
	06.05 - 06.07	2.5	169	EJ255		FR 7 NI 33				

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

						Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
Impreza WRX STi								
GD,GG	10.01 - 05.05 09.03 - 06.07	2.0 2.5	195 206	EJ207 EJ257		FR 6 KPP 33 X+ FR 7 NI 33		
L Series								
	10.75 - 08.80 04.77 - 08.80 05.79 - 08.80	1.6 1.4 1.8	48-50 60-69 61	EA71 EA63 EA81		WR 7 DC+ WR 7 DC+ WR 7 DC+	WR 7 DP WR 7 DP WR 7 DP	F6-4 F6-4 F6-4
Legacy								
	05.03 - 05.09	2.0	191-206	EJ20 (DOHC)		FR 5 DPP 222 FR 7 NI 33		
Leone								
	03.79 - 10.84	1.6	52	EA71		WR 7 DC+	WR 7 DP	F6-4
Liberty								
BC,BF,BJ	01.89 - 08.95 01.89 - 12.95	2.2 2.2	100 100	EJ22 EJ22				F1-4 F1-4
BC,BF,BJ	05.92 - 12.93	2.0	147	EJ20G		FR 6 KPP 33+	FR 7 DPX	
BD,BG	01.94 - 05.97 06.96 - 11.98	2.2 2.5	94-96 110	EJ22E EJ25D <4CAM>				F1-4
BE	10.98 - 06.03	2.5	115	EJ251		FR 8 DCX+	FR 8 DPX	F3-4
BE,BH	10.98 - 06.03	2.0	92	EJ201		FR 8 DCX+	FR 8 DPX	F3-4
BH	10.98 - 06.03	2.5	115	EJ251		FR 8 DCX+	FR 8 DPX	F3-4
BE,BH	05.01 - 06.03	2.0	206	EJ208		FR 6 KPP 33+		
BL,BP	07.03 - 05.09 09.03 - 06.05 09.03 - 06.06	3.0 2.0 2.5	180 101 121	EZ30D EJ202 EJ25		FR 7 NI 33 FR 8 DCX+ FR 7 KPP 33 U+	FR 8 DPX	F3-4 F3-4 F1-4
B14	06.09→	2.5	195	EJ255				F3-4
MV								
	11.84 - 12.94	1.8	60	EA81		WR 7 DCX+	WR 7 DP	F6-4
Outback								
BD,BG	06.96 - 12.99	2.5	110	EJ25D <4CAM>		FR 5 DPP 222		
BE,BH	10.98 - 06.03 07.00 - 06.03	2.5 3.0	115 154	EJ251 EZ30D		FR 8 DCX+ FQR 7 ME	FR 8 DPX	F3-4
BL,BP	07.03 - 06.06 07.03 - 05.09 10.03 - 04.06 05.06 - 05.09	2.5 3.0 2.5 2.5	121 180 121 130	EJ25 EZ30D EJ25 (SOHC) EJ25 (SOHC)		FR 7 KPP 33 U+ FR 7 NI 33 FR 7 KPP 33 U+ FR 7 KPP 33 U+		F1-4 F1-4 F1-4 F1-4
Sherpa								
	10.83 - 12.93	0.7	27	EK42		WR 7 DCX+	WR 7 DPX	
SVX								
	09.92 - 12.96	3.3	169-176	EG33		FR 6 KPP 33 X+		
Tribeca								
B9	04.06 - 11.07	3.0	180	EZ30D		FR 7 NI 33		


1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

					Type						
									Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
SUZUKI											
Alto											
SS	06.82 - 12.85	0.6	25	F5A							
EC	01.86 - 12.89	0.8	29	F8B							
EF	10.94 - 02.02	1.0	39	G10B							
			40	G10B							
Alto 800											
EC	01.86 - 11.93	0.8	29	F8B							
APV											
	09.04→	1.6	68	G16A <SOHC MPI>							
Baleno											
	05.95 - 11.01	1.6	72	G16B							
	09.95 - 09.05	1.8	89	J18A							
	09.95 - 08.06	1.8	89	G18A							
	08.96 - 11.01	1.6	72-74	G16B							
Carry											
ST	09.76 - 11.80	0.0		LJ50							
	11.80 - 10.85	0.8	27	F8A							
ED	10.85 - 12.90	1.0	34	F10A							
FD	03.99 - 03.09	1.3	58	G13B							
Grand Vitara											
	03.98 - 12.05	2.0	94	J20A							
	03.98 - 03.08	1.6	69	G16B							
	04.98 - 12.05	2.5	106-116	H25A							
	10.00 →	2.0	103	J20A							
	06.01 →	2.7	127-135	H27A							
	10.02 →	2.7	128	H27A							
	05.05 →	2.0	107	J20A							
	06.08 →	3.2	165	N32A							
Ignis											
	10.00 - 09.03	1.3	61	M13A							
	12.03 - 02.05	1.5	80	M15A							
Jimny											
FJ	10.98 - 10.08	1.3	59	G13BB							
	10.00 - 10.05	1.3	60-63	M13A							
Liana											
	03.01 - 04.08	1.6	76	M16A							
	04.05 - 12.07	1.8	92	M18A							
LJ80											
	10.77 - 10.82	0.8	29	F8B							

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

			 //ccm	 kW	Type				 Platinum	 Platinum Performance
 SUZUKI								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
Sierra										
	01.85 - 12.88	1.0	34	F10A			WR 8 DC+	WR 8 DP	F4-4	
	01.85 - 12.89	1.3	47	G13A			WR 8 DC+	WR 8 DP	F4-4	
	01.90 - 12.95	1.3	50	G13BA			WR 7 DC+	WR 7 DP	F6-4	
	11.95 - 12.97	1.3	63	G13B (SOHC)			FR 7 DC+	FR 7 DP	F1-4	
Swift										
SA	10.84 - 03.89	1.3	50	G13A			WR 7 DC+	WR 7 DP	F6-4	
	01.85 - 12.88	1.0	37	G10			WR 7 DC+	WR 7 DP	F6-4	
SF	10.89 - 04.95	1.0	40	G10			WR 7 DC+	WR 7 DP	F6-4	
	09.91 - 09.95	1.3	50	G13B			WR 7 DC+	WR 7 DP	F6-4	
		1.6	68	G16B			FR 7 DC+	FR 7 DP	F1-4	
	06.96 - 03.01	1.3	50	G13BA			WR 7 DC+	WR 7 DP	F6-4	
				Chass.no →00800000			FR 7 DCX+	FR 7 DPX	F1-4	
				Chass.no 00800001→						
EZ	11.04→	1.5	81	M15A			FR 6 KPP 33 X+		F8-4	
	09.05 - 09.10	1.6	92	M16A			FR 6 KPP 33 X+		F8-4	
Swift GTi										
SA	08.86 - 03.89	1.3	74	G13B			WR 7 DC+	WR 7 DP	F6-4	
SF	01.89 - 09.95	1.3	74	G13B			WR 7 DC+	WR 7 DP	F6-4	
SX4										
	07.06→	2.0	107	J20A			FR 8 DPP 33+			
Vitara										
ET	03.88 - 11.94	1.6	60	G16A			WR 7 DC+	WR 7 DP	F6-4	
	02.91 - 03.98	1.6	70	G16B			FR 7 DC+	FR 7 DP	F1-4	
	12.94 - 03.98	2.0	100	H20A			FR 7 DC+	FR 7 DP	F1-6	
		2.5	118	H25A			FR 7 DC+	FR 7 DP	F1-6	
	12.96 - 03.98	2.0	97	J20A			FR 7 DCX+	FR 7 DPX	F1-4	
Wagon R+										
EM	10.96 - 05.00	1.0	48-52	G10			YR 7 DC+			
Wagon R Wide										
	02.97 - 06.99	1.0	51	K10A			YR 7 DC+			
X90										
	09.95 - 05.98	1.6	71	G16B			FR 7 DC+	FR 7 DP	F1-4	
TOYOTA										
Avalon										
MCX10R	04.00 - 12.02	3.0	145	1MZFE			FR 7 KPP 33 U+		F1-6	
	10.01 - 06.05	3.0	145	1MZFE			FR 7 KCX+	FR 7 KPX	F1-6	
Avensis										
AZT220	07.00 - 01.03	2.0	110	1AZFSE			FR 7 KPP 33 U+		F1-4	
ACM20	05.01 - 11.03	2.0	110	1AZFE			FR 6 KPP 33 X+			
ACM21	10.03→	2.4	115	2AZFE			FR 7 KCX+	FR 7 KPX		

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					Platinum	Platinum Performance
								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
Caldina										
ST210G	08.97 - 09.02	2.0	103	3SFE			FR 7 LDC+			F1-4
ST215G	08.97 - 09.02	2.0	99	3SFE			FR 7 LDC+			F1-4
			140	3SGE			FR 6 KPP 33+			F8-4
ST215W	08.97 - 09.02	2.0	191	3SGTE			FR 6 KPP 33+			
Camry / Vienta										
SV11	03.83 - 08.86	2.0	77	2SELC			WR 8 DC+	WR 8 DP	F4-4	
	03.83 - 10.86	2.0	79	2SEL			WR 8 DC+	WR 8 DP	F4-4	
SV20	01.87 - 06.89	1.8	64	1SE			WR 9 LCX+	WR 9 LP		
SV21	01.87 - 11.92	2.0	88	3SFE			FR 8 DCX+	FR 8 DPX	F3-4	
VZV21	06.88 - 02.93	2.5	117	2VZFE			FR 6 DC+	FR 6 DP		
SV22	07.89 - 06.91	2.0	82	3SFC			FR 8 DCX+	FR 8 DPX	F3-4	
SDV10	02.93 - 06.95	2.2	93	5SFE			FR 7 DCX+	FR 7 DPX	F1-4	
VDV10	02.93 - 06.95	3.0	136	3VZFE			FR 7 DCX+	FR 7 DPX	F1-6	
VCV10	07.95 - 06.97	3.0	136	3VZFE			FR 7 DCX+	FR 7 DPX	F1-6	
SXV10	07.95 - 04.98	2.2	93	5SFE			FR 7 DCX+	FR 7 DPX	F1-4	
MCV20	07.97 - 08.02	3.0	141	1MZFE	WI4		FR 8 HDC+			
SXV20	05.98 - 02.02	2.2	94	5SFE			FR 7 KC+	FR 7 KP	F1-4	
ACV36	09.02 - 05.06	2.4	112	2AZFE			FR 7 KCX+	FR 7 KPX	F1-4	
MCV36	09.02 - 06.06	3.0	141	1MZFE	WI4		FR 8 HDC+			
ACV40	06.06 →	2.4	123	2AZFE			FR 7 KCX+	FR 7 KPX	F1-4	
Celica										
RA28	12.70 - 07.77	2.0	86	18RG			WR 6 DC+	WR 6 DP		
TA22	12.70 - 07.77	1.6	63	2TB			WR 8 DC+	WR 8 DP		
	12.74 - 03.78	1.6	79	2TG			WR 7 DC+	WR 7 DP		
RA23	06.76 - 07.77	2.0	65	18R			WR 7 DC+	WR 7 DP		
RA40	08.77 - 07.81	2.0	86	18RG			WR 8 DC+	WR 8 DP		
RA63	08.81 - 08.83	2.0	77	18RG			WR 7 DC+	WR 7 DP	F6-4	
			88	18RG			WR 7 DC+	WR 7 DP	F6-4	
RA60	08.81 - 07.85	2.0	66	21R	08.81 - 08.84		WR 7 DC+	WR 7 DP	F6-4	
					09.84 - 07.85		WR 8 DC+	WR 8 DP	F4-4	
			88	21R	08.81 - 08.84		WR 7 DC+	WR 7 DP	F6-4	
					09.84 - 07.85		WR 8 DC+	WR 8 DP	F4-4	
SA63	08.83 - 08.84	2.0	73	2SC			WR 8 DC+	WR 8 DP	F4-4	
RA65	08.83 - 08.85	2.4	87	22REC			WR 8 DC+	WR 8 DP	F4-4	
ST162	08.85 - 08.89	2.0	110	3SGEL			FR 7 KCX+	FR 7 KPX	F1-4	
	08.86 - 08.89	2.0	103	3SFE			FR 8 DCX+	FR 8 DPX	F3-4	
ST185	10.87 - 08.93	2.0	150-153	3SGTE			FR 6 KPP 33+			
ST184	10.89 - 09.94	2.2	98	5SFE			FR 7 DCX+	FR 7 DPX	F1-4	
	10.89 - 09.97	2.2	100	5SFE			FR 6 KPP 33 X+		F8-4	
ST182	10.90 - 11.93	2.0	118	3SGE			FR 7 KC+	FR 7 KP		
ST204	11.93 - 08.99	2.2	100	5SFE			FR 6 KPP 33 X+		F8-4	
ST205	02.94 - 08.99	2.0	178	3SGTE			FR 6 KPP 33+			
ST202	08.94 - 05.99	2.0	129	3SGE	08.94 - 05.96		FR 6 KPP 33+			
					06.96 - 05.99		FR 7 KC+	FR 7 KP		
ZTZ231	08.99 - 04.06	1.8	140	2ZZGE			FR 6 KPP 33 X+		F8-4	
Chaser										
GX90	10.92 - 09.96	2.0	99	1GFE			FR 8 KC+			
JZX90	10.92 - 09.96	2.5	132	1JZGE			FR 7 KPP 33 U+		F1-6	
			206	1JZGTE			FR 6 KPP 33+			
JZX91	10.92 - 09.96	3.0	162	2JZGE			FR 7 KPP 33 U+		F1-6	
SX90	10.92 - 09.96	1.8	88	4SFE			FR 7 KCX+	FR 7 KPX	F1-4	
GX100	09.96 - 08.98	2.0	103	1GFE			FR 8 KC+			
JZX100	09.96 - 06.01	2.5	147	1JZGE			FR 8 DPP 33+			
			206	1JZGTE			FR 7 KPP 33 U+			

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable



				Type					
◀ TOYOTA							Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
JZX101	09.96 - 06.01	3.0	162	2JZGE		FR 8 DPP 33+			
JZX105	09.96 - 06.01	2.5	147	1JZGE		FR 8 DPP 33+			
SX100	04.97 - 06.01	1.8	88	4SFE		FR 7 LDC+		F1-4	
GX100	08.98 - 06.01	2.0	118	1GFE		FR 7 KCX+	FR 7 KPX	F1-6	
GX105	08.98 - 06.01	2.0	118	1GFE		FR 7 KCX+	FR 7 KPX	F1-6	
Coaster									
RB20	05.82 - 01.93	2.4	85	22R		WR 8 DC+	WR 8 DP	F4-4	
Corolla									
KE25	10.72 - 06.77	1.2	40-43	3KB		WR 8 DC+	WR 8 DP		
KE30	08.74 - 08.79	1.2	40-43	3KH		WR 8 DC+	WR 8 DP		
KE55	11.78 - 09.81	1.3	43-45	4K		WR 9 DC+	WR 9 DP		
	11.78 - 12.82	1.3	43-45	4K		WR 7 DC+	WR 7 DP		
KE70	09.79 - 05.83	1.3	44-48	4KC		WR 8 DC+	WR 8 DP	F4-4	
		55	4K			WR 8 DC+	WR 8 DP	F4-4	
	03.80 - 03.85	1.3	45-49	4K		WR 9 DC+	WR 9 DP		
AE71	09.82 - 12.85	1.6	58	4AC		WR 8 DC+	WR 8 DP	F4-4	
AE80	05.83 - 10.84	1.3	55	2AL		WR 8 DC+	WR 8 DP	F4-4	
AE82	05.83 - 12.88	1.6	58	4AC		WR 8 DC+	WR 8 DP	F4-4	
AE80	04.85 - 06.89	1.3	50	2AC		WR 8 DCX+	WR 8 DPX	F4-4	
AE82	01.86 - 12.88	1.6	86	4AGE		FR 7 KCX+	FR 7 KPX	F1-4	
	09.86 - 08.88	1.6	60	4AGELC		FR 8 DPP 33+		F3-4	
AE92	05.87 - 06.91	1.6	103	4AGE	05.87 - 05.89	FR 7 KPP 33 U+		F1-4	
					06.89 - 06.91	FR 5 DPP 222			
	01.88 - 04.92	1.6	76	4AFE		FR 7 KC+	FR 7 KP	F1-4	
	01.88 - 06.94	1.6	76	4AFE		FR 8 DC+	FR 8 DP	F3-4	
	01.89 - 04.92	1.6	67	4AFC		FR 8 DCX+	FR 8 DPX		
						FR 8 HC	FR 8 HP		
AE90	02.89 - 05.92	1.4	60	6AF		FR 8 DCX+	FR 8 DPX		
AE92	02.89 - 06.94	1.6	67	4AF		FR 8 DCX+	FR 8 DPX		
						FR 8 HC	FR 8 HP		
AE93	08.89 - 05.91	1.6	100	4AGE		FR 7 KCX+	FR 7 KPX	F1-4	
AE92	07.91 - 06.94	1.6	76	4AFE		FR 8 DC+	FR 8 DP		
AE94	07.91 - 06.94	1.6	76	4AFE		FR 8 DC+	FR 8 DP	F3-4	
AE96	10.92 - 06.94	1.8	85	7AFE		FR 7 KC+	FR 7 KP	F1-4	
AE102	11.92 - 05.95	1.8	86	7AFE		FR 7 KC+	FR 7 KP	F1-4	
AE101	07.94 - 08.98	1.6	78	4AFE		FR 8 KC+		F3-4	
						ELK			
AE102	07.94 - 12.99	1.8	85	7AFE		FR 7 KC+	FR 7 KP	F1-4	
AE101	09.94 - 04.97	1.6	78	4AFE		FR 7 KC+	FR 7 KP	F1-4	
AE102	09.94 - 08.97	1.8	77-85	7AFE		FR 7 KC+	FR 7 KP	F1-4	
AE112R	10.98 - 10.99	1.8	85	7AFE		FR 7 KCX+	FR 7 KPX	F1-4	
	10.99 - 10.01	1.8	85	7AFE		FR 7 KC+	FR 7 KP	F1-4	
ZZE123	11.01 - 12.07	1.8	140-165	2ZZGE		FR 6 KPP 33 X+			F8-4
ZZE122	12.01 - 01.06	1.8	97-100	1ZZFE		FR 8 KC+			F3-4
ZZE122G	12.01 - 01.06	1.8	97-100	1ZZFE		FR 8 KC+			F3-4
ZZE122R	09.02 - 04.07	1.8	99	1ZZFE		FR 7 KCX+	FR 7 KPX		
ZZE122	01.06 - 04.07	1.8	93	1ZZFE		FR 8 KC+			F3-4
Corolla 4WD									
AE95	02.88 - 07.95	1.6	76	4AFE		FR 8 DC+	FR 8 DP	F3-4	
Corona									
RT40	09.64 - 01.70	1.5	65	2R		WR 7 DC+	WR 7 DP		
RT81	02.71 - 07.73	1.6	49	12R		WR 7 DC+	WR 7 DP		
RT104	03.74 - 09.79	2.0	63-89	18R		WR 8 DC+	WR 8 DP	F4-4	
RT118	09.74 - 08.78	2.0	63-65	18R		WR 7 DC+	WR 7 DP		

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

	1	1//ccm	kW	Type	1	?		Platinum	Platinum Performance	
							Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾	
ST141	06.83 - 04.87	2.0	73	2SC		WR 8 DCX+	WR 8 DPX	F4-4		
RT142	08.84 - 12.86	2.4	87	22REC		WR 8 DC+	WR 8 DP	F4-4		
Cressida										
MX32	04.77 - 12.80	2.6	90-95	4M		WR 7 DC+	WR 7 DP			
MX36	09.78 - 12.80	2.6	77-90	4M		WR 7 DC+	WR 7 DP			
MX62	02.81 - 09.84	2.8	98-103	5ME		WR 8 DC+	WR 8 DP			
MX73	10.84 - 10.85	2.8	103	5ME		WR 8 DC+	WR 8 DP			
	11.85 - 08.88	2.8	120	5MGE		WR 8 DC+	WR 8 DP			
MX83	09.88 - 08.92	3.0	142	7MGE		FR 7 KPP 33 U+	FR 8 DPX	F1-6		
Cresta										
GX90	10.92 - 09.96	2.0	99	1GFE		FR 8 KC+				
JZX90	10.92 - 09.96	2.5	132	1JZGE		FR 7 KPP 33 U+		F1-6		
			206	1JZGTE		FR 6 KPP 33+				
SX90	10.92 - 09.96	1.8	88	4SFE		FR 7 KCX+	FR 7 KPX	F1-4		
GX100	09.96 - 08.98	2.0	103	1GFE		FR 8 KC+				
JZX100	09.96 - 06.01	2.5	147	1JZGE		FR 8 DPP 33+				
			206	1JZGTE		FR 7 KPP 33 U+				
JZX101	09.96 - 06.01	3.0	162	2JZGE		FR 8 DPP 33+				
JZX105	09.96 - 06.01	2.5	147	1JZGE		FR 8 DPP 33+				
Crown										
MS63	02.71 - 09.74	2.6	100	4M		WR 7 DC+	WR 7 DP			
MS65	11.71 - 09.74	2.6	104-112	4M		WR 7 DC+	WR 7 DP			
MS85	10.74 - 08.79	2.6	100	4M		WR 7 DC+	WR 7 DP			
MS83	01.75 - 08.79	2.6	100	4M		WR 7 DC+	WR 7 DP			
MS111	09.79 - 08.80	2.6	100	4M		WR 8 DC+	WR 8 DP			
MS112	09.79 - 07.83	2.8	107	5ME		WR 7 DC+	WR 7 DP			
	08.80 - 07.83	2.8	107	5ME		WR 9 DC+	WR 9 DP	F2-6		
MS123	08.83 - 09.85	2.8	107	5ME	08.83 - 10.83	WR 9 DC+	WR 9 DP	F2-6		
					11.83 - 09.85	WR 8 DC+	WR 8 DP			
	09.85 - 08.87	2.8	125	5MGE		WR 8 DC+	WR 8 DP			
Royal	01.86 - 08.87	2.8	125	5MGE		WR 8 DC+	WR 8 DP			
Dyna										
YU60	09.84 - 08.86	2.0	67	3Y		WR 8 DC+	WR 8 DP	F4-4		
YU70	09.84 - 08.86	2.0	67	3Y		WR 8 DC+	WR 8 DP	F4-4		
YU80	09.84 - 08.86	2.0	65	3Y		WR 8 DC+	WR 8 DP	F4-4		
YH81	08.85 - 08.87	1.8	57	2Y		WR 8 DC+	WR 8 DP			
YU62	08.86 - 08.87	2.2	69	4Y		WR 8 DC+	WR 8 DP	F4-4		
YU71	08.86 - 08.87	2.2	69	4Y		WR 8 DC+	WR 8 DP	F4-4		
YU81	08.86 - 08.87	2.2	69	4Y		WR 8 DC+	WR 8 DP	F4-4		
YH81	08.87 - 03.92	1.8	57	2Y		WR 8 DC+	WR 8 DP	F4-4		
YU62	08.88 - 05.95	2.2	69	4Y		WR 8 DC+	WR 8 DP	F4-4		
YY100L	05.95 - 05.99	1.8	57	2Y		WR 8 DC+	WR 8 DP	F4-4		
Echo										
NCP10	08.99 - 12.02	1.3	66	2NZFE		FR 8 KC+		F3-4		
	09.99 - 02.05	1.3	64-65	2NZFE		FR 8 KC+		F3-4		
NCP12	09.99 -	1.5	80	1NZFE		FR 7 KC+	FR 7 KP	F1-4		
NCP13	06.03 -	1.5	78	1NZFE		FR 7 KCX+	FR 7 KPX	F1-4		
FJ Cruiser										
GSJ15W	12.10 -	4.0	203	1GRFE		FR 7 SE				

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					
◀ TOYOTA							Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
Harrier									
SXU10W	12.97 - 11.00	2.2	103	5SFE		FR 7 KPP 33 U+			F1-4
SXU15W	12.97 - 11.00	2.2	103	5SFE		FR 7 KPP 33 U+			F1-4
MCU10W	12.97 - 02.03	3.0	162	1MZFE		FR 6 KPP 33 X+			
	03.98 →	3.0	163	1MZFE		FR 7 LDC+			
ACU10W	11.00 - 02.03	2.4	118	2AZFE		FR 7 KCX+	FR 7 KPX	F1-4	
ACU15W	11.00 - 02.03	2.4	118	2AZFE		FR 7 KCX+	FR 7 KPX	F1-4	
Hiace									
	02.71 - 12.83	1.6	67	12R		WR 8 DC+	WR 8 DP		
RH11/20/30/40	09.72 - 10.82	1.6	49	12R		WR 8 DC+	WR 8 DP		
RH22/32	02.77 - 11.82	2.0	63	18R		WR 8 DC+	WR 8 DP		
RH11/20	02.77 - 12.82	1.6	63	12R		WR 8 DC+	WR 8 DP		
RH11	11.82 - 07.85	1.6	49	12R		WR 8 DCX+	WR 8 DPX	F4-4	
YH50	12.82 - 01.84	1.8	57	2YC		WR 8 DC+	WR 8 DP	F4-4	
YH61	12.82 - 08.86	2.0	65	3Y		WR 8 DC+	WR 8 DP	F4-4	
YH53	08.86 - 08.87	2.2	69	4Y		WR 8 DCX+	WR 8 DPX	F4-4	
YH73	08.86 - 08.87	2.2	69	4Y		WR 8 DC+	WR 8 DP	F4-4	
YH51	08.87 - 08.89	2.0	65	3Y		WR 8 DC+	WR 8 DP	F4-4	
RZH103	08.89 - 08.98	2.4	84	2RZ		WR 8 DC+	WR 8 DP	F4-4	
RZH113	08.89 - 02.05	2.4	88	2RZE		WR 8 DCX+	WR 8 DPX	F4-4	
RZH103	08.93 - 02.05	2.4	88	2RZE		WR 8 DCX+	WR 8 DPX	F4-4	
RCH12R/S.B.V	08.95 - 12.03	2.4	85	2RZE		WR 8 DCX+	WR 8 DPX	F4-4	
RCH22	03.97 - 12.03	2.4	85	2RZE		WR 8 DCX+	WR 8 DPX	F4-4	
TRH223B	01.05 →	2.7	111	2TRFE		FR 7 SE			
TRH 201, 221, 03.05 → 223		2.7	111	2TRFE		FR 7 SE			
Hiace Commuter									
RZH124B	08.93 - 07.03	2.0	81	1RZE		WR 8 DCX+	WR 8 DPX	F4-4	
RZH125B	08.98 - 07.03	2.4	88	2RZE		WR 8 DCX+	WR 8 DPX	F4-4	
Hilux									
RN10	03.68 - 01.71	1.5	55-63	2R	03.68 - 06.70 06.70 - 01.71	WR 8 CC			
RN13	02.71 - 04.72	1.6	49	12R		WR 7 DC+	WR 7 DP		
RN16	02.71 - 04.72	1.6	49	12R		WR 7 DC+	WR 7 DP		
RN20LKR	05.72 - 07.78	1.6	49	12R		WR 7 DC+	WR 7 DP		
RN25LKR	05.72 - 07.78	1.6	49	12R		WR 7 DC+	WR 7 DP		
RN30	08.78 - 07.83	1.6	48	12R		WR 8 DC+	WR 8 DP	F4-4	
RN40	08.78 - 07.83	1.6	48	12R		WR 8 DC+	WR 8 DP	F4-4	
RN41	08.78 - 07.83	2.0	63	18RC		WR 8 DC+	WR 8 DP	F4-4	
RN36	01.79 - 07.83	2.0	65	18R		WR 8 DC+	WR 8 DP	F4-4	
RN46	01.79 - 07.83	2.0	62	18R		WR 8 DC+	WR 8 DP		
YN52/57/60/65	09.83 - 08.88	2.0	65	3Y		WR 8 DC+	WR 8 DP	F4-4	
YN57R	06.84 - 11.86	2.0	63	3Y		WR 7 DC+	WR 7 DP		
RN50/55/58/61/67	01.86 - 07.98	2.4	80	22R		WR 8 DC+	WR 8 DP	F4-4	
YN67R	02.86 - 08.98	2.2	70	4Y		WR 8 DC+	WR 8 DP		
YN50/55	08.86 - 07.98	1.6	50	1Y		WR 8 DC+	WR 8 DP	F4-4	
YN58/62/63/67	08.86 - 07.98	2.2	75	4Y		WR 8 DC+	WR 8 DP	F4-4	
YN51R	11.86 - 08.98	1.8	59	2Y		WR 8 DC+	WR 8 DP	F4-4	
YN51/56	08.87 - 08.88	1.8	65	2Y		WR 8 DC+	WR 8 DP	F4-4	
YN106	08.88 - 08.94	2.2	69	4Y		WR 8 DC+	WR 8 DP	F4-4	
YN110	08.88 - 08.94	2.2	69	4Y		WR 8 DC+	WR 8 DP	F4-4	

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					Platinum	Platinum Performance
								Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
YN85	08.88 - 10.94	1.8	57	2Y			WR 8 DC+	WR 8 DP	F4-4	
RN110R	08.88 - 08.97	2.4	75	22R			WR 8 DC+	WR 8 DP	F4-4	
YN80/YN85	09.88 - 08.94	1.8	58	2Y			WR 8 DC+	WR 8 DP	F4-4	
RN110	09.88 - 08.97	2.4	84	22RE			WR 8 DC+	WR 8 DP	F4-4	
VZN130	08.89 - 11.95	3.0	105	3VZE			FR 7 KC+	FR 7 KP	F1-6	
RZN147/	08.97 - 12.02	2.0	81	1RZE			WR 8 DC+	WR 8 DP	F4-4	
RZN152H										
RZN147R, 149R, 154R	10.97 - 02.05	2.7	108	3RZFE			FR 7 KC+	FR 7 KP		
RZN169R, 174R	10.97 - 02.05	2.7	108	3RZFE			FR 7 KC+	FR 7 KP	F1-4	
RZN169H/ RZN174H	08.99 - 07.04	2.7	107	3RZFE			FR 7 KC+	FR 7 KP	F1-4	
RZN169R, 174R	10.02 →	3.4	124	5VZFE			FR 7 KC+	FR 7 KP	F1-6	
VZN210W	11.02 - 08.05	3.4	136	5VZFE			FR 8 HDC+			
TGN16	02.05 →	2.7	118	2TRFE			FR 7 KC+	FR 7 KP	F1-4	
GGN25R	03.05 →	4.0	175	1GRFE			FR 8 SC+	FR 8 NP		
TGN26R	06.05 →	2.7	118	2TR-FE < VVTi >			FR 8 SC+	FR 8 NP		
Hilux Surf										
YN130G	04.89 - 08.91	2.0	71	3YE			WR 8 DCX+	WR 8 DPX	F4-4	
VZN130G	08.90 - 11.95	3.0	110	3VZE			FR 7 KC+	FR 7 KP	F1-6	
RZN185W	11.95 - 11.02	2.7	110	3RZFE			FR 8 KC+		F3-4	
VZN185W	11.95 - 11.02	3.4	136	5VZFE			FR 8 HDC+			
RZN215W	11.02 - 08.04	2.7	110	3RZFE			FR 8 KC+		F3-4	
Land Cruiser										
FJ40	03.69 - 01.75	3.9	96	F	09.73 - 08.74	U16,U65		WR 8 DPX		
	01.75 - 07.80	4.2	93	2F			WR 9 DC+	WR 9 DP	F2-6	
FJ45	01.75 - 07.80	4.2	101	2F			WR 9 DC+	WR 9 DP		
FJ55	02.75 - 12.80	3.9	96	F			WR 9 DC+	WR 9 DP		
FJ60	08.80 - 11.84	4.2	89	2F			WR 9 DC+	WR 9 DP	F2-6	
FJ40	08.80 - 10.85	4.2	89	2F			WR 9 DC+	WR 9 DP	F2-6	
FJ45	08.80 - 04.86	4.2	89	2F			WR 9 DC+	WR 9 DP	F2-6	
FJ62	11.84 - 12.88	4.0	110	3F			WR 9 DC+	WR 9 DP	F2-6	
FJ70	01.85 - 11.88	2.4	74	22R			WR 8 DC+	WR 8 DP	F4-4	
FJ75RP	02.86 - 04.92	4.0	107	3F			WR 8 DC+	WR 8 DP		
FJ62, 70, 73, 75	09.87 - 12.92	4.0	110	3F			WR 9 DC+	WR 9 DP	F2-6	
RJ70	12.88 - 12.90	2.4	81	22R			WR 8 DC+	WR 8 DP	F4-4	
	12.88 - 04.96	2.4	81	22RE			WR 8 DC+	WR 8 DP	F4-4	
FZJ80	08.92 - 01.98	4.5	158	1FZFE			FR 7 KC+	FR 7 KP	F1-6	
FZJ75	11.92 - 11.99	4.5	158	1FZFE			FR 7 KC+	FR 7 KP		
UZJ100W	01.98 - 08.07	4.7	173	2UZFE			FR 6 KPP 33 X+		F8-4	
UZJ100	01.98 - 07.08	4.7	173	2UZFE			FR 6 KPP 33 X+		F8-4	
FZJ105	03.98 - 09.02	4.5	165	1FZFE			FR 8 HDC+			
FZJ79	10.99 - 02.07	4.5	165	1FZFE			FR 8 HDC+			
FZJ75, 78, 79, 105	11.99 - 07.01	4.5	158	1FZFE			FR 8 HDC+			
UZJ200	09.07 - 01.12	4.7	212	2UZFE			FR 6 KPP 33 X+		F8-4	
Land Cruiser Prado										
RZJ90W/	04.96 - 09.02	2.7	110	3RZFE			FR 7 KC+	FR 7 KP	F1-4	
RZJ95W										
VZJ90W/	04.96 - 09.02	3.4	136	5VZFE			FR 8 HDC+			
VZJ95W										
VZJ90/95	04.96 - 01.03	3.4	131-136	5VZFE			FR 8 HDC+			

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					
◀ TOYOTA							Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
RZJ90/95	10.96 - 08.04	2.7	112	3RZFE		FR 7 KC+	FR 7 KP		F1-4
RZJ120W/ RZJ125W	09.02 - 08.04	2.7	150	3RZFE		FR 8 KC+			F3-4
GRJ120	03.03 - 08.09	4.0	179	1GRFE		FR 8 SC+	FR 8 NP		
GRJ150	08.09 →	4.0	202	1GRFE		FR 7 SE			
Lexcen									
VN19, VN35	06.89 - 08.91	3.8	125	VH		HR 9 DCY+			F5-6
VP19, VP35	09.91 - 05.93	3.8	128	VH		HR 9 DCY+			F5-6
VR19, VR35	06.93 - 04.95	3.8	130	VH		HR 9 DCY+			F5-6
VS19, VS35	05.95 - 04.97	3.8	147	VH		HR 9 DCY+			F5-6
Liteace									
KM20	10.79 - 08.85	1.3	43	4K		WR 7 DC+	WR 7 DP		
YM21	11.83 - 08.85	1.8	57	2YC		WR 8 DC+	WR 8 DP		F4-4
YM30G	09.85 - 01.92	1.8	58	2YU		WR 8 DCX+	WR 8 DPX		F4-4
YM40G	10.85 - 01.92	2.0	65	3YU		WR 8 DCX+	WR 8 DPX		F4-4
KM30	08.88 - 01.92	1.5	49	5K		WR 8 DC+	WR 8 DP		F4-4
KM36	08.88 - 01.92	1.5	49	5K		WR 8 DC+	WR 8 DP		F4-4
Mark II									
GX81	08.88 - 08.90	2.0	125	1GGZE		FR 7 KPP 33+			
			154	1GGTE		FR 6 KPP 33+			
GX70G	10.88 - 04.97	2.0	99	1GFE		FR 8 KC+			
SX80/SX80Y	08.90 - 12.95	1.8	85	4SFE		FR 8 KC+			F3-4
JZX90	10.92 - 09.96	2.5	132	1JZGE		FR 7 KPP 33 U+			F1-6
			206	1JZGTE		FR 6 KPP 33+			
JZX91	10.92 - 09.96	3.0	162	2JZGE		FR 7 KPP 33 U+			F1-6
SX90	10.92 - 09.96	1.8	88	4SFE		FR 7 KCX+	FR 7 KPX		F1-4
GX100	09.96 - 08.98	2.0	103	1GFE		FR 8 KC+			
JZX100	09.96 - 10.00	2.5	147	1JZGE		FR 8 DPP 33+			
			206	1JZGTE		FR 7 KPP 33 U+			
JZX101	09.96 - 10.00	3.0	162	2JZGE		FR 8 DPP 33+			
JZX105	09.96 - 10.00	2.5	147	1JZGE		FR 8 DPP 33+			
GX100	08.98 - 10.00	2.0	118	1GFE		FR 7 KCX+	FR 7 KPX		F1-6
GX105	08.98 - 10.00	2.0	118	1GFE		FR 7 KCX+	FR 7 KPX		F1-6
GX110	10.00 - 11.04	2.0	118	1GFE		FR 7 KCX+	FR 7 KPX		F1-6
GX115	10.00 - 11.04	2.0	118	1GFE		FR 7 KCX+	FR 7 KPX		F1-6
JZX110	10.00 - 11.04	2.5	206	1JZGTE		FR 6 KPP 33 X+			
JZX110W	01.02 - 06.07	2.5	147	1JZFSE		FR 7 KPP 33 U+			
			206	1JZGTE		FR 6 KPP 33 X+			
MR-S									
ZZW30	10.99 - 07.07	1.8	103	1ZZFE		FR 8 KC+			F3-4
MR2									
AW11	11.84 - 12.89	1.6	91	4AGEL		FR 7 KCX+	FR 7 KPX		
	08.87 - 12.89	1.6	88	4AGELC		FR 7 KPP 33 U+			F1-4
SW20	12.89 - 12.91	2.0	118	3SGE		FR 6 KPP 33+			F8-4
	12.89 - 08.99	2.0	125	3SGE					F1-4
					12.89 - 05.96	FR 6 KPP 33+			
					06.96 - 08.99	FR 7 KC+	FR 7 KP		
					165-180	FR 6 KPP 33+			
					165	FR 6 KPP 33+			
					165	FR 6 KPP 33+			
ZZW30	12.99 - 05.06	1.8	103	1ZZFE		FR 8 KC+			F3-4

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

		 //ccm	 kW	Type				 Platinum	 Platinum Performance
							Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
Paseo									
EL44	09.91 - 08.95	1.5	74	5EFE		 FR8 KC+			F3-4
EL54R	08.95 - 07.99	1.5	81-85	5EFE		 FR8 HDC+			
Prius									
NHW11	09.00 - 08.03	1.5	53	1NZFXE		 FR8 DPP 33+			F3-4
NHW20	09.03 - 03.09	1.5	57	1NZFXE		 FR8 DPP 33+			F3-4
RAV4									
SXA 11	04.94 - 08.00	2.0	99	3SFE		 FR7 KCX+	 FR7 KPX		F1-4
ACA 20/21	05.00 - 07.03	2.0	110	1AZFE		 FR6 KPP 33 X+			F8-4
ACA 22/23	07.03 - 01.06	2.4	120	2AZFE		 FR6 KPP 33 X+			F8-4
ACA33/38	11.05 →	2.4	125	2AZFE		 FR6 KPP 33 X+			F8-4
RAV4 2.4i									
ACA36W	11.05 →	2.4	125	2AZFE		 FR6 KPP 33 X+			F8-4
Sera									
EXY10	03.90 - 12.95	1.5	81	5EFHE		 FR7 KCX+	 FR7 KPX		F1-4
Soarer									
UZZ30/UZZ31/	05.91 - 09.97	4.0	191	1UZFE		 FR6 KPP 33+			F8-4
UZZ32	05.91 - 12.01	4.0	191	1UZFE		 FR6 KPP 33+			F8-4
JZZ31	01.94 - 12.00	3.0	165-169	2JZGE		 FR8 DPP 33+			
UZZ40	04.01 - 07.05	4.3	206	3UZFE		 FR6 KPP 33 X+			F8-4
Soarer Turbo									
JZZ30	05.91 - 12.00	2.5	206	1JZGTE		 FR8 HDC+			
Soarer Twin Turbo									
	05.91 - 12.01	2.5	206	1JZGTE		 FR6 KPP 33+			
Spacia									
YR22	10.93 - 08.96	2.2	75	4YEC		 WR8 DCX+	 WR8 DPX		F4-4
SR40G	02.98 - 11.01	2.0	96	3SFE		 FR7 LDC+			F1-4
Sprinter									
AE86	05.83 - 05.85	1.6	58	4AC		 WR8 DC+	 WR8 DP		F4-4
	08.83 - 07.87	1.6	96	4AGE		 FR7 KCX+	 FR7 KPX		F1-4
Starlet									
EP82	12.89 - 01.96	1.3	99	4EFTF		 FR6 KPP 33+			
EP91	01.96 - 07.99	1.3	55	4EFE		 FR7 KC+	 FR7 KP		F1-4
			99	4EFTF		 FR6 KPP 33+			
Stout									
RK101	09.67 - 02.79	2.0	59	5R		 WR7 DC+	 WR7 DP		
Supra									
MA61	08.81 - 12.85	2.8	103	5ME		 WR8 DC+	 WR8 DP		
MA70	08.88 - 04.93	3.0	175	7MGTE		 FR6 KPP 33+			
MA71	10.88 - 04.93	3.0	173	7MGTE		 FR6 KPP 33+			

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable



			 //ccm	 kW	Type				 Platinum	 Platinum Performance	
◀ TOYOTA									Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
JZA80	05.93 - 01.96	3.0	243	2JZGTE				FR 6 KPP 33 X+			
	05.93 - 08.02	3.0	165	2JZGE				FR 8 DPP 33+			
			206	2JZGTE	05.93 - 08.99			FR 6 KPP 33 X+			
Tarago											
YR21	03.84 - 10.85	2.0	64	3YC				WR 8 DC+	WR 8 DP	F4-4	
YR31	01.86 - 07.88	2.2	73	4YEC				WR 8 DCX+	WR 8 DPX	F4-4	
	01.86 - 04.90	2.2	75	4YEC				WR 7 DCX+	WR 7 DPX	F6-4	
TCR10W/	05.90 - 01.98	2.4	99	2TZFE				FR 7 KPP 33 U+		F1-4	
TCR11W											
TCR20W/	05.90 - 01.98	2.4	99	2TZFE				FR 7 KPP 33 U+		F1-4	
TCR21W											
TCR10R	05.90 - 12.00	2.4	97	2TZFE				FR 7 KPP 33 U+		F1-4	
ACR30W	02.00 - 01.06	2.4	118	2AZFE				FR 7 KCX+	FR 7 KPX	F1-4	
ACR50W	01.06 →	2.4	125	2AZFE				FR 6 KPP 33 X+		F8-4	
Tercel											
AL25	09.82 - 08.88	1.5	52	3AC	09.82 - 08.87			WR 8 DC+	WR 8 DP		
					09.87 - 01.88			WR 8 DCX+	WR 8 DPX		
	10.82 - 01.88	1.5	52	3A				WR 8 DC+	WR 8 DP	F4-4	
Townace											
YR39	04.92 - 12.96	2.0	65	3YC				WR 8 DCX+	WR 8 DPX	F4-4	
KR42V	11.96 - 12.98	1.8	56	7K				WR 8 DC+	WR 8 DP	F4-4	
	12.98 - 12.03	1.8	60	7KE				WR 8 DCX+	WR 8 DPX	F4-4	
Toyoace											
RY16	07.72 - 02.79	2.0	59	5R				WR 8 DC+	WR 8 DP		
RY31	05.80 - 07.85	2.0	79	5R				WR 8 DC+	WR 8 DP		
Yaris											
NCP92	01.06 →	1.3	64	2NZFE				FR 8 KC+		F3-4	
NCP93	01.06 →	1.5	81	1NZFE				FR 7 KC+	FR 7 KP		
4-Runner											
RN130	08.89 - 11.95	2.4	75	22R				WR 8 DC+	WR 8 DP	F4-4	
VZN130	01.90 - 11.95	3.0	105	3VZE				FR 7 KC+	FR 7 KP	F1-6	
RN130	08.90 - 08.95	2.4	82	22RE				WR 8 DC+	WR 8 DP	F4-4	
TRIUMPH											
Dolomite											
	09.75 - 12.75	1.9	68	WF				WR 8 DC+	WR 8 DP		
	04.76 - 12.77	1.9	68	WF				WR 8 DC+	WR 8 DP		
Dolomite Sprint											
	09.75 - 06.76	2.0	95	VA				HR 7 DC+	HR 7 DP		
Stag											
	09.72 - 06.77	3.0	108	LD,LF				WR 8 DC+	WR 8 DP		
TR2											
	04.54 - 12.55	2.0	66	F106A				WR 7 BC+	WR 7 BP		

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

					Type						
									Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
TR3											
	04.56 - 12.57	2.0	67					WR 7 BC+	WR 7 BP		
TR4											
	10.61 - 06.65	2.0	75	CT				WR 7 BC+	WR 7 BP		
TR6											
	01.73 - 02.75	2.5	93	CF1				WR 7 DC+	WR 7 DP		
TR7											
	06.78 - 08.81	2.0	67	CG2				WR 8 DC+	WR 8 DP		
2000 MK II											
	05.72 - 12.74	2.0	63	ME				WR 8 DC+	WR 8 DP		
2000 TC MK II											
	05.75 - 05.77	2.0	68	ML				WR 8 DC+	WR 8 DP		
2500 TC											
	05.75 - 12.77	2.5	79	MM				WR 8 DC+	WR 8 DP		
										TVR	
Cerbera											
	01.96 - 12.01	4.2	268	AJP8				FR 8 DC+	FR 8 DP		
3000 M, ML											
	01.72 - 03.80	3.0	101-105					WR 7 DC+	WR 7 DP		
										VAUXHALL	
Victor											
	03.69 - 12.72	1.6	53					HR 6 BC			
										VOLVO	
C30											
	10.06 - 07.07	2.5	162	B5254T3				FR 7 NI 33			
	10.06 - 07.10	2.4	125	B5244S4				FGR 6 NQE 0			
	08.07 →	2.5	169	B5254T7				FR 7 NI 33			
C70											
	09.97 - 07.02	2.3	176	B5234T3				FR 7 DPP+			
	03.99 - 07.00	2.4	103	B5244S				FGR 7 DQE+		F1-4	
			121	B5244S				FGR 7 DQE+		F1-4	
	08.99 - 07.02	2.4	142	B5244T				FR 7 DPP+			
	08.02 - 03.06	2.3	180	B5234T9				FR 7 DPP+			
C70 II											
	03.06 - 07.07	2.5	162	B5254T3				FR 7 MPP 10			

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					
◀ VOLVO							Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
03.06 - 07.10	2.4	125	B5244S4				FGR 6 NQE 0		
08.07 →	2.5	169	B5254T7				FR 7 MPP 10		
P1800E									
08.70 - 07.73	2.0	88	B 20 E				WR 5 BC		
P1800ES							WR 5 BC		
09.71 - 07.73	2.0	88	B 20 E						
S40									
02.97 - 07.99	2.0	103	B4204S				FGR 7 DQE+		F1-4
05.97 - 07.99	1.9	147	B4194T				FR 7 DPP+		
04.98 - 07.99	2.0	118	B4204T				FR 7 DPP+		
08.99 - 07.00	1.9	118	B4204T2				FR 7 DPP+		
		147	B4194T2				FR 7 DPP+		
08.99 - 01.04	1.8	90	B4184S2				FGR 7 DQE+		F1-4
	2.0	100	B4204S2				FGR 7 DQE+		F1-4
08.00 - 01.04	1.9	147	B4204T5				FR 7 DPP+		
08.01 - 01.04	1.9	120	B4204T3				FR 7 DPP+		
12.03 - 07.07	2.5	162	B5254T3		12.03 - 07.06		FR 7 MPP 10		
					08.06 - 07.07		FR 7 NI 33		
04.04 - 07.07	2.5	162	B5254T3		04.04 - 07.06		FR 7 MPP 10		
S40 II									
12.03 - 07.10	2.4	125	B5244S4				FGR 6 NQE 0		
08.07 →	2.5	169	B5254T7				FR 7 NI 33		
S60									
11.00 - 07.03	2.4	147	B5244T3				FR 7 DPP+		
11.00 - 03.04	2.3	184-195	B5234T3				FR 7 DPP+		
11.00 - 07.09	2.4	125	B5244S				FGR 7 DQE+		F1-4
03.03 - 07.07	2.5	220	B5254T4				FR 7 MPP 10		
04.04 - 07.09	2.5	154	B5254T2				FR 7 DPP+		
S70									
01.97 - 07.99	2.4	121	B5254S				FGR 7 DQE+		F1-4
		142	B5254T				FR 7 DPP+		
01.97 - 07.00	2.3	176	B5234T3				FR 7 DPP+		
08.99 - 07.00	2.4	103	B5244S2				FGR 7 DQE+		F1-4
S80									
06.98 - 07.99	2.9	150	B6304S3				FGR 7 DQE+		F1-6
06.98 - 07.01	2.8	200	B6284T				FR 7 DPP+		
08.01 - 07.06	2.9	200	B6294T				FR 7 DPP+		
08.03 - 07.06	2.5	154	B5254T2				FR 7 DPP+		
S80 II									
03.06 - 12.10	4.4	232	B8444S				FR 7 KPP 33 U+		
08.06 - 07.10	3.2	175	B6324S				FR 7 NI 33		
01.07 - 07.10	3.0	210	B6304T2				FR 7 NI 33		
			Chass.no →134000						
S90									
01.97 - 05.98	2.9	150	B6304S				FGR 7 DQE+		F1-6

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

					Type					
							Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾	
V40										
02.97 - 07.99	2.0	103	B4204S			FGR 7 DQE+			F1-4	
05.97 - 07.99	1.9	147	B4194T			FR 7 DPP+				
04.98 - 07.99	2.0	118	B4204T			FR 7 DPP+				
08.99 - 07.00	1.9	118	B4204T2			FR 7 DPP+				
		147	B4194T2			FR 7 DPP+				
08.99 - 04.04	1.8	90	B4184S2			FGR 7 DQE+			F1-4	
	2.0	100	B4204S2			FGR 7 DQE+			F1-4	
08.01 - 04.04	1.9	120	B4204T3			FR 7 DPP+				
V50										
04.04 - 07.07	2.5	162	B5254T3	04.04 - 07.06		FR 7 MPP 10				
				08.06 - 07.07		FR 7 NI 33				
04.04 - 07.10	2.4	125-125	B5244S4			FGR 6 NQE 0				
08.07 →	2.5	169	B5254T7			FR 7 NI 33				
V70										
01.97 - 03.00	2.3	176	B5234T3			FR 7 DPP+				
	2.4	121	B5254S			FGR 7 DQE+			F1-4	
		142	B5254T			FR 7 DPP+				
V70 II										
03.00 - 07.03	2.4	147	B5244T3			FR 7 DPP+				
03.00 - 07.04	2.3	184	B5234T3			FR 7 DPP+				
03.00 - 07.07	2.4	125	B5244S			FGR 7 DQE+			F1-4	
03.03 - 07.07	2.5	220	B5254T4			FR 7 MPP 10				
04.04 - 07.07	2.5	154	B5254T2			FR 7 DPP+				
V70 III										
08.07 - 07.10	3.0	210	B6304T2			FR 7 NI 33				
			Chass.no → 167000							
V90										
01.97 - 07.98	2.9	132				FR 7 DC+	FR 7 DP	F1-6		
		150	B6304S			FGR 7 DQE+			F1-6	
XC60										
03.09 - 07.10	3.0	210	B6304T2			FR 7 NI 33				
			Chass.no → 134999							
08.10 →	3.2	175	B6324S4			FR 7 NI 33				
			Chass.no → 134999							
XC70										
08.02 - 07.07	2.5	154	B5254T2			FR 7 DPP+				
08.04 - 07.07	2.4	147-147	B5244T4			FR 7 MPP 10				
XC70 II										
08.07 - 07.10	3.2	175	B6324S			FR 7 NI 33				
XC90										
10.02 →	2.5	154	B5254T2			FR 7 DPP+				
01.03 - 07.06	2.9	200	B6294T			FR 7 DPP+				
03.05 - 12.10	4.4	232	B8444S			FR 7 KPP 33 U+				
08.06 - 07.10	3.2	175	B6324S			FR 7 NI 33				

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					
◀ VOLVO							Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾
08.10→	3.2	179	B6324S5 Chass.no →568000			FR 7 NI 33			
140 Series									
08.70 - 07.73	2.0	74	B20B			WR 6 BC			
08.73 - 07.74	2.0	91	B20E			WR 5 BC			
164									
05.69 - 12.72	3.0	96	B30A			WR 6 BC			
164E									
09.71 - 07.74	3.0	118	B30E			WR 5 BC			
240 Series									
03.75 - 10.80	2.1	90	B21E			WR 6 DC+	WR 6 DP		
10.78 - 07.84	2.1	74-80	B21A			WR 7 DC+	WR 7 DP	F6-4	
01.81 - 07.84	2.3	91-103	B23E			WR 6 DC+	WR 6 DP	F14-4	
01.85 - 02.86	2.3	95-96	B230E			WR 6 DC+	WR 6 DP	F14-4	
03.86 - 07.88	2.3	85	B230F Kat.			WR 7 DC+	WR 7 DP	F6-4	
08.88 - 12.91	2.3	84	B230F Kat.			WR 7 DC+	WR 7 DP	F6-4	
08.91 - 07.93	2.3	100	B230F			WR 7 DC+	WR 7 DP	F6-4	
360									
01.84 - 07.84	2.0	83-86	B19E			WR 6 DC+	WR 6 DP	F14-4	
01.85 - 12.88	2.0	86	B200E			WR 7 DC+	WR 7 DP	F6-4	
440									
10.93 - 12.96	2.0	80	B20F Kat.			WR 7 DC+	WR 7 DP	F6-4	
740									
08.84 - 07.89	2.3	130	B230ET			WR 7 DC+	WR 7 DP		
08.84 - 07.91	2.3	96	B230E			WR 6 DC+	WR 6 DP	F14-4	
08.84 - 10.91	2.3	114-119	B230FT Kat.			WR 7 DC+	WR 7 DP		
08.84 - 07.92	2.3	85-87	B230F Kat.			WR 7 DC+	WR 7 DP	F6-4	
04.88 - 07.90	2.3	111-117	B234F Kat.			WR 6 DC+	WR 6 DP	F14-4	
08.89 - 07.91	2.3	114-121	B230FT Kat.			WR 7 DC+	WR 7 DP		
760									
02.83 - 12.85	2.8	115	B28E			HR 6 DC+			
					ELK		HR 6 DP		
01.86 - 04.86	2.8	100	B28F Kat.			HR 6 DC+			
					ELK		HR 6 DP		
05.86 - 11.90	2.8	105	B280F Kat.			HR 6 DC+			
					ELK		HR 6 DP		
760 Turbo									
01.84 - 07.84	2.3	127	B23FT			WR 6 DC+	WR 6 DP		
08.84 - 12.85	2.3	134	B230ET			WR 7 DC+	WR 7 DP		
850									
09.91 - 07.97	2.4	125	B5254S Kat.			FGR 7 DQE+			F1-4
09.92 - 07.97	2.4	103-106	B5252S Kat.			FGR 7 DQE+			F1-4
09.93 - 07.96	2.3	166	B5234FT Kat.			FR 7 DPP+			
08.95 - 07.97	2.3	166-184	B5234T5			FR 7 DPP+			
09.96 - 07.97	2.4	140-142	B5254T Kat.			FR 7 DPP+			

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

					Type					
							Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾	
940										
12.90 - 07.92	2.3	114	B234F Kat.			WR 6 DC+	WR 6 DP	F14-4		
12.90 - 12.93	2.3	121-151	B230FT Kat.			WR 7 DC+	WR 7 DP			
06.91 - 07.95	2.3	96-99	B230F Kat.			WR 7 DC+	WR 7 DP	F6-4		
05.95 - 12.96	2.3	99	B230FK Kat.			WR 7 DC+	WR 7 DP			
960										
09.90 - 07.91	2.8	110	B280F Kat.			HR 6 DC+				
12.91 - 02.97	3.0	150	B6304FS Kat.			ELK	HR 6 DP			
						FR 7 DC+	FR 7 DP	F1-6		
VW (VOLKSWAGEN)										
Amarok										
2H	12.10→	2.0	118	CFPA <DF0>		FR 5 KPP 332 S				
Bora										
1J2	09.98 - 02.01	2.3	110	AGZ		FGR 8 KQE				
	09.98 - 05.05	2.0	85	APK		FR 7 LDC+			F1-4	
	01.00 - 04.01	2.8	150	AUE		FR 7 HPP 33+				
1J6	05.00 - 02.01	2.3	110	AGZ		FGR 8 KQE				
1J2	09.00 - 05.05	2.3	125	AQN		FR 7 HPP 33+				
	05.01 - 05.05	2.8	150	BDE		FR 7 HPP 33+				
Bus										
24, 25	08.85 - 07.92	2.1	70	MV		WR 7 CC	WR 7 CP			
Caddy										
2K	06.04→	1.6	75	BGU		FR 7 LDC+			F1-4	
California										
7H	06.03 - 11.09	2.0	85	AXA <MOR>		FR 7 LDC+				
Caravelle										
256	06.87 - 12.91	2.1	82	DJ		WR 7 DC+	WR 7 DP			
70, 7D	09.90 - 06.03	2.0	62	AAC		WR 8 LTC+				
	11.90 - 12.93	2.5	81	AAF		WR 8 LTC+				
	07.94 - 10.96	2.5	81	ACU		WR 8 LTC+				
	08.96 - 06.03	2.5	85	AET		WR 8 LTC+				
	05.00 - 06.03	2.8	150	AMV		FR 7 HPP 33+				
Eos										
1F7	05.06 - 11.10	2.0	147	BWA <D2L>		FR 5 KPP 332 S				
	05.08 - 11.09	2.0	147	CAWB <D2L>		FR 5 KPP 332 S				
	11.09 - 11.10	2.0	155	CCZB <D2D>		FR 5 KPP 332 S				
Golf										
17	03.76 - 07.77	1.6	55	FP		WR 7 DC+	WR 7 DP			
	03.76 - 07.79	1.6	55	FN		WR 7 DC+	WR 7 DP			
Golf Cabriolet										
15	07.90 - 08.93	1.8	70	JH		WR 7 LTC+			F6-4	

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					
						Standard ^{1) 2)}	Premium ¹⁾	Performance ³⁾	
Golf II									
19, 1G 07.90 - 11.92 1.8 77 RV									
							WR 7 DP	F6-4	
Golf III									
1H1	04.94 - 09.94	2.0	85	2E		WR 7 LTC+			F6-4
	04.94 - 12.97	2.8	128	AAA		FGR 8 KQE			
	10.94 - 12.97	2.0	85	ADY		WR 7 LTC+			F6-4
1E7	02.95 - 07.95	2.0	85	ADY		WR 7 LTC+			F6-4
	07.95 - 04.98	2.0	85	AGG		WR 7 LTC+			F6-4
1H1	10.95 - 12.97	1.8	66	ADZ		WR 7 LTC+			F6-4
Golf IV									
1J1	10.97 - 10.00	1.8	92	AGN		FR 7 LDC+			F1-4
	10.97 - 05.03	1.8	110	AGU		FR 7 KPP 33+			
	10.97 - 05.04	1.6	74	AKL		FR 7 LDC+			F1-4
	01.98 - 05.04	1.6	74	AEH		FR 7 LDC+			F1-4
1E7	04.98 - 12.01	2.0	85	AGG		WR 7 LTC+			F6-4
1J1	08.98 - 05.04	2.0	85	APK		FR 7 LDC+			F1-4
	12.98 - 09.00	2.0	85	AEG		FR 7 LDC+			F1-4
	09.00 - 05.04	1.6	75	AVU		FR 7 LDC+			F1-4
	07.03 - 02.04	2.0	85	APK		FR 7 LDC+			F1-4
1J1	10.03 - 05.04	3.2	177	BML		YR 7 LPP 332 W			
Golf V									
1K1	01.04 - 07.07	1.6	75	BGU		FR 7 LDC+			F1-4
	08.04 - 11.05	2.0	110	BLX		FR 7 HPP 332 W			
	09.04 - 11.05	2.0	147	AXX <TFSI>		FR 5 KPP 332 S			
	11.05 - 05.07	3.2	184	BUB		YR 7 LPP 332 W			
	11.05 - 11.08	1.4	125	BLG		FR 6 HI 332			
		2.0	110	BVY		FR 7 HPP 332 W			
1K5	05.07 - 03.09	2.0	147	BWA <TFSI>		FR 5 KPP 332 S			
Golf VI									
5K1	10.08 →	1.4	90	CAXA <D4X>		FR 6 HI 332			
			118	CAVD <D4L>		FR 6 HI 332			
	05.09 →	1.2	77	CBZB <DB0>		FR 6 HI 332			
Golf VI GTI									
5K1	04.09 →	2.0	155	CCZB <D2D>		FR 5 KPP 332 S			
Golf VI R									
5K1	11.09 →	2.0	188	CDLC <D81>		FR 5 KPP 332 S			
Golf VI Variant									
AJ5	06.09 →	1.4	90	CAXA <D4X>		FR 6 HI 332			
	07.09 →	1.4	118	CAVD <D4L>		FR 6 HI 332			
Jetta									
1K2	08.05 - 11.05	2.0	110	BLR		FR 7 HPP 332 W			
	09.05 - 10.10	2.0	147	BWA <D2L>		FR 5 KPP 332 S			
	10.05 - 11.05	2.0	110	BLY		FR 7 DE 2			
1K6	03.06 →	2.0	110	BVX		FR 7 HPP 332 W			
			147	AXX		FR 5 KPP 332 S			
1K2	04.08 - 10.10	2.0	147	CCTA <D2L>		FR 5 KPP 332 S			
	07.08 - 10.10	1.4	118	CAVD <D4L>		FR 6 HI 332			

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

				Type					
								Standard ^{1) 2)}	Premium ¹⁾
Jetta V									
1K6	03.06→	2.0	110	BVZ		FR 7 DE 2			
Jetta VI									
162	04.11→	1.4	118	CAVD <D4L>		FR 6 HI 332			
Karmann Ghia 1.2									
141,142,143, 08.60 - 12.64 144		1.2	25	D		WR 7 AC	WR 7 AP		
Karmann Ghia 1.3									
343,344,345, 08.65 - 07.69 346	1.3	27	E			WR 7 AC	WR 7 AP		
		29	F			WR 7 AC	WR 7 AP		
Karmann Ghia 1.5									
34	08.69 - 07.70	1.5	33	H		WR 8 AC	WR 8 AP		
Karmann Ghia 1.6									
34	08.70 - 07.71	1.6	36	AD		WR 8 AC	WR 8 AP		
Microbus									
	10.68 - 09.74	1.6	37	CZ		WR 7 DC+	WR 7 DP		
	01.75 - 12.83	2.0	51,5	CU		WR 7 CC	WR 7 CP		
Multivan									
7H	05.03 - 11.09	3.2	173	BKK		YR 7 LPP 332 W			
New Beetle									
1C1, 9C1	01.98 - 10.01	2.0	85	AEG		FR 7 LDC+		F1-4	
	11.98 - 06.05	2.0	85	AQY		FR 7 LDC+		F1-4	
	06.00 - 06.04	1.8	110	AWV		FR 7 KPP 33+			
	06.00 - 06.05	1.6	75	AYD		FR 7 LDC+		F1-4	
	10.00 - 12.10	1.8	110	AWU <MG8>		FR 7 KPP 33+			
	06.01 - 09.10	2.0	85	AZJ <MR4>		FR 7 HPP 33+			
	06.02 - 12.10	1.6	75	BFS <MW6>		FR 7 LDC+		F1-4	
1Y7	01.03 - 06.06	2.0	85	BGD		FR 7 KPP 33+			
New Beetle Cabriolet									
1Y7	01.03 - 09.10	2.0	85	AZJ <MR4>		FR 7 HPP 33+			
Passat									
32/33	07.73 - 08.75	1.5	63	ZC		WR 5 DC+	WR 5 DP		
32, 33	06.74 - 12.76	1.5	55	ZB		WR 6 DC+	WR 6 DP		
	06.74 - 12.81	1.3	44	ZF		WR 7 DC+	WR 7 DP		
32/33	08.75 - 07.80	1.6	63	YP		WR 7 DC+	WR 7 DP		
	02.76 - 07.79	1.6	53	FS		WR 7 DC+	WR 7 DP		
312,351,3A2	07.95 - 03.97	2.0	85	AGG		WR 7 LTC+		F6-4	
	08.95 - 03.97	2.8	128	AAA		FGR 8 KQE			
3B2	10.96 - 11.00	1.8	110	AEB		FR 7 LDC+			
		2.3	110	AGZ		FGR 8 KQE			
	12.96 - 01.99	1.8	92	ADR		FR 7 LDC+		F1-4	
	01.97 - 11.00	2.8	142	ACK		FGR 7 DQE+		F1-6	
	06.97 - 11.00	2.8	142	ALG		FGR 7 DQE+		F1-6	

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)²⁾ Original equipment (or) equivalent recommendation³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

◀ VW								Standard ^{1) 2)}	Premium ¹⁾
3B5	06.97 - 11.00	2.8	142	ACK			FGR 7 DQE+		F1-6
				ALG			FGR 7 DQE+		F1-6
	09.97 - 11.00	2.3	110	AGZ			FGR 8 KQE		
3B2	08.98 - 11.00	1.8	110	ANB			FR 7 KPP 33+		
	01.99 - 11.00	1.8	92	APT			FR 7 LDC+		F1-4
			110	APU			FR 7 KPP 33+		
3B5	01.99 - 11.00	1.8	92	APT			FR 7 LDC+		F1-4
			110	ANB			FR 7 KPP 33+		
				APU			FR 7 KPP 33+		
3B2	02.99 - 11.00	1.8	92	ARG			FR 7 LDC+		F1-4
3B5	02.99 - 11.00	1.8	92	ARG			FR 7 LDC+		F1-4
3B3	10.00 - 05.05	1.8	110	AWT			FR 7 KPP 33+		
		2.3	125	AZX			FR 7 HPP 33+		
		2.8	140	BBG			FGR 7 DQE+		F1-6
			142	AMX			FGR 7 DQE+		F1-6
	05.02 - 09.04	4.0	202	BDN			FR 7 HPP 33+		
3C2	11.05 - 02.08	2.0	147	BWA			FR 5 KPP 332 S		
3C5	11.05 - 02.08	2.0	147	BWA			FR 5 KPP 332 S		
3C2	05.08 - 07.10	1.8	118	BZB <D67>			FR 5 KPP 332 S		
Passat Variant									
3C5	05.07 - 11.10	1.8	118	BZB <D67>			FR 5 KPP 332 S		
Passat 1.8 FSI									
362	08.10 →	1.8	118	CDAA <D67>			FR 5 KPP 332 S		
Passat 1.8 FSI Variant									
365	08.10 →	1.8	118	CDAA <D67>			FR 5 KPP 332 S		
Polo									
6N1	10.96 - 12.99	1.6	55	AEE			WR 7 LTC+		F6-4
6N2	01.99 - 09.01	1.4	55	AHW			FR 7 LDC+		F1-4
9N1	09.01 - 05.04	1.4	55	BBY		AG	FR 7 HPP 33+		
					GS		FR 7 LDC+		F1-4
	06.03 →	1.6	74	BCD <EA113>			FR 7 DE 2		
9N2	07.03 - 05.07	1.4	55	BBY			FR 7 HPP 33+		
9N3	04.05 - 05.07	1.4	74	BBZ			FR 7 LDC+		F1-4
	09.05 - 11.09	1.8	110	BJX			FR 7 KPP 33+		
	05.06 - 12.09	1.4	59	BUD			FR 7 HC+		
		1.6	77	BTS			FR 7 HC+		
	08.06 →	1.6	74	BAH <EA111>			FR 7 LDC+		
6R1	06.09 →	1.2	77	CBZB <DB0>			FR 6 HI 332		
		1.4	63	CGGB <D22>			FR 7 HC+		
Polo GTI									
6R1	05.10 →	1.4	132	CAVE <D32>			FR 6 HI 332		
Scirocco R									
137	11.09 →	2.0	188	CDLC <D81>			FR 5 KPP 332 S		
Tiguan									
5N1	11.07 - 05.11	2.0	147	CCTA <D2L>			FR 5 KPP 332 S		
5N2	05.11 →	1.4	118	CAVD <D4L>			FR 6 HI 332		

1) Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

2) Original equipment (or) equivalent recommendation

3) Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable

					Type					Platinum
										Platinum Performance
Tiguan 4Motion										
5N1	11.07 - 11.09	2.0	147	CAWB <D2L>		FR 5 KPP 332 S				
	03.08 - 11.09	2.0	125	CAWA <D6G>		FR 5 KPP 332 S				
	11.09 - 05.11	2.0	125	CCZC <D6G>		FR 5 KPP 332 S				
			147	CCZA <D2L>		FR 5 KPP 332 S				
5N2	05.11 →	2.0	132	CCZD <D64>		FR 5 KPP 332 S				
			155	CCZB <D2D>		FR 5 KPP 332 S				
Touareg										
7LA	11.02 - 05.04	3.2	162	AZZ		YR 7 LPP 332 W				
	12.02 - 11.06	4.2	228	AXQ		FGR 7 KQE 0				
	04.03 - 11.06	4.2	228	BHX		FGR 7 KQE 0				
	05.04 - 11.06	3.2	162	BMV		YR 7 LPP 332 W				
Transporter										
21-27	05.73 - 07.73	1.7	49	CA		WR 8 CC	WR 8 CP			
	01.74 - 07.75	1.8	50	AP		WR 8 CC	WR 8 CP			
	08.75 - 07.77	2.0	51	GD		WR 8 CC	WR 8 CP			
	11.75 - 04.79	2.0	51	CJ		WR 8 CC	WR 8 CP			
24, 25	01.83 - 07.85	1.9	60	DH		WR 7 CC	WR 7 CP			
	07.85 - 07.92	2.1	82	DJ		WR 7 DC+	WR 7 DP			
	08.85 - 07.92	2.1	70	MV		WR 7 CC	WR 7 CP			
70, 7D	09.90 - 06.03	2.0	62	AAC		WR 8 LTC+				
	11.90 - 12.93	2.5	81	AAF		WR 8 LTC+				
	01.94 - 10.96	2.5	81	ACU		WR 8 LTC+				
	08.96 - 06.03	2.5	85	AET		WR 8 LTC+				
7H	05.03 - 11.09	3.2	173	BKK		YR 7 LPP 332 W				
	06.03 - 11.09	2.0	85	AXA <MOR>		FR 7 LDC+				
Type 3										
3	08.71 - 07.73	1.6	40	T U		WR 8 AC	WR 8 AP			
						WR 8 AC	WR 8 AP			
up!										
121	12.11 →	1.0	55	CHYB		Y 6 LER 02				
Vento										
1H2	07.95 - 03.97	2.0	85	AGG		WR 7 LTC+				F6-4

¹⁾ Retail blister pack also available, refer to page A24 for direct cross reference (eg. WR8DC+ = SP8-6 multipack blister)

²⁾ Original equipment (or) equivalent recommendation

³⁾ Performance Platinum-Ir Fusion currently only available in retail blister pack option, Double Platinum performance option listed where Fusion not applicable



V

Cross Reference

Notes for users

The following catalogue selection lists part numbers of non-Bosch equipment where interchangeable Bosch products are available.

As a wide range of different designation systems are used, the non-Bosch part numbers are arranged in a uniform, alphabetical order. This may differ from the order employed by some manufacturers. Re-conversion of Bosch numbers back to the numbers of other manufacturers is not permitted.



AC DELCO	Bosch-Nr.	AC DELCO	Bosch-Nr.	AC DELCO	Bosch-Nr.
CFR 1CLS	FR 7 DC+	R 41-5TS	HR 6 BC	R 44XLS	WR 9 DP
CFR 1CLS	FR 7 DP	R 42CF	WR 5 AC	R 44XLS-11	WR 8 DCX+
CFR 2CLS	FR 7 DC+	R 42CF	WR 5 AP	R 44XLS-11	WR 8 DPX
CFR 2CLS	FR 7 DCX+	R 42CFS	WR 6 BC	R 44XLS5	WR 9 DPX
CFR 2CLS	FR 7 DPX+	R 42CLTS	HR 7 DC+	R 44XLS6	WR 9 DPX
CR 41CXLS	WR 6 DC+	R 42CLTS	HR 7 DP	R 45LTS6	HR 9 DCY+
CR 41CXLS	WR 6 DP	R 42CLTS6	HR 7 DCX+	R 45LTS6	HR 9 DPY
CR 42CFS	WR 7 BC+	R 42CT	HR 6 BC	R 45LTS6K	HR 9 DCY+
CR 42CFS	WR 7 BP	R 42CTS	HR 6 BC	R 45LTS6K	HR 9 DPY
CR 42CTS	HR 6 BC	R 42CXLS	WR 7 DC+	R 45N *	WR 8 CP
CR 42CXLS	WR 7 DC+	R 42CXLS	WR 7 DP	R 45NS	WR 9 DC+
CR 42CXLS	WR 7 DP	R 42F	WR 5 AC	R 45NS	WR 9 DP
CR 42CXLSX	WR 7 DCX+	R 42F	WR 5 AP	R 45NSX	WR 9 DCX+
CR 42XLS	WR 7 DC+	R 42FS *	WR 6 BC	R 45NSX	WR 9 DPX
CR 42XLS	WR 7 DP	R 42LTS	HR 6 DC+	R 45TS	HR 9 BPX
CR 42XLSX	WR 7 DCX+	R 42LTS	HR 6 DP	R 45TSX	HR 9 BPX
CR 425FS	WR 7 BC+	R 42LTS6	HR 7 DCX+	R 45XL	WR 8 CC
CR 425FS	WR 7 BP	R 42T	HR 6 BC	R 45XL	WR 8 CP
CR 43CXLS	WR 9 DC+	R 42TS	HR 6 BC	R 45XLS	WR 9 DC+
CR 43N	WR 8 CC	R 42TS *	HR 8 BC	R 45XLS	WR 9 DP
CR 43TS	HR 8 BC	R 42XLS	WR 7 DC+	R 45XLS6	WR 9 DPX
CR 44N	WR 8 CP	R 42XLS	WR 7 DP	R 46N *	WR 8 CP
CR 44NS	WR 6 DC+	R 42XLS 11	WR 7 DCX+	R 46S *	WR 10 FC
CR 44NS	WR 6 DP	R 42XLS6	WR 7 DCX+	R 46TS	HR 9 BPX
C 41CXLS	WR 6 DC+	R 42XLS6	WR 7 DPX	R 46TSX	HR 9 BPX
C 41CXLS	WR 6 DP	R 425FS	WR 7 BC+	R 46XLS	WR 9 DC+
C 42CFS	WR 7 BC+	R 42.6FS	WR 7 BC+	R 46XLS	WR 9 DP
C 42CLTS	HR 6 DC+	R 42.6FS	WR 7 BP	R 47S *	WR 10 FC
C 42CLTS9	HR 6 DC+	R 43CFS	WR 7 BC+	R 83CTS	DR 7 BC
C 42CXLS	WR 6 DC+	R 43CFS	WR 7 BP	R 83TS	DR 7 BC
C 42CXLS	WR 6 DP	R 43CTS	HR 8 BC	S 41XL	WR 4 CC
C 42LTS	HR 6 DC+	R 43CXL	WR 7 CC	S 41XL	WR 4 CP
C 42N	W 5 CC	R 43CXL	WR 7 CP	S 43XL	W 5 CC
C 42XLS	WR 7 DC+	R 43CXLS	WR 9 DC+	S 44F	WR 8 AP
C 42XLS	WR 7 DP	R 43CXLS	WR 9 DP	S 44XL	WR 8 CC
C 43CXLS	WR 9 DC+	R 43FS	WR 7 BC+	S 44XL	WR 8 CP
C 43N	WR 8 CC	R 43FS	WR 7 BP	12622561	HR 7 NI 332 W
C 44N	WR 8 CP	R 43N	WR 8 DC+	25 108 074	FR 7 DC+
C 44NS	WR 6 DC+	R 43N	WR 8 DP	25 108 074	FR 7 DCX+
C 44NS	WR 6 DP	R 43TS	HR 8 BC	25 108 074	FR 7 DPX+
C 44XL	WR 6 CC	R 43TSK	HR 8 BC	349 6291	WR 7 DCX+
C 44XL	WR 7 CC	R 43TSX	HR 8 BPX	41XL	WR 4 CC
C 44XL	WR 7 CP	R 43XL	WR 7 CC	41XL	WR 4 CP
FR 1LS	FR 7 DC+	R 43XL	WR 7 CP	41 XLS	WR 6 DC+
FR 1LS	FR 7 DP	R 43XLS	WR 9 DC+	41 XLS	WR 6 DP
FR 2LS	FR 7 DCX+	R 43XLS	WR 9 DP	41-109	HR 7 NI 332 W
FR 2LS	FR 7 DPX+	R 44CF	WR 8 AC	412 XLS	WR 5 DC+
FR 3CLS	FR 8 DC+	R 44CXL	WR 8 CC	41-8XL	W 5 CC
FR 3CLS	FR 8 DP	R 44CXL	WR 8 CP	418 XLS	WR 7 DC+
FR 3LS	FR 8 DC+	R 44CXLS	WR 9 DC+	418 XLS	WR 7 DP
FR 3LS	FR 8 DP	R 44CXLS	WR 9 DP	41-948	HR 8 DPP 22 U
FR 4LE	FR 9 HP	R 44F	WR 8 AC	41-954	HLR 8 STEX
MR 42FF	WR 7 AC	R 44FF	WR 8 AC	41-974	HR 9 LPP 22 Y
M 42FF	WR 7 AC	R 44LTS6	HR 9 DCY+	42F	WR 5 AC
M 42FF	WR 7 AP	R 44LTS6	HR 9 DPY	42F	WR 5 AP
M 45FF	WR 8 AP	R 44N	WR 8 CP	42FF	WR 7 AC
R 41CXL	WR 4 CC	R 44TS	HR 9 BC+	42FF	WR 7 AP
R 41CXLS	WR 5 DC+	R 44TS	HR 9 BPX	42FS	WR 6 BC
R 41XL	WR 4 CC	R 44TSX	HR 9 BCY+	42 LTS	HR 6 DC+
R 41XLS	WR 5 DC+	R 44TSX	HR 9 BPY	42 LZ	WR 7 AC
R 41XLS-11	WR 5 DC+	R 44XL	WR 8 CC	42 LZ	WR 7 AP
R 41-4XLS	WR 6 DC+	R 44XL	WR 8 CP	42XL	W 5 CC
R 41-4XLS	WR 6 DP	R 44XLS	WR 9 DC+	42 XLS	WR 7 DC+



AC DELCO	Bosch-Nr.	AUTOLITE	Bosch-Nr.	BERU	Bosch-Nr.
42 XLS	WR 7 DP	394	WR 8 CP	D 230/14/3A	WR 5 DC+
420 Z	WR 8 AP	395	WR 8 CP	RS 16	WR 5 BC
422 Z	WR 8 AP	396	WR 8 CP	Z 1	WR 8 DC+
42-5F	WR 8 AP	397	WR 8 CP	Z 1	WR 8 DP
425 Z	WR 8 AP	404	WR 8 DC+	Z 10	WR 7 BC+
42-6FS	WR 7 BC+	404	WR 8 DP	Z 100	FR 8 DC+
43F	WR 8 AP	413	WR 5 AC	Z 100	FR 8 DP
43FS	WR 8 BC+	413	WR 5 AP	Z 11	WR 7 DC+
43FS	WR 8 BP	414	WR 7 AC	Z 11	WR 7 DP
43N	WR 8 CC	414	WR 7 AP	Z 12	WR 7 DC+
43N	WR 8 CP	415	WR 8 AP	Z 12	WR 7 DP
43XL	W 5 CC	416	WR 8 AP	Z 122	FR 8 DPP 33+
43 XLS	WR 9 DC+	44	DR 7 BC	Z 127	HGR 7 KQC
430 Z	WR 5 AC	46	DR 10 BC	Z 14	FR 7 LDC+
430 Z	WR 5 AP	53	WR 6 DC+	Z 148	HR 8 DPP 15 V
435 XLS	WR 8 DC+	53	WR 6 DP	Z 15	FR 7 DC+
435 XLS	WR 8 DP	55	WR 8 DC+	Z 15	FR 7 DP
44F	WR 8 AP	55	WR 8 DP	Z 16	FR 7 DC+
44N	WR 8 CP	56	WR 8 DC+	Z 16	FR 7 DCX+
44NS	WR 6 DC+	56	WR 8 DP	Z 16	FR 7 DPX+
44NS	WR 6 DP	565	HR 9 BPX	Z 17	HR 7 DC+
44TS	HR 9 BPX	64	WR 7 DCX+	Z 17	HR 7 DP
44XL	WR 8 CC	64	WR 7 DPX	Z 177	HR 8 MCV+
44XL	WR 8 CP	646	WR 9 DPX	Z 18	HR 7 DC+
44 XLS	WR 9 DC+	65	WR 8 DC+	Z 18	HR 7 DP
45F	WR 8 AP	65	WR 8 DP	Z 188	FR 7 DPP 332
45FF	WR 8 AP	66	WR 8 DC+	Z 19	WR 7 BC+
45N	WR 8 CP	66	WR 8 DP	Z 193	FR 7 DC+
45NS	WR 9 DC+	665	HR 9 BPY	Z 193	FR 7 DP
45TS	HR 9 BPX	666	HR 9 BPY	Z 2	WR 8 DCX+
45XL	WR 8 CC	725	HR 8 BC	Z 2	WR 8 DPX
45XL	WR 8 CP	725	HR 8 BPX	Z 20	WR 7 DC+
45 XLS	WR 9 DC+	726	HR 9 BP	Z 20	WR 7 DP
46N	WR 8 CP	746	DR 10 BC	Z 200	FR 7 HC+
46XL	WR 8 CP	747	DR 10 BC	Z 208	FLR 8 LDCU+
47XL	WR 8 CP	764	HR 7 DC+	Z 21	WR 7 DCX+
		764	HR 7 DP	Z 210	UR 6 DE
		765	HR 7 DC+	Z 22	WR 6 DC+
AUTOLITE	Bosch-Nr.	765	HR 7 DP	Z 22	WR 6 DP
103	HR 6 DC+	86	WR 10 FC	Z 221	FR 6 KPP 33 X+
103	HR 6 DP	87	WR 10 FC	Z 224	FR 7 DC+
106	HR 9 DC			Z 224	FR 7 DP
				Z 225	FR 7 HC0 X
15	HR 9 BP	BAKONY	Bosch-Nr.	Z 227	FQR 8 DE
16	HR 9 BP	BL 4P	WR 6 DC+	Z 228	FR 7 KPP 33 U+
23	HR 6 BC	BL 4P	WR 6 DP	Z 23	FR 6 DC+
24	HR 8 BC	FE65P	WR 7 DC+	Z 233	ZQR 8 SI 302
25	HR 8 BC	FE65P	WR 7 DP	Z 234	YR 7 DC+
26	HR 9 BP			Z 235	FR 7 NPP 332
273	WR 6 BC			Z 237	FGR 7 DQP+
274	WR 7 BC+			Z 239	FGR 7 KQE 0
275	WR 8 BC+			Z 24	FR 6 DC+
275	WR 8 BP			Z 243	VR 8 SC+
284	WR 7 BC+	BERU	Bosch-Nr.	Z 25	HR 6 DC+
284	WR 7 BP	D 175/14	WR 7 AC	Z 26	HR 6 DC+
36	DR 10 BC	D 175/14	WR 7 AP	Z 27	WR 6 DC+
3923	FR 7 LDC+	D 175/14/3	WR 6 CC	Z 27	WR 6 DP
3924	FR 8 DCX+	D 175/14/3		Z 288	ZR 7 SI 332 S
3924	FR 8 DPX	D 175/14/3	WR 7 CC	Z 29	FR 5 DC
393	WR 6 CC	D 175/14/3	WR 7 CP	Z 3	WR 8 LC+
393	WR 7 CC	D 200/14/3A	WR 6 DC+	Z 30	FR 5 DC
393	WR 7 CP	D 200/14/3A	WR 6 DP	Z 30	FR 5 DP
394	WR 8 CC	D 215/14/3	WR 5 DC+	Z 31	HR 5 DC



A

BERU	Bosch-Nr.	BERU	Bosch-Nr.	BERU	Bosch-Nr.
Z 38	W 3 CC	0 001 330 702	WR 8 DC+	0 001 345 703	FR 5 DC
Z 38	WR 3 CC	0 001 330 702	WR 8 DP	0 001 345 704	WR 5 DC+
Z 38	WR 3 CP	0 001 330 704	WR 8 DCX+	0 001 345 717	WR 5 DC+
Z 4	FR 8 LC	0 001 330 704	WR 8 DPX	0 001 346 400	WR 5 DC+
Z 40	WR 5 AC	0 001 330 707	FR 8 DC+	0 001 347 901	W 5 DP 0
Z 40	WR 5 AP	0 001 330 707	FR 8 DP	0 001 348 301	WR 4 CC
Z 41	WR 5 BC	0 001 330 709	WR 8 DCX+	0 001 348 302	WR 4 CC
Z 42	WR 5 DC+	0 001 330 709	WR 8 DPX	0 001 352 300	W 3 CC
Z 43	WR 5 DC+	0 001 330 713	WR 8 DC+	0 001 352 300	WR 3 CC
Z 44	WR 5 DC+	0 001 330 713	WR 8 DP	0 001 352 300	WR 3 CP
Z 47	WR 5 DC+	0 001 330 717	FR 8 LC	0 001 352 306	W 3 CC
Z 48	WR 6 BC	0 001 330 718	WR 8 LC+	0 001 352 306	WR 3 CC
Z 49	HR 6 BC	0 001 330 726	WR 8 DC+	0 001 352 306	WR 3 CP
Z 51	WR 6 DC+	0 001 330 726	WR 8 DP	0 001 353 900	W 3 DP 0
Z 51	WR 6 DP	0 001 330 780	FQR 8 DE	0 001 355 700	W 3 CC
Z 52	FR 6 DC+	0 001 330 904	FR 8 DPP 33+	0 001 355 700	WR 3 CC
Z 54	FR 6 DC+	0 001 332 300	WR 6 CC	0 001 355 700	WR 3 CP
Z 55	HR 6 DC+	0 001 332 300	WR 7 CC	0 001 356 300	W 3 CC
Z 56	HR 6 DC+	0 001 335 301	WR 6 CC	0 001 356 300	WR 3 CC
Z 57	WR 7 AC	0 001 335 301	WR 7 CC	0 001 356 300	WR 3 CP
Z 58	WR 6 CC	0 001 335 303	WR 6 CC	0 001 429 400	WR 8 BC+
Z 58	WR 7 CC	0 001 335 303	WR 7 CC	0 001 435 301	WR 7 AC
Z 59	WR 7 CC	0 001 335 305	WR 7 CC	0 001 435 302	WR 7 AC
Z 6	HR 8 DC+	0 001 335 401	WR 7 DC+	0 001 435 401	WR 7 BC+
Z 60	FGR 7 DQE+	0 001 335 401	WR 7 DP	0 001 435 700	WR 7 BC+
Z 61	WR 7 DC+	0 001 335 403	WR 7 DC+	0 001 435 701	WR 7 AC
Z 61	WR 7 DP	0 001 335 403	WR 7 DP	0 001 435 703	WR 7 AC
Z 62	WR 7 DC+	0 001 335 700	WR 7 DC+	0 001 435 705	WR 7 AC
Z 62	WR 7 DP	0 001 335 700	WR 7 DP	0 001 435 705	WR 7 AP
Z 63	FR 7 DC+	0 001 335 702	WR 7 DC+	0 001 435 900	WR 5 BC
Z 63	FR 7 DP	0 001 335 702	WR 7 DP	0 001 438 300	WR 7 AC
Z 64	FR 7 DC+	0 001 335 707	WR 6 CC	0 001 440 400	WR 6 BC
Z 64	FR 7 DP	0 001 335 707	WR 7 CC	0 001 440 401	WR 6 BC
Z 67	HR 7 DCX+	0 001 335 707	WR 7 CP	0 001 440 700	WR 6 BC
Z 69	WR 8 DC+	0 001 335 709	WR 7 DC+	0 001 445 300	WR 5 AC
Z 69	WR 8 DP	0 001 335 709	WR 7 DP	0 001 445 300	WR 5 AP
Z 7	HR 8 DC+	0 001 335 710	FR 7 DC+	0 001 445 301	WR 5 AC
Z 70	WR 8 DC+	0 001 335 710	FR 7 DP	0 001 445 301	WR 5 AP
Z 70	WR 8 DP	0 001 335 714	WR 7 DC+	0 001 445 401	WR 5 BC
Z 71	FR 8 DC+	0 001 335 714	WR 7 DP	0 001 445 700	WR 5 BC
Z 71	FR 8 DP	0 001 335 723	WR 7 DC+	0 001 445 702	WR 5 AC
Z 72	FR 8 DC+	0 001 335 723	WR 7 DP	0 001 445 702	WR 5 AP
Z 72	FR 8 DP	0 001 335 729	FR 7 DC+	0 001 625 702	HR 9 DC
Z 73	FR 8 DCX+	0 001 335 729	FR 7 DP	0 001 625 703	HR 9 DC
Z 73	FR 8 DPX	0 001 335 732	FR 7 LDC+	0 001 630 700	HR 8 DC+
Z 74	FLR 8 LDCU+	0 001 335 742	FR 7 HC+	0 001 630 703	HR 8 DC+
Z 8	WR 8 DC+	0 001 340 401	WR 6 DC+	0 001 630 704	HR 8 DC+
Z 8	WR 8 DP	0 001 340 401	WR 6 DP	0 001 635 400	HR 7 DC+
Z 9	WR 8 DCX+	0 001 340 403	WR 6 DC+	0 001 635 400	HR 7 DP
Z 9	WR 8 DPX	0 001 340 403	WR 6 DP	0 001 635 700	HR 7 DC+
Z 90	FR 7 LDC+	0 001 340 702	WR 6 DC+	0 001 635 700	HR 7 DP
Z 94	WR 8 LTC+	0 001 340 702	WR 6 DP	0 001 635 702	HR 7 DC+
Z 95	HR 7 DC+	0 001 340 704	WR 6 DC+	0 001 635 702	HR 7 DP
Z 95	HR 7 DP	0 001 340 704	WR 6 DP	0 001 635 703	HR 7 DC+
0 001 325 400	WR 9 DC+	0 001 340 706	FR 6 DC+	0 001 635 703	HR 7 DP
0 001 325 701	WR 9 DC+	0 001 340 716	FR 6 DC+	0 001 635 704	HR 7 DC+
0 001 325 704	WR 9 DC+	0 001 340 717	FR 6 DC+	0 001 635 704	HR 7 DP
0 001 329 301	WR 8 CC	0 001 343 402	WR 6 DC+	0 001 640 301	HR 6 DC+
0 001 329 302	WR 8 CC	0 001 343 402	WR 6 DP	0 001 640 700	HR 6 DC+
0 001 329 400	WR 8 DC+	0 001 345 301	W 5 CC	0 001 640 701	HR 6 BC
0 001 329 400	WR 8 DP	0 001 345 401	WR 5 DC+	0 001 640 704	HR 6 DC+
0 001 329 403	WR 8 DC+	0 001 345 402	WR 5 DC+	0 001 640 705	HR 6 DC+
0 001 329 403	WR 8 DP	0 001 345 702	WR 5 DC+	0 001 640 706	HR 6 DC+



BERU	Bosch-Nr.	BERU	Bosch-Nr.	BERU	Bosch-Nr.
0 002 140 900	UR 6 DE	14FGH-8 DTURX0	FR 8 KTC+	14F-7 DUO	FR 7 DP
0 002 235 700	YR 7 DC+	14FGR-6 KQU	FGR 6 KQE	14F-7 HPURX2	FR 7 HPP 33+
0 002 240 902	ZQR 8 SI 302	14FGR-7 CTU	FGR 7 DQE+	14F-7 HUR 2	FR 7 HC+
0 002 330 700	WR 8 DC+	14FGR-7 KQE	FGR 7 KQE 0	14F-7 LDUR	FR 7 LDC+
0 002 330 700	WR 8 DP	14FGR-8 DQU7	FGR 8 KQE 0	14F-7 LDUR4	FR 7 LDC+
0 002 330 701	WR 8 DC+	14FLR-8 LDUX	FLR 8 LDCU+	14F-8 DU	FR 8 DC+
0 002 330 701	WR 8 DP	14FR-5 DPUX	FR 5 DPP 222	14F-8 DU	FR 8 DP
0 002 330 702	WR 8 DCX+	14FR-5 DU	FR 5 DC	14F-8 DUR	FQR 8 DE
0 002 330 702	WR 8 DPX	14FR-5 DU	FR 5 DP	14F-8 DU0	FR 8 DC+
0 002 330 703	FR 8 DC+	14FR-6 DPUX	FR 6 KPP 33 X+	14F-8 DU0	FR 8 DP
0 002 330 703	FR 8 DCX+	14FR-6 DPUX 02	FR 6 KPP 33 X+	14F-8 DU4	FR 8 DC+
0 002 330 703	FR 8 DP	14FR-6 DU	FR 6 DC+	14F-8 DU4	FR 8 DP
0 002 330 703	FR 8 DPX	14FR-6 DU	FR 6 DP	14F 8 LUR	FR 8 LC
0 002 330 704	FR 8 DCX+	14FR-6 LDU	FR 6 LDC	14GH-7 DTUR	WR 7 LTC+
0 002 330 704	FR 8 DPX	14FR-7 DPUX 02	FR 7 KPP 33 U+	14GH-8 DTURX	WR 8 LTC+
0 002 330 706	WR 8 LTC+	14FR-7 DPU 3	FR 7 DC+	14GR-8 DTU	WR 8 LTC+
0 002 330 710	FLR 8 LDCU+	14FR-7 DPU 3	FR 7 DP	14G-8 DTU	WR 8 LTC+
0 002 335 400	WR 7 DC+	14FR-7 DQUP7	FGR 7 DQP+	14KGR-7 KQU	HGR 7 KQC
0 002 335 400	WR 7 DP	14FR-7 DTU	FR 7 DC+	14KR-6 BU	HR 6 BC
0 002 335 700	WR 7 DC+	14FR-7 DTU	FR 7 DP	14KR-6 DU	HR 6 DC+
0 002 335 700	WR 7 DP	14FR-7 DU	FR 7 DC+	14KR-6 DU	HR 6 DP
0 002 335 701	WR 7 DC+	14FR-7 DU	FR 7 DP	14KR-7 DU	HR 7 DC+
0 002 335 701	WR 7 DP	14FR-7 DUX	FR 7 DC+	14KR-7 DU	HR 7 DP
0 002 335 704	WR 7 CC	14FR-7 DUX	FR 7 DCX+	14KR-7 DUX	HR 7 DCX+
0 002 335 704	WR 7 CP	14FR-7 DUX	FR 7 DPX+	14KR-8 DPUOV	HR 8 DPP 15 V
0 002 335 706	WR 7 DCX+	14FR-7 DU 2	FR 7 DC+	14KR-8DU	HR 8 DC+
0 002 335 706	WR 7 DPX	14FR-7 DU 2	FR 7 DP	14KR-8 MUV	HR 8 MCV+
0 002 335 708	FR 7 DC+	14FR-7 HUX	FR 7 HC 0 X	14K-5 DU	HR 5 DC
0 002 335 708	FR 7 DCX+	14FR-7 KDU	FR 7 DC+	14K-6 D	HR 6 DC+
0 002 335 708	FR 7 DPX+	14FR-7 KDU	FR 7 DP	14K-6 DU	HR 6 DC+
0 002 335 912	FR 7 DC+	14FR-7 KDU	FR 7 LDC+	14K-6 DU0	HR 6 DC+
0 002 335 912	FR 7 DP	14FR-7 KPU	FR 7 KPP 33 U+	14K-7 D	HR 7 DC+
0 002 335 914	FR 7 KPP 33 U+	14FR-7 KUOX	FR 7 KCX+	14K-7 D	HR 7 DP
0 002 336 715	FR 7 HC 0 X	14FR-7 LDU	FR 7 LDC+	14K-7 DU	HR 7 DC+
0 002 340 400	WR 6 DC+	14FR-7 LUX	FR 7 LCX+	14K-7 DU	HR 7 DP
0 002 340 400	WR 6 DP	14FR-7 LUX	FR 7 LPX	14K-7 DU0	HR 7 DC+
0 002 340 700	WR 6 DC+	14FR-7SPUX03	FR 7 NPP 332	14K-7 DU0	HR 7 DP
0 002 340 700	WR 6 DP	14FR-8 DU	FR 8 DC+	14K-8 DU	HR 8 DC+
0 002 340 701	WR 6 DC+	14FR-8 DU	FR 8 DP	14K-8 DU0	HR 8 DC+
0 002 340 701	WR 6 DP	14FR-8 DUX	FR 8 DCX+	14K-9 DU0	HR 9 DC
0 002 340 702	FR 6 DC+	14FR-8 DUX	FR 8 DPX	14L-7 C	WR 7 CC
0 002 340 702	FR 6 DP	14FR-8 HU	FR 8 HC	14L-7 CU	WR 7 CC
0 002 340 905	FR 6 KPP 33 X+	14FR-8 KU	FR 8 KC+	14R-5 DU	WR 5 DC+
0 002 345 701	WR 5 DC+	14FR-8 KU0	FR 8 KC+	14R-6 D	WR 6 DC+
0 002 345 702	FR 5 DC	14FR-8 LCX	FR 8 LCX	14R-6 D	WR 6 DP
0 002 345 702	FR 5 DP	14FR-8 LC2	FR 8 LC	14R-6 DU	WR 6 DC+
0 002 435 301	WR 7 AC	14FR-8 LDU	FLR 8 LDCU+	14R-6 DU	WR 6 DP
0 002 435 400	WR 7 BC+	14FR-8 LDU3	FLR 8 LDCU+	14R-7 A	WR 7 AC
0 002 435 701	WR 7 BC+	14FR-8 LDU4	FLR 8 LDCU+	14R-7 B	WR 7 BC+
0 002 435 701	WR 7 BP	14FR-8 MU2	FR 8 ME	14R-7 B	WR 7 BP
0 002 640 700	HR 6 DC+	14FR-8 MU2	FR 8 SC+	14R-7 BU	WR 7 BC+
0 002 640 700	HR 6 DP	14FR-8 NQU23	FR 8 SC+	14R-7 BU	WR 7 BP
10FR6CPU03	UR 6 DE	14F-5 DU	FR 5 DC	14R-7 CU	WR 7 CC
12 FR-7 DU	YR 7 DC+	14F-6 DPUR02	FR 6 DPP 332 S	14R-7 CU	WR 7 CP
12 VR-8 SE	VR 8 SC+	14F-6 DPUR2	FR 6 KPP 33 X+	14R-7 D	WR 7 DC+
12ZR-6 SP03	ZQR 8 SI 302	14F-6 DTU	FR 6 DC+	14R-7 D	WR 7 DP
12ZR-7 SP03	ZR 7 SI 332 S	14F-6 DUO	FR 6 DC+	14R-7 DU	WR 7 DC+
125/14/3	WR 8 CP	14F-6 DUOR	FR 6 DC+	14R-7 DU	WR 7 DP
125/14/3 A	WR 9 DC+	14F-7 DPURX 2	FR 7 KPP 33 U+	14R 7 DUX	WR 7 DCX+
14FGH-6 DTUR	FR 6 LTC	14F-7 DPUR 02	FR 7 DPP 332	14R-7 DUX	WR 7 DPX
14FGH-7 DTURX	FR 7 LDC+	14F-7 DU	FR 7 DC+	14R-8 DU	WR 8 DC+
14FGH-8 DPURX2	FR 8 DPP 33+	14F-7 DU	FR 7 DP	14R-8 DU	WR 8 DP
14FGH-8 DTURX0	FR 8 KTC+	14F-7 DU0	FR 7 DC+	14R-8 DUX	WR 8 DCX+



B

BERU	Bosch-Nr.	BERU	Bosch-Nr.	BERU	Bosch-Nr.
14R-8 DUX	WR 8 DPX	14- 7 CU	WR 7 CP	265/14/3P	W 3 DP 0
14R-8 DU4	WR 8 DC+	14- 7 D	WR 7 DC+	280/14/3Z	W 3 CC
14R-8 DU4	WR 8 DP	14- 7 D	WR 7 DP	280/14/3Z	WR 3 CC
14R- 9DU	WR 9 DC+	14- 7 DTU	WR 7 DC+	280/14/3Z	WR 3 CP
14Z- 3 CU	W 3 CC	14- 7 DTU	WR 7 DP	45/18 K	DR 10 BC
14Z- 3 CU	WR 3 CC	14- 7 DU	WR 7 DC+	95/14	WR 8 AP
14Z- 3 CU	WR 3 CP	14- 7 DU	WR 7 DP	951/43	WR 8 CP
14Z- 3 C1	W 3 CC	14- 7 DUO	WR 7 DC+		
14Z- 3 C1	WR 3 CC	14- 7 DUO	WR 7 DP	BOSCH	Bosch-Nr.
14Z- 6 A2	WR 7 AC	14- 7 DUOR	FR 7 DC+	DR10BC	DR 10 BC
14Z- 6 A2	WR 7 AP	14- 7 DUOR	FR 7 DP	DR7BC	DR 7 BC
14Z- 7 AU	WR 5 AC	14- 8 A	WR 8 AP	FGR4NQE0	FGR 4 NQE04
14Z- 7 AU	WR 5 AP	14- 8 B	WR 8 BC+	FGR5KQE0	FGR 5 KQE 0
14- 10 A	WR 8 AP	14- 8 B	WR 8 BP	FGR5NQE0	FGR 5 NQE 04
14- 10 C	WR 8 CP	14- 8 C	WR 8 CC	FGR5NQE04	FGR 5 NQE 04
14- 3 DP2	W 3 DP 0	14- 8 C	WR 8 CP	FGR6KQC	FGR 6 KQE
14- 4 C1	W 3 CC	14- 8 C1	WR 6 CC	FGR6KQE	FGR 6 KQE
14- 4 C1	WR 3 CC	14- 8 C1	WR 7 CC	FGR6NQE0	FGR 6 NQE 0
14- 4 C2	WR 3 CP	14- 8 D	WR 8 DC+	FGR7DQE+	FGR 7 DQE+
14- 4 C2	WR 4 CC	14- 8 D	WR 8 DP	FGR7DQE0	FGR 7 KQE 0
14- 5 A	WR 4 CP	14- 8 DTU	WR 8 DCX+	FGR7DQP+	FGR 7 DQP+
14- 5 A	WR 5 AC	14- 8 DTU	WR 8 DPX	FGR8KQC	FGR 8 KQE
14- 5 A	WR 5 AP	14- 8 DU	WR 8 DC+	FGR8KQE0	FGR 8 KQE 0
14- 5 AU	WR 5 AC	14- 8 DU	WR 8 DP	FLR7HTC0	FLR 7 HTC 0
14- 5 AU	WR 5 AP	14- 8 DUO	WR 8 DC+	FLR8LDCU	FLR 8 LDCU+
14- 5 B	WR 5 BC	14- 8 DUO	WR 8 DP	FLR8LDCU+	FLR 8 LDCU+
14- 5 BU	WR 5 BC	14- 8 LUR	WR 8 LC+	FQR8LEU2	FQR 8 LEU 2
14- 5 C	W 5 CC	14- 9 C	WR 8 CP	FR5DC	FR 5 DC
14- 5 D	WR 5 DC+	14- 9 D	WR 9 DC+	FR5DCX	FR 5 DCX
14- 5 DP1	W 5 DP 0	14- 9 DU	WR 9 DC+	FR5DP	FR 5 DP
14- 5 DTU	WR 5 DC+	14- 9 DU0	WR 9 DC+	FR5KI332S	FR 5 KI 332 S
14- 5 DU	WR 5 DC+	160/14/3	WR 6 CC	FR5KPP332S	FR 5 KPP 332 S
14- 5 DU0	WR 5 DC+	160/14/3	WR 7 CC	FR6DC	FR 6 DC+
14- 5 D1	WR 5 DC+	160/14/3	WR 7 CP	FR6DC+	FR 6 DC+
145/14	WR 8 AP	175/14	WR 7 AC	FR6DCX5	FR 6 DC+
145/14 A	WR 8 BC+	175/14	WR 7 AP	FR6DP	FR 6 DP
145/14 A	WR 8 BP	175/14 A	WR 7 BC+	FR6DPP22U	FR 6 KPP 33 X+
145/14/3	WR 8 CC	175/14/3	WR 6 CC	FR6DPP332S	FR 6 DPP 332 S
145/14/3	WR 8 CP	175/14/3	WR 7 CC	FR6DPX	FR 6 DPX
145/14/3 A	WR 8 DC+	175/14/3	WR 7 CP	FR6DTC	FR 6 DC+
145/14/3 A	WR 8 DP	175/14/3 A	WR 7 DC+	FR6DTC	FR 6 DTC
14- 6 B	WR 6 BC	175/14/3 A	WR 7 DP	FR6DTCW	FR 6 DC+
14- 6 BU	WR 6 BC	18K-12 B	DR 10 BC	FR6HI332	FR 6 HI 332
14- 6 D	WR 6 DC+	190/14 Z	WR 7 AC	FR6KPP33+	FR 6 KPP 33+
14- 6 D	WR 6 DP	190/14 Z	WR 7 AP	FR6KPP33X+	FR 6 KPP 33 X+
14- 6 DTU	WR 6 DC+	200/14 A	WR 6 BC	FR6LDC	FR 6 LDC
14- 6 DTU	WR 6 DP	200/14/3 A	WR 6 DC+	FR6NPP332	FR 6 NPP 332
14- 6 DU	WR 6 DC+	200/14/3 A	WR 6 DP	FR7DC+	FR 7 DC+
14- 6 DU	WR 6 DP	200/14/3 K	HR 6 DC+	FR7DCX+	FR 7 DCX+
14- 6 D1	WR 6 DC+	215/14/3 A	WR 6 DC+	FR7DII35V	FR 7 DII 35 V
14- 6 D1	WR 6 DP	215/14/3 A	WR 6 DP	FR7DP	FR 7 DP
147 A	WR 7 AC	225/14	WR 5 AC	FR7DPP+	FR 7 DPP+
14- 7 A	WR 7 AP	225/14	WR 5 AP	FR7DPP22U	FR 7 KPP 33 U+
14- 7 AU	WR 7 AC	225/14/3	W 5 CC	FR7DPP332	FR 7 DPP 332
14- 7 AU	WR 7 AP	225/14/3 A	WR 5 DC+	FR7DPX	FR 7 DPX+
14- 7 B	WR 7 BC+	230/14/3 A	WR 5 DC+	FR7DP1X	FR 7 KPP 33 U+
14- 7 BU	WR 7 BC+	235/14/3 P	W 5 DP 0	FR7HC+	FR 7 HC+
14- 7 C	WR 6 CC	240/14/3	WR 4 CC	FR7HCOX	FR 7 HC 0 X
14- 7 C	WR 7 CC	240/14/3	WR 4 CP	FR7HPP33+	FR 7 HPP 33+
14- 7 C	WR 7 CP	260/14/3	W 3 CC	FR7HPP332W	FR 7 HPP 332 W
14- 7 CU	WR 6 CC	260/14/3	WR 3 CC	FR7KC+	FR 7 KC+
14- 7 CU	WR 7 CC	260/14/3	WR 3 CP	FR7KCX+	FR 7 KCX+



BOSCH	Bosch-Nr.	BOSCH	Bosch-Nr.	BOSCH	Bosch-Nr.
FR7KDC	FR 7 LDC+	F7KPP332U	FR 7 KPP 332	WR10FC	WR 10 FC
FR7KI332S	FR 7 KI 332 S	F7KPP332UB	FR 7 KPP 332 U	WR10LCV	WR 10 LCV
FR7KPP33+	FR 7 KPP 33+	F7KPP332UBF	FR 7 KPP 332 U	WR3CC	WR 3 CC
FR7KPP33U	FR 7 KPP 33 U+	F7LTCR	FR 7 LDC+	WR4CC	WR 4 CC
FR7KPP33U+	FR 7 KPP 33 U+	F8DC	FR 8 DC+	WR5AC	WR 5 AC
FR7KPP332	FR 7 KPP 332	F8DC	FR 8 DP	WR5AC	WR 5 AP
FR7KPP332 (OES)	FR 7 KPP 332	F8DC4	FR 8 DC+	WR5BC	WR 5 BC
FR7KPP332U	FR 7 KPP 332 U	F8DC4	FR 8 DP	WR5DC+	WR 5 DC+
FR7LCX	FR 7 LCX+	F8DER	FQR 8 DE	WR6BC	WR 6 BC
FR7LCX	FR 7 LPX	F8DPP33	FR 8 DPP 33+	WR6DC+	WR 6 DC+
FR7LDC+	FR 7 LDC+	F8LCR	FR 8 LC	WR6DP	WR 6 DP
FR7LI332S	FR 7 LI 332 S	HGR6KQC	HGR 6 KQC	WR7AC	WR 7 AC
FR7MPP10	FR 7 MPP 10	HGR7KQC	HGR 7 KQC	WR7BC	WR 7 BC+
FR7NI33	FR 7 NI 33	HR10BCX	HR 10 BCX	WR7BC+	WR 7 BC+
FR7NPP332	FR 7 NPP 332	HR5DC	HR 5 DC	WR7BP	WR 7 BP
FR7NPP332 (OES)	FR 7 NPP 332	HR6BC	HR 6 BC	WR7CC	WR 7 CC
FR7SE	FR 7 SE	HR6DC+	HR 6 DC+	WR7CP	WR 7 CP
FR8DC	FR 8 DC+	HR6DP	HR 6 DP	WR7DC	WR 7 DC+
FR8DC+	FR 8 DC+	HR6DPP33V	HR 6 DPP 33 V	WR7DCX+	WR 7 DCX+
FR8DC+	FR 8 DP	HR7DC	HR 7 DC+	WR7DCX	WR 7 DCX+
FR8DCX+	FR 8 DCX+	HR7DCX+	HR 7 DCX+	WR7DC2	WR 7 DCX+
FR8DE	FR 8 DC+	HR7DCY+	HR 7 DCY+	WR7DP	WR 7 DP
FR8DE	FR 8 DP	HR7DP	HR 7 DP	WR7DPX	WR 7 DPX
FR8DP	FR 8 DP	HR7KPP33+	HR 7 KPP 33+	WR7KI33S	WR 7 KI 33 S
FR8DPP33+	FR 8 DPP 33+	HR7MPP302	HR 7 MPP 302 X	WR7LTC+	WR 7 LTC+
FR8DPX	FR 8 DPX	HR7NI332	HR 7 NI 332 W	WR8AC	WR 8 AC
FR8HC	FR 8 HC	HR7NI332W	HR 7 NI 332 W	WR8BC	WR 8 BC+
FR8HDC+	FR 8 HDC+	HR8BC	HR 8 BC	WR8CC	WR 8 CC
FR8HP	FR 8 HP	HR8BPX	HR 8 BPX	WR8CP	WR 8 CP
FR8KC+	FR 8 KC+	HR8DC+	HR 8 DC+	WR8DC+	WR 8 DC+
FR8KI33V	FR 8 KI 33 V	HR8DCV+	HR 8 DCV+	WR8DC	WR 8 DC+
FR8KTC+	FR 8 KTC+	HR8DCV+	HR 8 DPV	WR8DCX+	WR 8 DCX+
FR8LCX	FR 8 LCX	HR8DCX+	HR 8 DCX+	WR8DCX	WR 8 DCX+
FR8LI332S	FR 8 LI 332 S	HR8DCY	HR 8 DCY	WR8DC04	WR 8 DCX+
FR8LPX	FR 8 LPX	HR8DPP22U	HR 8 DPP 22 U	WR8DP	WR 8 DP
FR8ME	FR 8 ME	HR8DPX	HR 8 DPX	WR8DPX	WR 8 DPX
FR8ME	FR 8 SC+	HR8MCV+	HR 8 MCV+	WR8LC+	WR 8 LC+
FR8SC+	FR 8 SC+	HR8MEV	HR 8 MCV+	WR8LTC	WR 8 LTC+
FR8SEO	FR 8 SC+	HR8NPP302	HR 8 NPP 302	WR8LTC+	WR 8 LTC+
FR8SPP332	FR 8 SPP 332	HR9BC+	HR 9 BC+	WR9DC+	WR 9 DC+
F5DPOR	F 5 DP 0 R	HR9BCY+	HR 9 BCY+	WR9DC	WR 9 DC+
F5KPP332SBB	FR 5 KPP 332 S	HR9BP	HR 9 BP	WR9DCX+	WR 9 DCX+
F5KPP332SBN	FR 5 KPP 332 S	HR9BPX	HR 9 BPX	WR9DP	WR 9 DP
F5KPP332SFB	FR 5 KPP 332 S	HR9BPY	HR 9 BPY	WR9DPX	WR 9 DPX
F6DC	FR 6 DC+	HR9DC	HR 9 DC	WR9LCX+	WR 9 LCX+
F6DC0R	FR 6 DC+	HR9DCY+	HR 9 DCY+	WR9LE	WR 9 LE
F6DTC	FR 6 DC+	HR9DPY	HR 9 DPY	WR9LEV+	WR 9 LEV+
F6KPP33SBF	FR 6 KPP 332 S	HR9LPP22Y	HR 9 LPP 22 Y	WR9LP	WR 9 LP
F6KPP332S	FR 6 KPP 332 S	HR9SE0X	HR 9 SE 0 X	W3CC	W 3 CC
F6LTCR	FR 6 LTC	H5DC	HR 5 DC	W3DPO	W 3 DP 0
F6MPP332	FR 6 MPP 332	H6DC	HR 6 DC+	W4CP	WR 4 CP
F6NPP332	FR 6 MPP 332	H6DC0	HR 6 DC+	W5CC	W 5 CC
F7DC	FR 7 DC+	H7DC	HR 7 DC+	W5DP0	W 5 DP 0
F7DC	FR 7 DP	H7DC0	HR 7 DC+	W7AP	WR 7 AP
F7DCX	FR 7 DCX+	H7DC0	HR 7 DP	W7CP	WR 7 CP
F7DC0	FR 7 DP	H7DC0	HR 7 DP	W7DC	WR 7 DC+
F7DER	FR 7 DE 2	H7DC0	HR 7 DC+	W7DCX	WR 7 DCX+
F7DPP332	FR 7 DPP 332	H7DC0	HR 7 DP	W7DP	WR 7 DC+
F7DPP332	FR 7 KPP 33 U+	H8DC	HR 8 DC+	W7DTC	WR 8 DC+
F7DTC	FR 7 DP	H8DC0	HR 8 DC+	W7DTC	WR 8 DP
F7HER02	FR 7 HC+	UR6DE	UR 6 DE	W8AP	WR 8 AP
F7HER2	FR 7 HC+	VR7SPP33	VR 7 SPP 33	W8BC	WR 8 BC+
F7HPP222	FR 7 HPP 33+	VR8SC+	VR 8 SC+	W8BP	WR 8 BP



B



BOSCH	Bosch-Nr.	BOSCH	Bosch-Nr.	BRISK	Bosch-Nr.
W8DC	WR 8 DC+	0 242 235 981	FGR 7 DQP+	GR 14YC #	HR 6 DC+
W8DC	WR 8 DP	0 242 235 982	FR 7 KPP 33+	GR 15YC	HR 7 DC+
W8DCX	WR 8 DCX+	0 242 235 983	FR 7 HC+	GR 15YC	HR 7 DP
W8DCX	WR 8 DPX	0 242 235 984	FR 7 HPP 33+	GR 17YC #	HR 9 DC
W8DPX	WR 8 DCX+	0 242 235 985	FR 7 KCX+	G 14Y #	HR 6 DC+
W8DTC	WR 8 DCX+	0 242 235 986	FR 7 LCX+	G 14YC #	HR 6 DC+
W8DTC	WR 8 DPX	0 242 235 986	FR 7 LPX	G 15Y #	HR 7 DC+
W8LTCR	WR 8 LTC+	0 242 235 987	FR 7 KPP 33 U+	G 15Y #	HR 7 DP
W9DC	WR 9 DC+	0 242 240 649	FR 6 KPP 33 X+	G 15YC #	HR 7 DC+
W9DC0	WR 9 DC+	0 242 240 848	HR 6 DC+	G 15YC #	HR 7 DP
W9DTC	WR 9 DC+	0 242 240 849	WR 6 DC+	G 17Y #	HR 8 DC+
YR6DES	YR 6 DES	0 242 240 849	WR 6 DP	G 17YC #	HR 8 DC+
YR6LDE	YR 6 LDE	0 242 240 860	FR 6 KPP 33 X+	LR 12YC #	WR 5 DC+
YR6NPP332	YR 6 NPP 332	0 242 245 812	WR 5 DC+	LR 14YC #	WR 6 DC+
YR7DC+	YR 7 DC+	5X FR7NI33	FR 7 NI 33	LR 14YC #	WR 6 DP
YR7DE	YR 7 DC+	6X FR7NI33	FR 7 NI 33	LR 15YC	WR 7 DC+
YR7LPP332W	YR 7 LPP 332 W	FGR7DQP	FGR 7 DQP+	LR 15YC	WR 7 DCX+
YR7MPP33	YR 7 MPP 33			LR 17YC	WR 8 DC+
YR8SEU	YR 8 SEU			L 12Y #	WR 5 DC+
Y5DDC	Y5 DDC	FET 75P	HR 5 DC	L 12YC #	WR 5 DC+
Y6DC	Y6 DC	FE 125P	WR 6 DC+	L 14 #	W 5 CC
Y6LER02	Y6 LER 02	FE 125P	WR 6 DP	L 14C #	W 5 CC
Y6NPP332	YR 6 NPP 332	FE 55P	WR 9 DC+	L 14Y #	WR 6 DC+
Y7MPP33	YR 7 MPP 33	FE 65CPR	WR 9 DC+	L 14Y #	WR 6 DP
ZGR6STE2	ZGR 6 STE 2	FE 65P	WR 6 DC+	L 14YC #	WR 6 DC+
ZQR8SI302	ZQR 8 SI 302	FE 65P	WR 6 DP	L 14YC #	WR 6 DP
ZR5TPP33	ZR 5 TPP 33	FE 75	WR 8 CC	L 15 #	WR 6 CC
ZR5TPP33 (OES)	ZR 5 TPP 33	FE 75	WR 8 CP	L 15 #	WR 7 CC
ZR5TPP33S	ZR 5 TPP 33-S	FE 80	W 5 CC	L 15C #	WR 6 CC
ZR6SII3320	ZR 6 SII 3320	FE 85P	WR 5 DC+	L 15C #	WR 7 CC
ZR7SI332S	ZR 7 SI 332 S	F 65P	WR 6 BC	L 15Y #	WR 7 DC+
Z6SII3320	ZR 6 SII 3320	F 70	WR 8 AP	L 15Y #	WR 7 DP
0 242 129 801	VR 8 SC+	F 75	WR 7 AC	L 15YC #	WR 7 DC+
0 242 135 802	YR 7 DC+	F 75	WR 7 AP	L 15YC #	WR 7 DP
0 242 224 850	FR 6 DC+	F 85P	WR 5 BC	L 17 #	WR 8 CC
0 242 225 859	WR 9 DC+			L 17C #	WR 8 CC
0 242 229 878	FLR 8 LDCU+			L 17Y #	WR 8 DC+
0 242 229 879	HR 8 DC+				
0 242 229 880	WR 8 DC+				
0 242 229 881	WR 8 BC+				
0 242 229 882	WR 8 LTC+	BRISK	Bosch-Nr.		
0 242 229 883	FR 8 DC+	DR 12YC #	FR 5 DC		
0 242 229 883	FR 8 DP	DR 12YC #	FR 5 DP		
0 242 229 884	FR 8 DCX+	DR 14YC #	FR 6 DC+		
0 242 229 885	WR 8 DCX+	DR 15TC	FR 7 DC+		
0 242 229 902	HR 8 MCV+	DR 15TC	FR 7 DP		
0 242 229 923	FR 8 SC+	DR 15YC #	FR 7 DC+		
0 242 229 924	FR 8 KTC+	DR 15YC #	FR 7 DP		
0 242 229 924	FR 8 DC+	DR 17YC #	FR 8 DC+		
0 242 229 925	FR 8 DPP 33+	DR 17YC #	FR 8 DP		
0 242 235 908	HR 7 DC+	D 12Y #	FR 5 DC		
0 242 235 908	HR 7 DP	D 12YC #	FR 5 DC		
0 242 235 909	WR 7 DC+	D 14Y #	FR 6 DC+		
0 242 235 910	WR 7 LTC+	D 14YC #	FR 6 DC+		
0 242 235 911	WR 7 BC+	D 15Y #	FR 7 DC+		
0 242 235 912	FR 7 DC+	D 15Y #	FR 7 DP		
0 242 235 913	FR 7 DCX+	D 15YC #	FR 7 DC+		
0 242 235 913	FR 7 DPX+	D 15YC #	FR 7 DP		
0 242 235 914	FR 7 LDC+	D 17Y #	FR 8 DC+		
0 242 235 915	WR 7 DCX+	D 17Y #	FR 8 DP		
0 242 235 917	FGR 7 DQE+	D 17YC #	FR 8 DC+		
0 242 235 918	FR 7 DPP+	D 17YC #	FR 8 DP		
0 242 235 979	HR 7 DCX+	ER15YC	FR 8 ME		
0 242 235 980	FR 7 KC+	GR 12YC #	HR 5 DC		

CHAMPION	Bosch-Nr.	CHAMPION	Bosch-Nr.	CHAMPION	Bosch-Nr.
C 11YCC	FR 8 DC+	N 11YCC	WR 8 DP	N 9BYC	WR 8 DCX+
C 11YCC	FR 8 DP	N 11YCC	WR 9 DC+	N 9BYC	WR 8 DPX
C 281YC	FR 7 DC+	N 11YC4	WR 8 DCX+	N 9BYC4	WR 8 DCX+
C 281YC	FR 7 DP	N 11YC4	WR 8 DPX	N 9BYC4	WR 8 DPX
C 6YCC	FR 5 DC	N 12Y	WR 9 LE	N 9Y	WR 7 DC+
C 7YC	FR 6 DC+	N 12Y	WR 9 LP	N 9Y	WR 7 DP
C 7YC	FR 6 DP	N 12YC	WR 9 LE	N 9YC	WR 7 DC+
C 7YCC	FR 6 DC+	N 12YC	WR 9 LP	N 9YC	WR 7 DP
C 7YCC	FR 6 DP	N 12YCC	WR 9 LE	N 9YCC	WR 7 DC+
C 7YCX	FR 6 DC+	N 12YCC	WR 9 LP	N 9YCC	WR 7 DP
C 9BMC	FR 7 LDC+	N 13Y	WR 9 DC+	N 9YCX	WR 7 DC+
C 9YC	FR 7 DC+	N 14Y	WR 9 DC+	N 9YCX	WR 7 DP
C 9YC	FR 7 DP	N 178B	W 3 CC	N 92Y	WR 9 DC+
C 9YCC	FR 7 DC+	N 178B	WR 3 CC	OE001	WR 7 DC+
C 9YCC	FR 7 DP	N 178B	WR 3 CP	OE001	WR 7 DP
C 9YCX	FR 7 DC+	N 180B	W 3 CC	OE002	FR 7 DC+
C 9YCX	FR 7 DP	N 180B	WR 3 CC	OE002	FR 7 DP
FN 14LY*	FR 9 HP	N 180B	WR 3 CP	OE003	FR 7 DC+
F 14Y	DR 10 BC	N 2	W 3 CC	OE003	FR 7 DP
F 14YC	DR 10 BC	N 2	WR 3 CC	OE004	WR 7 DC+
H 88	WR 7 AC	N 2	WR 3 CP	OE004	WR 7 DCX+
H 88	WR 7 AP	N 2C	W 3 CC	OE004	WR 7 DP
KC 10PYPB4	FR 7 KPP 33 U+	N 2C	WR 3 CC	OE005	FR 7 DC+
L 10	WR 8 AP	N 2C	WR 3 CP	OE005	FR 7 DP
L 11S	WR 5 AC	N 21	WR 8 CP	OE006	WR 7 DC+
L 11S	WR 5 AP	N 279YC	WR 6 DC+	OE006	WR 7 DP
L 12Y	WR 7 BC+	N 279YC	WR 6 DP	OE007	WR 7 BC+
L 6G	WR 5 AC	N 288	WR 6 CC	OE008	WR 6 DC+
L 6G	WR 5 AP	N 288	WR 7 CC	OE008	WR 6 DP
L 66Y	WR 6 BC	N 3	W 5 CC	OE009	HR 7 DC+
L 81	WR 5 AC	N 3C	W 5 CC	OE009	HR 7 DP
L 81	WR 5 AP	N 4	WR 6 CC	OE010	WR 6 DC+
L 82	WR 5 AC	N 4	WR 7 CC	OE010	WR 6 DP
L 82	WR 5 AP	N 4C	WR 6 CC	OE011	HR 7 DC+
L 82C	WR 5 AC	N 4C	WR 7 CC	OE011	HR 7 DP
L 82C	WR 5 AP	N 5	WR 8 CC	OE012	WR 6 DC+
L 82Y	WR 6 BC	N 5	WR 8 CP	OE012	WR 6 DP
L 82YC	WR 6 BC	N 5C	WR 8 CC	OE013	FR 8 DC+
L 82YCC	WR 6 BC	N 5C	WR 8 CP	OE013	FR 8 DP
L 85	WR 7 AP	N 6	WR 8 CC	OE014	FR 6 DC+
L 86	WR 7 AP	N 6	WR 8 CP	OE015	WR 9 LE
L 86C	WR 8 AP	N 6BYC	WR 5 DC+	OE015	WR 9 LP
L 86CC	WR 8 AP	N 6Y	WR 5 DC+	OE016	FR 8 DC+
L 87Y	WR 7 BC+	N 6YC	WR 5 DC+	OE016	FR 8 DP
L 87YC	WR 7 BC+	N 6YCC	WR 5 DC+	OE017	FR 6 DP
L 87YCC	WR 7 BC+	N 6YCX	WR 5 DC+	OE018	WR 6 DC+
L 88	WR 8 AP	N 64Y	WR 5 DC+	OE018	WR 6 DP
L 88A	WR 8 AP	N 7	WR 6 CC	OE020	HR 7 DC+
L 89CM	WR 8 AP	N 7BMC	WR 7 LTC+	OE020	HR 7 DP
L 9J	WR 8 AP	N 7BYC	WR 6 DC+	OE021	FR 6 LDC
L 90	WR 8 AP	N 7BYC	WR 6 DP	OE023	FR 7 DC+
L 92Y	WR 8 BC+	N 7Y	WR 6 DC+	OE023	FR 7 DP
L 92Y	WR 8 BP	N 7Y	WR 6 DP	OE024	FR 7 DC+
L 92YC	WR 8 BC+	N 7YC	WR 6 DC+	OE024	FR 7 DCX+
L 92YC	WR 8 BP	N 7YC	WR 6 DP	OE024	FR 7 DPX+
L 95Y	WR 8 BC+	N 7YCC	WR 6 DC+	OE028	WR 8 DCX+
N 10Y	WR 7 DC+	N 7YCC	WR 6 DP	OE030	FR 7 LDC+
N 10Y	WR 7 DP	N 79Y	WR 7 DC+	OE033	FR 7 DC+
N 11Y	WR 8 DC+	N 79Y	WR 7 DP	OE033	FR 7 DP
N 11Y	WR 8 DP	N 8Y	WR 6 DC+	OE036	HR 8 DC+
N 11YC	WR 8 DC+	N 8Y	WR 6 DP	OE037	WR 8 AP
N 11YC	WR 8 DP	N 88	WR 6 CC	OE038	WR 6 BC
N 11YCC	WR 8 DC+	N 9 BMC	WR 8 LTC+	OE039	FR 7 DC+



C

CHAMPION	Bosch-Nr.	CHAMPION	Bosch-Nr.	CHAMPION	Bosch-Nr.
OE039	FR 7 DCX+	OE098	WR 7 CC	RC 10YC4	FR 8 DPX
OE039	FR 7 DPX+	OE099	HR 8 DC+	RC 10YXN4	FR 8 DCX+
OE040	W 3 CC	OE100	WR 8 LTC+	RC 10YXN4	FR 8 DPX
OE040	WR 3 CC	OE101	WR 8 DCX+	RC 11LCC4	FR 8 LCX
OE040	WR 3 CP	OE101	WR 8 DPX	RC 12ECC	FR 7 HC+
OE042	WR 9 DC+	OE109	WR 5 DC+	RC 12LC4	FR 8 HC
OE042	WR 9 DP	OE110	FR 5 DC	RC 12LYC	FR 8 HC
OE043	FR 6 DC+	OE110	FR 5 DP	RC 12LYC	FR 8 HP
OE043	FR 6 DP	OE114	FR 8 LCX	RC 12MCC4	FR 8 LCX
OE044	WR 8 DCX+	OE115	FR 7 HC+	RC 12YC	FR 8 DC+
OE044	WR 8 DPX	OE116	WR 5 DC+	RC 12YC	FR 8 DP
OE045	WR 8 DC+	OE116	WR 5 DP	RC 12YC5	FR 8 DCX+
OE045	WR 9 DC+	OE124	FR 7 DC+	RC 12YC5	FR 8 DPX
OE047	WR 7 DCX+	OE124	FR 7 KPP 33 U+	RC 6YC	FR 5 DC
OE047	WR 7 DPX	OE127	FR 7 DP	RC 6YC	FR 5 DP
OE048	WR 7 DCX+	OE128	FR 8 HC	RC 6YCC	FR 5 DC
OE048	WR 7 DPX	OE130	VR 8 SC+	RC 6YCC	FR 5 DP
OE049	WR 8 DCX+	OE135	FR 8 SC+	RC 7BMC	FR 6 LDC
OE049	WR 8 DPX	OE136	FR 7 DC+	RC 7BYC	FR 6 DC+
OE050	HR 6 DC+	OE136	FR 7 DP	RC 7BYC	FR 6 DTC
OE051	WR 8 DC+	OE136	FR 7 DPP+	RC 7BYC4	FR 6 DC+
OE052	YR 7 DC+	OE143	FR 7 KPP 33 U+	RC 7YC	FR 6 DC+
OE056	FR 6 DPX	OE146	FR 7 KPP 33 U+	RC 7YC	FR 6 DP
OE057	FR 8 DC+	OE151	HR 9 DC	RC 7YCC	FR 6 DC+
OE057	FR 8 DP	OE152	FR 7 DCX+	RC 7YCC4	FR 6 DPX
OE058	FR 6 DC+	OE152	FR 7 DPX+	RC 8BYC	FR 7 LDC+
OE058	FR 6 DP	OE154	FR 8 LCX	RC 8PYCB	FR 7 DPP+
OE059	WR 8 BC+	OE160	FR 8 HP	RC 8PYP	FR 7 DP
OE059	WR 8 BP	OE160	FR 9 HP	RC 8PYP	FR 7 DPP+
OE062	FR 8 DCX+	OE162	WR 8 CC	RC 8PYP	FR 7 KPP 33 U+
OE062	FR 8 DPX	OE162	WR 8 CP	RC 8PYPB	FR 7 KPP 33+
OE063	FR 8 DCX+	OE178	FR 8 SC+	RC 8PYPB4	FR 7 KPP 33 U+
OE063	FR 8 DPX	OHNE	FR 7 DC+	RC 8PYP4	FR 7 KPP 33 U+
OE064	WR 6 BC	OHNE	FR 7 DP	RC 8YC	FR 7 DC+
OE065	WR 8 DC+	OJ 13Y	WR 10 FC	RC 8YC	FR 7 DP
OE065	WR 8 DP	ON 11Y	WR 8 DC+	RC 8YCC	FR 6 DC+
OE068	W 5 CC	ON 11Y	WR 8 DP	RC 8YCC	FR 7 DC+
OE072	HR 8 DC+	QL 86C	WR 8 AC	RC 8YCC	FR 7 DP
OE074	WR 8 CC	QL 87YC	WR 7 BC+	RC 8YCC4	FR 7 DCX+
OE074	WR 8 CP	QN 3	WR 4 CC	RC 8YCC4	FR 7 DPX+
OE075	FR 5 DC	RA 4HCC	YR 7 DC+	RC 8YC4	FR 7 DCX+
OE077	FR 6 DC+	RA 4HCX	YR 7 DC+	RC 8YC4	FR 7 DPX+
OE079	WR 6 CC	RA 6HC	Y 6 DC	RC 8YX4	FR 7 DC+
OE079	WR 7 CC	RA 7YC	YR 7 DC+	RC 8YX4	FR 7 DCX+
OE081	FR 7 DCX+	RBL 11Y	HR 8 BC	RC 8YX4	FR 7 DPX+
OE081	FR 7 DPX+	RBL 13Y	HR 9 BC+	RC 87YCL	FR 7 DC+
OE083	Y 6 DC	RBL 13Y	HR 9 BP	RC 87YCL	FR 7 DP
OE084	WR 5 DC+	RBL 15Y	HR 9 BP	RC 9BMC	FR 7 LDC+
OE084	WR 5 DP	RBL 15Y4	HR 9 BPX	RC 9MCC4	FR 7 HC 0 X
OE085	FR 7 LDC+	RBL 15Y6	HR 9 BPY	RC 9YC	FR 7 DC+
OE086	WR 5 AC	RBL 17Y6	HR 9 BPY	RC 9YC	FR 7 DP
OE086	WR 5 AP	RBN 14Y	HR 8 DPX	RC 9YCC	FR 7 DC+
OE087	WR 5 DC+	RBN 14Y	HR 9 DC	RC 9YCC	FR 7 DP
OE087	WR 5 DP	RBN 14Y4	HR 8 DPX	RC 9YCC4	FR 7 DC+
OE088	FR 8 DC+	RC 10PYPB4	FR 7 KPP 33 U+	RC 9YCC4	FR 7 DCX+
OE088	FR 8 DP	RC 10PYP4	FR 7 KPP 33 U+	RC 9YCC4	FR 7 DPX+
OE089	FR 7 HC 0 X	RC 10YC	FR 8 DC+	RC 9YC4	FR 7 DC+
OE090	HR 5 DC	RC 10YC	FR 8 DP	RC 9YC4	FR 7 DCX+
OE091	WR 3 CC	RC 10YCC	FR 8 DC+	RC 9YC4	FR 7 DPX+
OE091	WR 3 CP	RC 10YCC	FR 8 DP	RC 9YXN4	FR 7 DC+
OE094	FR 5 DC	RC 10YCC4	FR 8 DCX+	RC 9YXN4	FR 7 DCX+
OE094	FR 5 DP	RC 10YCC4	FR 8 DPX	RC 9YXN4	FR 7 DPX+
OE095	WR 7 LTC+	RC 10YC4	FR 8 DCX+	REA 8MCL	VR 8 SC+

CHAMPION	Bosch-Nr.	CHAMPION	Bosch-Nr.	CHAMPION	Bosch-Nr.
REC 14PYC	FR 8 SC+	RN 4	WR 7 CP	7 FYSSR	WR 6 DP
REC 9MCLX	FR 8 SC+	RN 4C	WR 7 CC	7 GBYSR	FR 7 DC+
REC 9MLX	FR 8 SC+	RN 4C	WR 7 CP	7 GBYSR	FR 7 DP
RE14MCC5	HR 9 SE 0 X	RN 5C	WR 8 CC	7 GYSSR	FR 7 LDC+
RE16MC	HR 9 SE 0 X	RN 5C	WR 8 CP	9 FYSR	WR 8 DC+
RFN 14LY	FR 8 HP	RN 6Y	WR 5 DC+	9 FYSR	WR 8 DP
RFN 14LY	FR 9 HP	RN 6YC	WR 5 DC+	9 GYSR	FR 7 DC+
RF 7YCC	DR 7 BC	RN 7Y	WR 6 DC+	9 GYSR	FR 7 DP
RJ 14YC	WR 10 FC	RN 7Y	WR 6 DP	9 GYSSR	FR 7 DC+
RJ 18Y	WR 10 FC	RN 7YC	WR 6 DC+	9 GYSSR	FR 7 DP
RJ 18YC	WR 10 FC	RN 7YC	WR 6 DP	9 YFYSR	WR 7 DC+
RJ 20Y	WR 10 FC	RN 7YCC	WR 6 DC+	9 YFYSR	WR 7 DP
RL 7J	WR 7 AC	RN 7YCC	WR 6 DP	C 7YCX	FR 6 DC+
RL 82	WR 5 AC	RN 8	WR 8 CC	RC 10PYP4	FR 7 KPP 33 U+
RL 82	WR 5 AP	RN 8	WR 8 CP	RC 10YCC	FR 8 DP
RL 82C	WR 5 AC	RN 9Y	WR 7 DC+	REC 9MLX	FR 8 SC+
RL 82C	WR 5 AP	RN 9Y	WR 7 DP	9 YFYSR	WR 7 DP
RL 82YC	WR 6 BC	RN 9YC	WR 7 DC+		
RL 82YCC	WR 6 BC	RN 9YC	WR 7 DP	DENSO	Bosch-Nr.
RL 86C	WR 8 AC	RN 9YCC	WR 7 DC+	IFR6G-11K	FR 7 KPP 33 U+
RL 87Y	WR 7 BC+	RN 9YCC	WR 7 DCX+	KJ 16 CR-L11	FR 7 LCX+
RL 87Y	WR 7 BP	RN 9YCC	WR 7 DP	KJ 16 CR-U11	FR 7 LCX+
RL 87YC	WR 7 BC+	RN 9YCC4	WR 7 DPX		
RL 87YC	WR 7 BP	RN 9YC4	WR 7 DCX+	KJ 20 CR-L11	FR 7 LCX+
RL 87YCC	WR 7 BC+	RN 9YC4	WR 7 DPX	KJ 20 CR-L11	FR 7 LPX
RL 87YCC	WR 7 BP	RN 9YX	WR 7 DC+	KJ 20DR-M11	FR 7 LCX+
RN 10Y	WR 7 DC+	RN 9YX	WR 7 DP	KJ 20DR-M11S	FR 7 LCX+
RN 10Y	WR 7 DP	RS 12YC	HR 9 DC	K 16 PR-L11	FR 7 DC+
RN 10Y4	WR 7 DCX+	RS 12YC6	HR 9 DCY+		
RN 10Y4	WR 7 DPX	RS 14YC	HR 9 DC	K 16 PR-L11	FR 7 DPX+
RN 11Y	WR 8 DC+	RS 14YC6	HR 9 DCY+	K 16 PR-U	FR 7 DC+
RN 11Y	WR 8 DP	RS 14YC6	HR 9 DPY	K 16 PR-U	FR 7 DP
RN 11YC	WR 8 DC+	RS 9 PYP	HR 7 KPP 33+	K 16 PR-U11	FR 7 DC+
RN 11YC	WR 8 DP	RS 9YC	HR 7 DC+	K 16 PR-U11	FR 7 DCX+
RN 11YCC	WR 8 DC+	RS 9YC	HR 7 DP	K 16 PR-U11	FR 7 DPX+
RN 11YCC	WR 8 DP	RS 9YCC	HR 7 DC+	K 16 P-U	FR 7 DC+
RN 11YCC	WR 9 DC+	RS 9YCC	HR 7 DP	K 16 P-U	FR 7 DP
RN 11YCC4	WR 8 DCX+	RS 9YX6	HR 7 DCY+	K 16 R-U	FR 7 KC+
RN 11YCC4	WR 8 DPX	RV 12YC	HR 8 BC	K 16 RU	FR 7 KC+
RN 11YC4	WR 8 DCX+	RV 12YC6	HR 8 BC	K 16 TR 11	FR 8 HDC+
RN 11YC4	WR 8 DPX	RV 15YC4	HR 9 BC+	K 20 HR-U11	FR 8 SC+
RN1 1YX4	WR 8 DCX+	RV 17YC	HR 10 BCX	K 20PBR-S10	FR 7 LDC+
RN1 1YX4	WR 8 DPX	RV 9YC	HR 8 BC	K 20 PR-SU9	FR 7 DPP 332
RN 12Y	WR 9 DC+	S 10YCC	HR 8 DC+	K 20 PR-U	FR 7 DC+
RN 12Y	WR 9 DP	S 12YC	HR 8 DC+	K 20 PR-U	FR 7 DP
RN 12YC	WR 9 DC+	S 12YCC	HR 8 DC+	K 20 PR-U11	FR 7 DC+
RN 12YC	WR 9 DP	S 279YC	HR 6 DC+	K 20 PR-U11	FR 7 DCX+
RN 12YCC	WR 9 DC+	S 281YC	HR 6 DC+	K 20 PR-U11	FR 7 DPX+
RN 12YCC	WR 9 DP	S 379YC	HR 5 DC	K 20PR-U8S	FR 7 KC+
RN 12Y6	WR 9 DPX	S 6YC	HR 5 DC	K 20 PR-U9S	FR 7 DPP 332
RN 13Y	WR 9 DC+	S 7YC	HR 6 DC+	K 20 PR ZU11	FR 6 KPP 33 X+
RN 13Y	WR 9 DP	S 7YCC	HR 6 DC+	K 20 PR ZU11	FR 7 KPP 33 U+
RN 14Y	WR 9 DC+	S 9YC	HR 7 DC+	K 20 RU	FR 7 KC+
RN 14Y	WR 9 DP	S 9YC	HR 7 DP	K 20 RU 11	FR 7 KCX+
RN 14YC	WR 9 DC+	S 9YCC	HR 8 DC+	K 20 R-U11	FR 7 KCX+
RN 14YC	WR 9 DP	UL 14Y	WR 8 AP	K 20 TNR	FR 6 LDC
RN 14Y6	WR 9 DPX	UL 81C	WR 5 AC	K 20 TNRS	FR 6 LDC
RN 16YC5	WR 9 DPX	UL 81C	WR 5 AP	K 20 TR-11	FR 7 LDC+
RN 16YC5	WR 10 LCV	UN 12Y	WR 8 DC+	MA 16 PR-U	DR 10 BC
RN 2C	WR 3 CC	UN 12Y	WR 8 DP	M16S	FR 7 LCX+
RN 2C	WR 3 CP	UN 8Y	WR 6 DC+	PFR 5G-11	FR 7 KPP 33 U+
RN 3G	WR 4 CC	UN 8Y	WR 6 DP	PK 16 PRL11	FR 7 KPP 33 U+
RN 4	WR 7 CC	7 FYSSR	WR 6 DC+	PK16PR-P11	FR 8 LI 332 S



D

DENSO	Bosch-Nr.	DENSO	Bosch-Nr.	DENSO	Bosch-Nr.
PK 16 PR 11	FR 7 KPP 33 U+	T 20 EPR-U	HR 7 DP	W 17 EV	WR 8 CP
PK 16 R-11	FR 7 KPP 33 U+	T 20 EPR-U15	HR 7 DCY+	W 20 EKR-S11	WR 5 DC+
PK 16R-11	FR 8 DPP 33+	T 20 EP-U	HR 7 DC+	W 20 EP	WR 7 DC+
PK 20 PR-L11	F 5 DPO R	T 20 EP-U	HR 7 DP	W 20 EP	WR 7 DP
PK 20 PR-P11	FR 5 DPP 222	T 20 EP-U15	HR 7 DCY+	W 20 EPR	WR 7 DC+
PK 20 PR-P8	FR 7 KPP 33+	T 20 EX-U	HR 8 DC+	W 20 EPR	WR 7 DP
PK 20 PR 11	FR 7 KPP 33 U+	V 9110 5655	FR 7 NPP 332	W 20 EPR-U	WR 7 DC+
PK 20 R	FR 5 DPP 222	W 14 EP	WR 8 DC+	W 20 EPR-U	WR 7 DP
PK 20 R-11	FR 5 DPP 222	W 14 EP	WR 8 DP	W 20 EPRU11	WR 7 DCX+
PK 20 R-8	FR 5 DPP 222	W 14 EP-U	WR 8 DC+	W 20 EPRU11	WR 7 DPX
PQ 16R	FR 8 DPP 33+	W 14 EP-U	WR 8 DP	W 20EPR-11	WR 7 DCX+
PQ 20 R	FR 6 KPP 33+	W 14 EXR-U	WR 9 DC+	W 20 EP-U	WR 7 DC+
PTJ 16 R 15	HR 9 LPP 22 Y	W 14 EXR-U	WR 9 DP	W 20 EP-U	WR 7 DP
QJ 16 AR-U	FR 8 HC	W 14 EXR-U11	WR 9 DCX+	W 20 EP U11	WR 7 DCX+
QJ 16 AR-U	FR 8 HP	W 14 EX-U	WR 9 DC+	W 20EP11	WR 7 DCX+
QJ 16 AR-U11	FR 8 HC	W 14 EX-U11	WR 9 DC+	W 20 ES	W 5 CC
QJ 16 AR-U11	FR 8 HP	W 14 EX-U13	WR 9 DC+	W 20 ESR-L-11	WR 8 CP
QL 20TR-S	FR 7 LDC+	W 14 FP	WR 8 BC+	W 20 ES-U	W 5 CC
Q 14 R-U11	FR 8 DCX+	W 14 FP	WR 8 BP	W 20 ES-U11	W 5 CC
Q 14 R-U11	FR 8 DPX	W 14 FPR	WR 8 BC+	W 20 ET	WR 6 DC+
Q 16 R-U	FR 8 DC+	W 14 FPR-U	WR 8 BC+	W 20 ET	WR 6 DP
Q 16 R-U	FR 8 DP	W 14 FP-U	WR 8 BC+	W 20 ET-L	WR 6 DC+
Q 16 R-U11	FR 8 DCX+	W 14 F-U	WR 8 AP	W 20 ET-L	WR 6 DP
Q 16 R-U11	FR 8 DPX	W 16 EP	WR 7 DC+	W 20 ETR-L	WR 6 DC+
Q 16 -U11	FR 8 DC+	W 16 EP	WR 7 DP	W 20 ETR-L	WR 6 DP
Q 16 -U11	FR 8 DP	W 16 EP	WR 8 DC+	W 20 EX	WR 6 DC+
Q 20 PR-U	FR 7 DC+	W 16 EP	WR 8 DP	W 20 EX	WR 6 DP
Q 20 PR-U	FR 7 DP	W 16 EPR	WR 7 DC+	W 20 EXR-U	WR 7 DP
Q 20 PR-UL11	FR 7 DC+	W 16 EPR	WR 7 DP	W 20 EXR U11	WR 7 DCX+
Q 20 PR-UL11	FR 7 DCX+	W 16 EPR	WR 8 DC+	W 20 EXR-U11	WR 7 DPX
Q 20 PR-UL11	FR 7 DPX+	W 16 EPR	WR 8 DP	W 20 EXR-U13	WR 7 DCX+
Q 20 PR-U11	FR 7 DC+	W 16 EPR-U	WR 8 DC+	W 20 EX-U	WR 7 DC+
Q 20 PR-U11	FR 7 DCX+	W 16 EPR-U	WR 8 DP	W 20 EXR-U	WR 7 DP
Q 20 PR-U11	FR 7 DPX+	W 16 EPR-U10	WR 8 DCX+	W 20 EX U11	WR 7 DCX+
Q 20 P-U11	FR 7 DCX+	W 16 EPR-U11	WR 8 DCX+	W 20 EX U13	WR 7 DCX+
Q 20 P-U11	FR 7 DPX+	W 16 EPR-U11	WR 8 DPX	W 20 FP	WR 6 BC
Q 20 P-U11	FR 7 DPX+	W 16 EPR11	WR 8 DCX+	W 20 FP-L	WR 6 BC
Q 20 P-U11	FR 7 DPX+	W 16 EP-U	WR 7 DC+	W 20 FPR-L *	WR 6 BC
Q 20 P-U13	FR 7 DCX+	W 16 EP-U	WR 7 DP	W 20 FPR-U	WR 6 BC
Q 20 P-U13	FR 7 DPX+	W 16 EP-U	WR 8 DC+	W 20 FPR-U10	WR 6 BC
Q 20 R-U	FR 7 DC+	W 16 EP-U	WR 8 DP	W 20 FP-U	WR 6 BC
Q 20 R-U	FR 7 DP	W 16 EP-U11	WR 7 DCX+	W 20 FP-U10	WR 6 BC
Q 20 R-U11	FR 7 KCX+	W 16 EP-L	WR 8 CC	W 20 FSR-U	WR 8 AC
Q 20 P-U13	FR 7 DCX+	W 16 EP-U	WR 7 DP	W 20 FS-U	WR 8 AP
Q 20 P-U13	FR 7 DPX+	W 16 EP-U	WR 8 DC+	W 22 EP	WR 5 DC+
Q 20 R-U	FR 7 DC+	W 16 EP-U	WR 8 DP	W 22 EPR-U	WR 5 DC+
Q 20 R-U	FR 7 DP	W 16 EP-U11	WR 7 DCX+	W 22 EPR-U11	WR 5 DC+
Q 20 R-U11	FR 7 KCX+	W 16 ES-L	WR 8 CP	W 22 EP-U	WR 5 DC+
Q 20 P-U13	FR 7 DCX+	W 16 ES-U	WR 8 CC	W 22 EP-U11	WR 5 DC+
Q 20 P-U13	FR 7 DPX+	W 16 ES-U	WR 8 CP	W 22 EP-U	WR 5 DC+
Q 20 R-U	FR 7 DC+	W 16 EP-U11	WR 7 DCX+	W 22 EP-U10	WR 6 BC
Q 20 R-U	FR 7 DP	W 16 EP-U11	WR 7 DPX	W 22 EP-U	WR 6 BC
Q 20 R-U11	FR 7 KCX+	W 16 ES-L	WR 8 CC	W 22 EP-U10	WR 6 BC
Q 20 P-U13	FR 7 DCX+	W 16 EP-U	WR 7 DP	W 20 FSR-U	WR 8 AC
Q 20 P-U13	FR 7 DPX+	W 16 EP-U	WR 8 DC+	W 20 FS-U	WR 8 AP
Q 20 R-U	FR 7 DC+	W 16 EP-U	WR 8 DP	W 22 EP	WR 5 DC+
Q 20 R-U	FR 7 DP	W 16 EP-U11	WR 7 DCX+	W 22 EPR-U	WR 5 DC+
Q 20 R-U11	FR 7 KCX+	W 16 EP-U11	WR 7 DP	W 22 EPR-U11	WR 5 DC+
Q 20 P-U13	FR 7 DCX+	W 16 ES-L	WR 8 CP	W 22 EP-U	WR 5 DC+
Q 20 P-U13	FR 7 DPX+	W 16 ES-U	WR 8 CC	W 22 EP-U11	WR 5 DC+
Q 20 R-U	FR 7 DC+	W 16 ES-U	WR 8 CP	W 22 EP-U	WR 5 DC+
Q 20 R-U	FR 7 DP	W 16 EP-U11	WR 7 DCX+	W 22 EP-U	WR 5 DC+
Q 20 R-U11	FR 7 KCX+	W 16 EP-U11	WR 7 DP	W 22 EP-U10	WR 6 BC
SK 20HR11	FR 7 SE	W 16 EXR-U	WR 8 DC+	W 22 EP-U	WR 5 DC+
SK 20PR-L11	FR 7 KPP 33 U+	W 16 EXR-U	WR 8 DP	W 22 EP-U11	WR 5 DC+
SK 20PRL-9	FR 7 DPP 332	W 16 EXR-U11	WR 8 DCX+	W 22 ES	W 3 CC
SK 20RP-11	FR 6 KPP 33 X+	W 16 EXR-U11	WR 8 DPX	W 22 ES	WR 3 CC
SK 20R-11	FR 6 KPP 33 X+	W 16 EXR-U13	WR 8 DCX+	W 22 ES	WR 3 CP
SK 20R-8	FR 6 DPP 332 S	W 16 EXR-U13	WR 8 DPX	W 22 ESR-U*	W 3 CC
SVK 20RZ-11	FR 7 KPP 33 U+	W 16 EX-U	WR 8 DC+	W 22 ESR-U*	WR 3 CC
SVK 20RZ8	FR 7 KPP 33+	W 16 EX-U	WR 8 DP	W 22 ESR-U*	WR 3 CP
T 16 EPR-U	HR 7 DC+	W 16 EX-U11	WR 8 DCX+	W 22 ES-U	W 3 CC
T 16 EPR-U	HR 7 DP	W 16 EX-U11	WR 8 DPX	W 22 ES-U	WR 3 CC
T 16 EPR-U15	HR 7 DCY+	W 16 EX-U13	WR 8 DCX+	W 22 ES-U	WR 3 CP
T 16 EPR-U15	HR 8 DCY	W 16 EX-U13	WR 8 DPX	W 22 ES-U11	W 3 CC
T 16 EP-U15	HR 7 DCY+	W 17 ES	WR 8 CC	W 22 ES-U11	WR 3 CC
T 16 EP-U15	HR 8 DCY	W 17 ES	WR 8 CP	W 22 ES-U11	WR 3 CP
T 20 EPR-U	HR 7 DC+	W 17 EV	WR 8 CC	W 22 FP-U	WR 6 BC

DENSO	Bosch-Nr.	DUCELLIER (VALEO)	Bosch-Nr.	EYQUEM	Bosch-Nr.
W 24 ES	W 3 CC	599304	WR 7 DC+	RC 62LJS	HR 7 DP
W 24 ES	WR 3 CC	599304	WR 7 DP	RC 62LS	WR 7 DC+
W 24 ES	WR 3 CP	599305	WR 8 DC+	RC 62LS	WR 7 DP
W 24 ESR-U *	W 3 CC	599305	WR 8 DP	RC 72LJS	HR 6 DC+
W 24 ESR-U *	WR 3 CC	599306	WR 7 DC+	RC 72LJS	HR 6 DP
W 24 ESR-U *	WR 3 CP	599306	WR 7 DP	RC 72LS	WR 6 DC+
W 24 ES-U	W 3 CC	599307	HR 5 DC	RC 72LS	WR 6 DP
W 24 ES-U	WR 3 CC	599308	HR 5 DC	RFC 42LS	FR 8 DC+
W 24 ES-U	WR 3 CP	599309	HR 6 DC+	RFC 42LS	FR 8 DP
W 24 ES-U11	W 3 CC	599310	WR 7 BC+	RFC 42LZ2E	FLR 8 LDCU+
W 24 ES-U11	WR 3 CC	599312	WR 8 BC+	RFC 42LZ2E *	FLR 8 LDCU+
W 24 ES-U11	WR 3 CP	599312	WR 8 BP	RFC 50LZ2E	FLR 8 LDCU+
XU 22 EPR-U	YR 7 DC+	599314	WR 7 DC+	RFC 52LS	FR 7 DC+
XU 22 EP-U	Y 6 DC	599314	WR 7 DP	RFC 52LS	FR 7 DP
XU 22 HDR9	YR 7 NE	599323	WR 5 BC	RFC 52LS3	FGR 7 DQE+
XU 22 HR9	YR 7 NE	599330	WR 6 DC+	RFC 52LS3 X4	FGR 7 DQE+
ZT 20EPR11	HR 7 KPP 33+	599330	WR 6 DP	RFC 52LS3 X5	FGR 7 DQE+
K 20 PR-U11	FR 7 DC+	599332	HR 6 DC+	RFC 52LS3 X6	FGR 7 DQE+
K 20 HR-U11	FR 8 SC+	599332	HR 6 DP	RFC 58LS	FR 7 DC+
		599528	WR 8 BP	RFC 58LS	FR 7 DP
				RFC 58LS2E	FR 7 LDC+
				RFC 58LS3	FGR 7 DQE+
				RFC 58LZ2E	FR 7 DP
DUCELLIER (VALEO)	Bosch-Nr.	EYQUEM	Bosch-Nr.		
45N	WR 8 AP	C32 LS	WR 8 DC+	RFC 58LZ2E	FR 7 LDC+
46LS	WR 9 DC+	C32 LS	WR 8 DP	RFC 58LZ2E	FR 7 LDC+
46N	WR 7 AC	C52 LJS	HR 7 DC+	RFC 58LZ3EX	FR 7 LDC+
				RFC 62LS	FR 6 DC+
				RFC 62LS	FR 6 DP
46N	WR 7 AP	C52 LJS	HR 7 DP		
46NS	WR 7 BC+	C52 LS	WR 8 DC+	RFC 82LS	FR 5 DC
47L	W 5 CC	C52 LS	WR 8 DP	RFC 82LS	FR 5 DP
47LS	WR 7 DC+	C62 LJS	HR 5 DC	RFN 42HZ	FR 8 ME
47LS	WR 7 DP	C62 LS	WR 7 DC+	RFN 42HZ	FR 8 SC+
				RFN 52LZK	FR 7 DC+
47N	WR 5 AC	C62 LS	WR 7 DP		
47N	WR 5 AP	C72 LJS	HR 6 DC+	RFN 52LZK	FR 7 DP
478LS	WR 6 DC+	C82 LJS	HR 5 DC	RFN 58LZ	FR 7 DC+
478LS	WR 6 DP	C82 LS	WR 6 DC+	RFN 58LZ	FR 7 DP
48L	WR 4 CC	C82 LS	WR 6 DP	RWC 52HSK	VR 8 SC+
				1000 L	W 3 CC
48L	WR 4 CP	FC 42LS	FR 8 DC+	1000 L	WR 3 CC
48LS	WR 5 DC+	FC 42LS	FR 8 DP	1000 L	WR 3 CP
48N	WR 5 AC	FC 52 LS	FR 7 DP	550 S	WR 8 BC+
48N	WR 5 AP	FC 58 LS	FR 7 DC+	550 S	WR 8 BP
599247	WR 5 DC+	FC 58 LS	FR 7 DP	580 LS	WR 9 DC+
599248	WR 6 DC+	FC 62 LS	FR 6 DC+	580 S	HR 6 DC+
599248	WR 6 DP	FC 72 LS	FR 6 DC+	60 L	WR 8 CC
599249	WR 6 DC+	F 54	FR 7 DC+	60 L	WR 8 CP
599249	WR 6 DP	F 54	FR 7 DP	60 LS	WR 8 DC+
599250	WR 7 DC+	J 65	HR 7 DC+	60 LS	WR 8 DP
599250	WR 7 DP	J 65	HR 7 DP	600 LS	WR 8 DC+
599251	WR 8 DC+	J 87	HR 5 DC	600 LS	WR 8 DP
599251	WR 8 DP	L 3	WR 9 DC+	600 S	WR 7 BC+
599252	WR 7 DC+	L 65	WR 7 DC+	700	WR 7 AC
599252	WR 7 DP	L 65	WR 7 DP	700	WR 7 AP
599253	HR 5 DC	L 87	WR 5 DC+	705 L	WR 6 CC
599254	HR 5 DC	N 43	WR 7 BC+	705 L	WR 7 CC
599255	HR 6 DC+	RC 32LS	WR 9 DC+	705 L	WR 7 CP
599256	WR 7 BC+	RC 42S	WR 7 BC+	705 S	WR 6 BC
599258	WR 8 BC+	RC 42S	WR 7 BP	707 LSX	WR 7 DC+
599301	WR 5 DC+	RC 52LJS	HR 8 DC+	707 LSX	WR 7 DP
599302	WR 6 DC+	RC 52LS	WR 8 DC+	75 LB	W 5 CC
599302	WR 6 DP	RC 52LS	WR 8 DP	75 LS	WR 7 DC+
599303	WR 6 DC+	RC 62HJS6	HR 8 MCV+	75 LS	WR 7 DP
599303	WR 6 DP	RC 62LJS	HR 7 DC+	750 LS	WR 7 DC+



E

EYQUEM	Bosch-Nr.	HARLEY-DAVIDSON	Bosch-Nr.	ISOLATOR	Bosch-Nr.
750 LS	WR 7 DP	6R12	YR 7 DC+	M 14-225	WR 5 AC
753 LJS	HR 6 DC+			M 14-225	WR 5 AP
755 L	WR 4 CC			M 14-95	WR 8 AP
755 L	WR 4 CP			PM 14-225	WR 5 BC
755 LJS	HR 7 DC+			6 D	WR 7 DC+
755 LJS	HR 7 DP	L 43	WR 4 CC	6 D	WR 7 DP
755 LS	WR 6 DC+	L 43	WR 4 CP	6 DL	WR 5 DC+
755 LS	WR 6 DP	L 44	WR 4 CC	7 A	WR 7 AC
755 SX	WR 6 BC	L 44	WR 4 CP	7 D	WR 6 DC+
80 LB	W 5 CC	L 44P	WR 5 DC+	7 D	WR 6 DP
80 LS	WR 6 DC+	L 45H *	WR 8 CP	8 D	WR 8 DC+
80 LS	WR 6 DP	L 45PW-11	WR 7 DC+	8 D	WR 8 DP
80 LW	WR 4 CC	L 45PW-11	WR 7 DP		
80 LW	WR 4 CP	L 45PX	WR 7 DC+	KLG	Bosch-Nr.
800 LJS	HR 6 DC+	L 45PX	WR 7 DP	FE 45P	WR 8 DC+
800 LS	WR 6 DC+	L 45W	WR 6 CC	FE 45P	WR 8 DP
800 LS	WR 6 DP	L 45W	WR 7 CC	FE 55P	WR 7 DC+
802 L	WR 4 CC	L 45W	WR 7 CP	FE 55P	WR 7 DP
802 L	WR 4 CP	L 45X	WR 6 CC	FE 65CPR	WR 7 DC+
803 LJS	HR 5 DC	L 45X	WR 7 CC	FE 65CPR	WR 7 DP
805 L	WR 4 CC	L 45X	WR 7 CP	FE 65P	WR 7 DC+
805 L	WR 4 CP	L 46PW	WR 8 DC+	FE 65P	WR 7 DP
FC52 LS	FR 7 DC+	L 46PW	WR 8 DP		
FINWHALE	Bosch-Nr.	L 46PW-11	WR 8 DC+	FE 75	W 5 CC
FX5RL	WR 7 LTC+	L 46PW-11	WR 8 DP	FF 80	WR 5 AC
FX7RL	WR 8 LTC+	L 46X	WR 6 CC	FF 80	WR 5 AP
F5RB	WR 7 BC+	L 46X	WR 7 CC	F 20	WR 8 AP
		L 46X	WR 7 CP	F 50	WR 8 AP
F5RD	WR 7 DC+	M 44	WR 7 AC	F 55P	WR 8 BC+
F5RD	WR 7 DP	M 44	WR 7 AP	F 55P	WR 8 BP
F5RD-11	WR 7 DCX+	M 44P	WR 5 BC	GT 5	WR 8 BC+
F7RD	WR 8 DC+	M 44W	WR 7 AC	GT 5	WR 8 BP
F7RD	WR 8 DP	M 44W	WR 7 AP	GT 5L	WR 8 DC+
F7RD-11	WR 8 DCX+	M 45	WR 7 AC	GT 5L	WR 8 DP
F7RD-11	WR 8 DPX	M 45	WR 7 AP	GT 6	WR 6 BC
K5RD	HR 7 DC+	M 45PW	WR 6 BC	GT 6L	WR 7 DC+
K5RD	HR 7 DP	M 46	WR 8 AP	GT 6L	WR 7 DP
K7RD	HR 8 DC+	M 46	WR 8 AP	GT 7	WR 5 BC
VCT7RL-10	FLR 8 LDCU+			GT 7L	WR 6 DC+
VT5RL	FR 7 LDC+			GT 7L	WR 6 DP
V5RD	FR 7 DC+	ISKRA	Bosch-Nr.		
V5RD	FR 7 DP	FE55P	WR 7 DC+		
V5RD-11	FR 7 DCX+	FE55P	WR 7 DP		
		FE65P	WR 7 DC+		
V5RD-11	FR 7 DPX+	FE65P	WR 7 DP	LODGE	Bosch-Nr.
V7RD	FR 8 DC+	F 65P	WR 6 BC	CLNY	WR 9 DC+
V7RD	FR 8 DP	F 70	WR 7 AC	CNY *	WR 8 AP
		F 70	WR 7 AP	H	WR 7 BC+
FIRESTONE	Bosch-Nr.	A 6 D	HR 7 DC+	HBLN	WR 6 CC
F 15	WR 8 AP	A 6 D	HR 7 DP	HBLN	WR 7 CC
F 23	WR 7 AC	FM 14-145/2	WR 8 DC+	HBLN	WR 7 CP
F 23	WR 7 AP			HBN	WR 8 AP
				HF	WR 5 BC
F 23 L	WR 8 CC	FM 14-145/2	WR 8 DP	HL	WR 6 CC
F 23 L	WR 8 CP	FM 14-175/2	WR 6 DC+	HL	WR 7 CC
F 23 P*	WR 8 BC+	FM 14-175/2	WR 6 DP	HL	WR 7 CP
F 23 P*	WR 8 BP	FM 14-225/2	WR 5 DC+	HL-E	WR 6 DC+
F 27 L	WR 6 CC	M 14-145	WR 8 AP	HL-E	WR 6 DP
F 27 L	WR 7 CC	M 14-175	WR 7 AC	HLN	WR 6 CC
F 27 L	WR 7 CP	M 14-175	WR 7 AP	HLN	WR 7 CC
F 36 L	WR 4 CC	M 14-175/2	WR 6 CC	HLN	WR 7 CP
F 36 L	WR 4 CP	M 14-175/2	WR 7 CC	HLNY	WR 6 DC+
		M 14-175/2	WR 7 CP	HLNY	WR 6 DP

LODGE	Bosch-Nr.	MARCHAL	Bosch-Nr.	MARELLI	Bosch-Nr.
HN	WR 7 AC	35 HS	W 5 CC	CW 9 L	WR 3 CP
HN	WR 7 AP	35 S	WR 5 AC	F 7LCR	WR 8 DC+
HN Y	WR 7 BC+	35 S	WR 5 AP	F 7LCR	WR 8 DP
L6Y	WR 7 DC+	35/1	WR 6 BC	F 7NC	WR 8 BC+
L6Y	WR 7 DP	35.1 B	WR 6 BC	F 7NC	WR 8 BP
M6Y	FR 7 DC+	35/36	WR 6 BC	F 8LCR	WR 6 DC+
M6Y	FR 7 DP	35/36 R	WR 7 BC+	F 8LCR	WR 6 DP
S6	WR 5 AC	36	WR 8 AP	T 7LCR	HR 7 DC+
S6	WR 5 AP	36 B	WR 8 AP	T 7LCR	HR 7 DP
15HLNY	WR 7 DC+	36 HS	WR 8 CC	V 6 N	WR 8 AP
15HLNY	WR 7 DP	36 HS	WR 8 CP	6 N	WR 8 AP
2HL	WR 5 DC+	37 S	WR 8 AP	7 LC	FR 6 DC+
2HLE	WR 7 DC+	5 N	WR 6 BC	7 LCR	FR 6 DC+
2HLE	WR 7 DP	6 H	WR 5 DC+	7 LCR	FR 6 DP
2HLN	W 5 CC	6 N	WR 8 AP	9 H	WR 8 DC+
2HLNY	WR 6 DC+	7 H	WR 5 DC+	9 H	WR 8 DP
2HLNY	WR 6 DP	8 H	WR 7 DC+		
2HN	WR 5 AC	8 H	WR 7 DP		
2HN	WR 5 AP	9 H	WR 7 DC+	MOTORCRAFT	Bosch-Nr.
25HL	WR 5 DC+	9 H	WR 7 DP	AER 22 C *	WR 6 BC
25HLD	FR 5 DC	970 35 182	WR 6 BC	AER 32	WR 7 BC+
25HLNY	WR 6 DC+			AER 32	WR 7 BP
25HLNY	WR 6 DP				
3HLN	WR 4 CC	MARELLI	Bosch-Nr.		
3HLN	WR 4 CP	CW 25 N	WR 8 AP	AER 4	WR 8 AC
3HLNY	WR 5 DC+	CW 3 N	WR 8 AP	AES 4 C	WR 8 AC
		CW 4 N	WR 8 AP	AE 2	WR 5 AC
				AE 2	WR 5 AP
				AE 2 C	WR 5 AC
MARCHAL	Bosch-Nr.				
C 68 H GTI	HR 6 DC+	CW 5 N	WR 8 AP	AE 2 C	WR 5 AP
C 7 H	HR 5 DC	CW 55 N	WR 8 AP	AE 22	WR 6 BC
GT 34 H	WR 5 DC+	CW 6 L	WR 8 CC	AE 22 C	WR 6 BC
GT 34 HD	WR 5 DC+	CW 6 L	WR 8 CP	AE 22 C	WR 7 BC+
GT 34 2 H	WR 6 DC+	CW 6 LP	WR 8 DC+	AE 3	WR 7 AC
GT 34 2 H	WR 6 DP	CW 6 LP	WR 8 DP	AE 3	WR 7 AP
GT 34 5	WR 6 BC	CW 6 N	WR 7 AC	AE 3 C	WR 7 AC
GT 34 5 H	WR 7 DC+	CW 6 N	WR 7 AP	AE 32	WR 7 BC+
GT 34 5 H	WR 7 DP	CW 6 NP	WR 6 BC	AE 4	WR 8 AP
GT 34 5 HA	WR 7 DC+	CW 6 NP	WR 6 CC	AE 42	WR 8 BC+
GT 34 5 HA	WR 7 DP	CW 7 L	W 5 CC	AE 42	WR 8 AP
GT 35 D	WR 7 BC+	CW 7 LP	WR 7 DC+	AE 42	WR 8 BP
GT 35 H	WR 8 DC+	CW 7 LP	WR 7 DP	AE 42 C	WR 8 BC+
GT 35 H	WR 7 DP	CW 7 LPR	WR 7 DC+	AE 52 *	WR 8 AP
GT 35 H	WR 7 DP	CW 7 LPR	WR 7 DP	AE 6	WR 8 AP
GT 35 H	WR 8 DC+	CW 7 N	WR 5 AC	AE 62 *	WR 8 AP
GT 35 H	WR 8 DP	CW 7 N	WR 5 AP	AE 82 *	WR 8 AP
GT 35 HD	WR 8 DC+	CW 7 NJ	WR 5 AC	AF 42	HR 9 BPX
GT 35 HD	WR 8 DP	CW 7 NJ	WR 5 AP	AF 52	HR 9 BPX
HF 34 F	WR 4 CC	CW 7 NP	WR 6 BC	AGFS 22C	HR 7 DC+
HF 34 F	WR 4 CP	CW 75 LP	WR 6 DC+	AGFS 22C	HR 7 DP
H 33 RG	W 3 CC	CW 75 LP	WR 6 DP	AGFS 22 CM1	HR 7 DCX+
H 33 RG	WR 3 CC	CW 78 LP	WR 6 DC+	AGFS 22 C1	HR 7 DCX+
H 33 RG	WR 3 CP	CW 78 LP	WR 6 DP	AGFS 22 FE 13J	HR 7 KPP 33+
H 34 F	WR 4 CC	CW 78 LPR	WR 6 DC+	AGFS 22 FE13J	HR 7 KPP 33+
H 34 F	WR 4 CP	CW 78 LPR	WR 6 DP	AGFS 22 IPJ	HR 8 DPP 15 V
SCGT 34 5 H	HR 5 DC	CW 8 L	WR 4 CC	AGFS 22 PPJ	HR 7 KPP 33+
SCGT 35 H	HR 6 DC+	CW 8 L	WR 4 CP	AGFS 32 C1	HR 7 DCX+
34 HS	WR 4 CC	CW 8 LP	WR 5 DC+	AGF 22	HR 7 DC+
34 HS	WR 4 CP	CW 8 LPS	WR 5 DC+	AGF 22	HR 7 DP
34 S	WR 5 AC	CW 8 N	WR 5 AC	AGF 22 C	HR 7 DC+
34 S	WR 5 AP	CW 8 N	WR 5 AP	AGF 22 C	HR 7 DP
35	WR 5 AC	CW 8 NP	WR 5 BC	AGN 42	WR 8 DC+
35	WR 5 AP	CW 89 LP	WR 5 DC+	AGN 42	WR 8 DP
35 B	WR 7 AC	CW 9 L	W 3 CC	AGPR 12 C	FR 5 DC
35 B	WR 7 AP	CW 9 L	WR 3 CC	AGPR 12 C	FR 5 DP



M

MOTORCRAFT	Bosch-Nr.	MOTORCRAFT	Bosch-Nr.	MOTORCRAFT	Bosch-Nr.
AGPR 12 CD	FR 5 DC	AGR 22	WR 7 DP	AG 2 X	WR 6 CC
AGPR 12 CD	FR 5 DP	AGR 22 C	WR 7 DC+	AG 2 X	WR 7 CC
AGPR 12 P	FR 5 DPP 222	AGR 22 C	WR 7 DP	AG 22	WR 7 DC+
AGPR 12 PP	FR 6 KPP 33 X+	AGR 22-3 C	WR 6 DC+	AG 22	WR 7 DP
AGPR 12 PP 8	FR 6 DPP 332 S	AGR 22-3 C	WR 6 DP	AG 22 C	WR 7 DC+
AGPR 12P1	FR 5 DPP 222	AGR 252	WR 7 DC+	AG 22 C	WR 7 DP
AGPR 22 C	FR 6 DC+	AGR 252	WR 7 DP	AG 22 CT	WR 7 DC+
AGPR 22 C	FR 6 DP	AGR 252 C	WR 7 DC+	AG 22 CT	WR 7 DP
AGPR 22 CD	FR 6 DC+	AGR 252 C	WR 7 DP	AG 252	WR 7 DC+
AGPR 22 CD	FR 6 DP	AGR 31	WR 8 DC+	AG 252	WR 7 DP
AGPR 22 CD1	FR 6 DPX	AGR 31	WR 8 DP	AG 252 C	WR 7 DC+
AGPR 22 C1	FR 6 DPX	AGR 32	WR 8 DC+	AG 252 C	WR 7 DP
AGPR 22 P	FR 6 KPP 33+	AGR 32	WR 8 DP	AG 3	WR 8 CC
AGPR 22 PPJ	FR 6 KPP 33 X+	AGR 32 C	WR 8 DC+	AG 3	WR 8 CP
AGPR 22 P1	FR 7 KPP 33 U+	AGR 32 C	WR 8 DP	AG 3 C	WR 8 CC
AGPR 32 C	FR 7 DC+	AGR 42	WR 9 DC+	AG 3 CX	WR 8 CC
AGPR 32 C	FR 7 DP	AGR 42	WR 9 DP	AG 3 X	WR 8 CC
AGPR 32 CD	FR 7 DC+	AGR 42 C	WR 9 DC+	AG 32	WR 7 DC+
AGPR 32 CD	FR 7 DP	AGR 52	WR 8 DC+	AG 32	WR 7 DP
AGPR 32 CD1	FR 7 DC+	AGR 52	WR 8 DP	AG 32 C	WR 7 DC+
AGPR 32 CD1	FR 7 DCX+	AGR 52-6	WR 9 DC+	AG 32 C	WR 7 DP
AGPR 32 CD1	FR 7 DPX+	AGR 52-6	WR 9 DP	AG 32 CT1	WR 8 DC+
AGPR 32 C1	FR 7 DC+	AGSF 22 C	HR 7 DC+	AG 32CT1	WR 8 DCX+
AGPR 32 C1	FR 7 DCX+	AGSF 22 C	HR 7 DP	AG 32 CT1	WR 8 DP
AGPR 32 C1	FR 7 DPX+	AGSF 22 F13J	HR 6 DPP 33 V	AG 32CT1	WR 8 DPX
AGPR 32 PD	FGR 8 KQE	AGSF 22 PPJ	HR 7 KPP 33+	AG 4	WR 8 CP
AGPS 12C	FR 5 DC	AGSF 22 WM	HR 8 DPP 15 V	AG 42	WR 9 DC+
AGPS 12C	FR 5 DP	AGSF 22 YPC	HR 6 DPP 33 V	AG 42 C	WR 9 DC+
AGPS 22 C	FR 7 DC+	AGSF 32 C	HR 8 DCX+	AG 5	WR 8 CP
AGPS 22 C	FR 7 DP	AGSF 32 C	HR 8 DPX	AG 52	WR 8 DC+
AGPS22PP1	FR 7 KPP 33 U+	AGSF 32 FM	HR 8 DPP 15 V	AG 52	WR 8 DP
AGPS 22 P1	FR 7 KPP 33 U+	AGSF 32 M	HR 8 DCY	AG 52 C	WR 8 DC+
AGPS 32 C	FR 7 DC+	AGSF 32 PM	HR 8 DPP 15 V	AG 52 C	WR 8 DP
AGPS 32 C	FR 7 DP	AGSF 32 W	HR 8 DCY	AG 7	WR 8 CP
AGPS 32 C 1	FR 7 DC+	AGSF 32 WM1	HR 8 DPP 15 V	ARF 22	HR 6 BC
AGPS 32 C 1	FR 7 DCX+	AGSP 22 YE07	FR 7 KI 332 S	ARF 22 C	HR 6 BC
AGPS 32 C 1	FR 7 DPX+	AGSP 22 YE11	FR 7 KPP 33 U+	ARF 32	HR 8 BC
AGPS 44F11J	FR 7 HPP 33+	AGSP 32	FR 6 DC+	ARF 32 M	HR 8 BC
AGP 12 C	FR 5 DC	AGSP 32	FR 6 DP	ARF 42	HR 9 BC+
AGP 22 C	FR 6 DC+	AGSP 32 C	FR 8 LCX	ARF 42	HR 9 BPX
AGP 22 CD	FR 6 DC+	AGSP 33 C	FR 8 LCX	ARF 42 C	HR 9 BC+
AGP 32 C	FR 7 DC+	AGSP 33 C	FR 8 LPX	ARF 42-6	HR 9 BPX
AGP 32 C	FR 7 DP	AGS 12 C	WR 6 DC+	ARF 52	HR 9 BPX
AGRF 22	HR 7 DC+	AGS 12 C	WR 6 DP	ARF 52-6	HR 9 BPX
AGRF 22	HR 7 DP	AGS 2 C	WR 7 CC	AR 52	WR 10 FC
AGRF 22 C	HR 7 DC+	AGS 22 C	WR 7 DC+	AR 82	WR 10 FC
AGRF 22 C	HR 7 DP	AGS 22 C	WR 7 DP	ASF 22 C	HR 6 BC
AGRF 22 CD	HR 7 DC+	AGS 3 C	WR 8 CC	ASF 32	HR 8 BC
AGRF 22 CD	HR 7 DP	AGS 32 C	WR 8 DC+	ASF 32 C	HR 8 BC
AGRF 22 CD1	HR 7 DCX+	AGS 32 C	WR 8 DP	ASF 32 CM	HR 8 BC
AGRF 22 C1	HR 7 DCX+	AGS 33C	WR 9 LE	ASF 32 M	HR 8 BC
AGRF 22 PP1	HR 8 DPP 22 U	AGS 42 C	WR 9 DC+	ASF 42	HR 8 BC
AGRF 32	HR 8 DPX	AGS 42 CC 13	WR 9 LEV+	ASF 42 C	HR 8 BC
AGRF 32-6	HR 8 DPX	AGS 42 CC 13	WR 9 LPV	ASF 52	HR 9 BPX
AGRF 52	HR 9 DC	AG 1	W 5 CC	ASF 52-6	HR 9 BPY
AGRF 52 C	HR 9 DC	AG 12	WR 5 DC+	AS 52 C	WR 10 FC
AGR 12	WR 6 DC+	AG 12 C	WR 5 DC+	AWF 22	HR 6 DC+
AGR 12	WR 6 DP	AG 2	WR 6 CC	AWRF 42	HR 7 DC+
AGR 12 C	WR 6 DC+	AG 2	WR 7 CC	AWRF 42	HR 7 DP
AGR 12 C	WR 6 DP	AG 2 C	WR 6 CC	AWSF 2FS	HR 8 DPP 15 V
AGR 2	WR 7 CC	AG 2 C	WR 7 CC	AWSF 22	HR 5 DC
AGR 2 C	WR 7 CC	AG 2 CX	WR 6 CC	AWSF 22 C	HR 5 DC
AGR 22	WR 7 DC+	AG 2 CX	WR 7 CC	AWSF 32	HR 8 DCX+



MOTORCRAFT	Bosch-Nr.	NANJING LD	Bosch-Nr.	NGK	Bosch-Nr.
AWSF 32	HR 8 DPX	DF7REC2	YR 7 DC+	BCPR 6ES-11	FR 7 DC+
AWSF 32 C	HR 8 DCX+	E5T	WR 8 BC+	BCPR 6ES-11	FR 7 DCX+
AWSF 32 C	HR 8 DPX	E6RTC	WR 8 BC+	BCPR 6ES-11	FR 7 DPX+
AWSF 32 E	HR 8 DPP 22 U	E6TC	WR 7 BC+	BCPR 6ET	FR 6 DC+
AWSF 32 EE	HR 8 DPP 22 U	E7TC	WR 6 BC	BCPR 6ET	FR 6 DTC
AWSF 32 EG	HR 8 DPP 22 U	F10RC	WR 4 CC	BCPR 6ET	FR 7 DC+
AWSF 32 F	HR 8 DPP 15 V	F11RC	WR 3 CC	BCPR 6ET	FR 7 DP
AWSF 32-5	HR 8 DPX	F6RTC	WR 8 DC+	BCPR 6EVX-11	FR 5 DCX
AWSF 42	HR 7 DC+	F6TC	WR 8 DC+	BCPR 6EVX 11	FR 6 KPP 33 X+
AWSF 42	HR 7 DP	F6TC	WR 8 DP	BCPR 6EY	FR 7 KC+
AWSF 42 C	HR 8 DCX+	K6RF-11	FR 8 DCX+	BCPR 6EY-N-11 *	FR 6 DPX
AWSF 42 C	HR 8 DPX	K6RKCX	FR 8 LCX	BCPR 6EY-11	FR 7 KCX+
AYFSI 22 C	HR 8 MCV+	K6RTC	FR 8 DC+	BCPR 6E-11	FR 7 DC+
AYFS 22 C	HR 8 MCV+	K6RTC	FR 8 DP	BCPR 6E-11	FR 7 DCX+
AYFS 22 CB	HR 8 MCV+	K6TC	FR 7 DC+	BCPR 6E-11	FR 7 DPX+
AYFS 22 FE1J	HR 8 MCV+	K6TC	FR 7 DP	BCPR 7E	FR 6 DC+
AYFS 22 F1	HR 8 MCV+	K6TC	FR 8 DC+	BCPR 7E	FR 6 DP
AYFS 32 CJ	HR 8 MCV+	K6TC	FR 8 DP	BCPR 7ER	FR 7 LDC+
AYSF32YPC	HR 8 NPP 302	K6TJC	FR 6 DC+	BCPR 7ES	FR 5 DC
BF 82	DR 10 BC	K7REP	FR 7 DC+	BCPR 7ES	FR 5 DP
BF 82 C	DR 10 BC	K7REP	FR 7 DP	BCPR 7ES-11	FR 5 DC
BF 92	DR 10 BC	K7REPP	FR 7 DP	BCPR 7ES-11	FR 5 DCX
BRF 22	DR 7 BC	K7RF-11	FR 7 DCX+	BCPR 7ES-11	FR 5 DP
BRF 22 C	DR 7 BC	K7RTC	FR 7 DC+	BCPR 7ET	FR 6 DC+
BRF 22 CX	DR 7 BC	K7RTCU	FR 7 DC+	BCPR 7ET	FR 6 DTC
BRF 82	DR 10 BC	K7TC	FR 7 DC+	BCPR 7E-11	FR 6 DPX
BSF 82	DR 10 BC	K7TC	FR 7 DP	BCP 5ES	FR 8 DC+
BSF 82 C	DR 10 BC	K8RTJC	FR 6 DTC	BCP 5ES	FR 8 DP
BSF 92	DR 10 BC	K9TC	FR 5 DC	BCP 5ES-11	FR 8 DCX+
AYFS 22 CB	HR 8 MCV+	T5RTC	DR 7 BC	BCP 5ES-11	FR 8 DPX
				BCP 5EV	FR 6 KPP 33+
				BCP 5EVX	FR 7 DPP+
				BCP 5EV 11	FR 6 KPP 33 X+
MOTORPAL	Bosch-Nr.	NGK	Bosch-Nr.		
D 14Y	FR 6 DC+	APR 5F	DR 10 BC	BCP 6E	FR 7 DC+
G 14Y	HR 6 DC+	APR 5FS	DR 10 BC	BCP 6E	FR 7 DP
L 14Y	WR 7 DC+	APR 6F	DR 7 BC	BCP 6ES	FR 7 DC+
L 14Y	WR 7 DP	APR 6FS	DR 7 BC	BCP 6ES	FR 7 DP
L 17Y	WR 9 DC+	AP 5FS	DR 10 BC	BCP 6ES-11	FR 7 DCX+
N 14Y	WR 7 BC+	BCPR 5E	FR 8 DC+	BCP 6ET	FR 6 DC+
N 15Y	WR 8 BC+	BCPR 5E	FR 8 DP	BCP 6ET	FR 7 DC+
SUPER G8Y	HR 5 DC	BCPR 5EP 11	FR 7 KPP 33 U+	BCP 6EV	FR 6 KPP 33+
SUPER L5Y	WR 9 DC+	BCPR 5EP-11	FR 7 KPP 33 U+	BCP 6EVX	FR 6 KPP 33+
SUPER L7Y	WR 8 DC+	BCPR 5ES	FR 8 DC+	BCP 6EV 11	FR 6 KPP 33 X+
SUPER L7Y	WR 8 DP	BCPR 5ES	FR 8 DP	BCP 6EY	FR 7 DC+
SUPER L8	WR 8 CC	BCPR 5ES-11	FR 8 DCX+	BCP 6EY	FR 7 DP
SUPER L8	WR 8 CP	BCPR 5ES-11	FR 8 DPX	BCP 6E-11	FR 7 DCX+
SUPER L8Y	WR 5 DC+	BCPR 5EY	FR 8 DC+	BCP 6E-11	FR 7 DPX+
SUPER N7	WR 7 AC	BCPR 5EY	FR 8 DP	BCP 7ES	FR 5 DC
SUPER N7	WR 7 AP	BCPR 5EY-11	FR 8 DCX+	BCP 7ES-11	FR 5 DC
SUPER N7Y	WR 8 BC+	BCPR 5EY-11	FR 8 DPX	BCP 7ET	FR 6 DC+
SUPER N8	WR 5 AC	BCPR 5E-11	FR 8 DCX+	BCP 7EV	F 5 DP O R
SUPER N8	WR 5 AP	BCPR 5E-11	FR 8 DPX	BCRE 527Y	FR 8 HC
SUPER N8Y	WR 5 BC	BCPR 6E	FR 7 DC+	BCRE 527Y	FR 8 HP
SUPER ER1 4L5Y	WR 9 DC+	BCPR 6E	FR 7 DP	BC 6E	WR 8 CP
SUPER 14-5	WR 8 AP	BCPR 6EP N 11	FR 6 KPP 33 X+	BKR 4E	FR 8 DC+
SUPER 14-7	WR 7 AC	BCPR 6EP-N-8	FR 6 KPP 33+	BKR 4E	FR 8 DP
SUPER 14-7	WR 7 AP	BCPR 6EP 11	FR 6 KPP 33 X+	BKR 4E-11	FR 8 DCX+
SUPER 14-8	WR 5 AC	BCPR 6EP 13	FR 6 KPP 33 X+	BKR 4E-11	FR 8 DPX
SUPER 14-8	WR 5 AP	BCPR 6EP 8	FR 6 KPP 33 X+	BKR 5E	FR 8 DC+
		BCPR 6ES	FR 7 DC+	BKR 5E	FR 8 DP
		BCPR 6ES	FR 7 DP	BKR 5EK	FLR 8 LDCU+



N

NGK	Bosch-Nr.	NGK	Bosch-Nr.	NGK	Bosch-Nr.
BKR 5EKU 11	FR 8 HDC+	BKR 6EYA-11	FR 7 KCX+	BPR 5EA	WR 8 DP
BKR 5EKU	FLR 8 LDCU+	BKR 6EY-11	FR 7 KCX+	BPR 5EAL	WR 7 DC+
BKR 5E	FLR 8 LDCU+	BKR 6EZ	FR 7 DC+	BPR 5EAL	WR 7 DP
BKR 5EKUD	FR 8 HDC+	BKR 6EZ	FR 7 DP	BPR 5EAL 11	WR 7 DCX+
BKR 5EKUP	FGR 8 KQE	BKR 6E-11	FR 7 DC+	BPR 5EAL-11	WR 7 DPX
BKR 5E-N	FR 8 DCX+	BKR 6E-11	FR 7 DCX+	BPR 5EA-11	WR 8 DCX+
BKR 5E-N-11	FR 8 DCX+	BKR 6E-11	FR 7 DPX+	BPR 5EA-11	WR 8 DPX
BKR 5E-N-11	FR 8 DPX	BKR 6E-9S	FR 7 DC+	BPR 5EFS	HR 8 DC+
BKR 5EP-11	FR 7 KPP 33 U+	BKR 7E	FR 5 DC	BPR 5EFS-13	HR 6 DC+
BKR 5EP-11	FR 8 DPP 33+	BKR 7E	FR 5 DP	BPR 5EFS-13	HR 6 DP
BKR 5ES	FR 8 DC+	BKR 7ESC-11	FR 6 DC+	BPR 5EFS-13	HR 7 DCX+
BKR 5ES	FR 8 DP	BKR 7EVX	FR 6 KPP 33 X+	BPR 5EFS-13	HR 8 DCV+
BKR 5ES-11	FR 8 DCX+	BKR 7EY	FR 5 DC	BPR 5EKA	WR 6 DC+
BKR 5ES-11	FR 8 DPX	BKR 7EY	FR 5 DP	BPR 5EKA	WR 6 DP
BKR 5EVX	FR 7 KPP 33 U+	BKR 7E-11	FR 5 DCX	BPR 5EKU	WR 8 LTC+
BKR 5EY	FR 7 KC+	BKR 7E-11	FR 6 DPX	BPR 5ES	WR 8 DC+
BKR 5EY	FR 8 KC+	BKR8EQUA	FR 5 KPP 332 S	BPR 5ES	WR 8 DP
BKR 5EYA	FR 7 KC+	BKUR 5ET	FR 7 LDC+	BPR 5ES-11	WR 8 DCX+
BKR 5EYA	FR 8 KC+	BKUR 5ETZ	FR 7 LDC+	BPR 5ES-11	WR 8 DPX
BKR 5EYA 11	FR 7 KCX+	BKUR 5ET-10	FLR 8 LDCU+	BPR 5ES-15	WR 8 DCX+
BKR 5EYA-11	FR 7 KCX+	BKUR 6EK	FR 7 LDC+	BPR 5ES-15	WR 8 DPX
BKR 5EY-11	FR 7 KCX+	BKUR 6EK	FR 7 LDC+	BPR 5EY	WR 8 DC+
BKR 5EZ	FR 8 DC+	BKUR 6EK-9	FR 7 LDC+	BPR 5EY	WR 8 DP
BKR 5EZ	FR 8 DP	BKUR 6ET	FR 7 KPP 33+	BPR 5EY-11	WR 8 DCX+
BKR 5E-11	FR 8 DCX+	BKUR 6ET	FR 7 LDC+	BPR 5EY-11	WR 8 DPX
BKR 5E-11	FR 8 DPX	BKUR 6ETB-10	FR 7 LDC+	BPR 5E-11	WR 8 DCX+
BKR 6E	FR 7 DC+	BKUR 6ETC-10	FR 6 LTC	BPR 5E-11	WR 8 DPX
BKR 6E	FR 7 DP	BKUR 6ET-10	FR 7 LDC+	BPR 5FS	HR 8 BC
BKR 6EIX	FR 7 KPP 33 U+	BKUR 7ET	FR 6 LTC	BPR 5HS	WR 7 BC+
BKR 6EIXP	FR 7 KPP 33 U+	BKUR 7ETB-10	FR 6 LTC	BPR 5HS	WR 7 BP
BKR 6EIX 11	FR 7 KPP 33 U+	BK 5E	FR 8 DC+	BPR 5HS	WR 8 BC+
BKR 6EIX 11 P	FR 7 KPP 33 U+	BK 5E	FR 8 DP	BPR 6E	WR 7 DC+
BKR 6EK	FR 7 LDC+	BK 5ES	FR 8 DC+	BPR 6E	WR 7 DP
BKR 6EKB	FR 7 LDC+	BK 5ES	FR 8 DP	BPR 6EF	HR 7 DC+
BKR 6EKB-11	FR 7 LDC+	BK 5E-11	FR 8 DCX+	BPR 6EF	HR 7 DP
BKR 6EKC	FR 7 LDC+	BK 5E-11	FR 8 DPX	BPR 6EFS	HR 6 DC+
BKR 6EKPA	FR 7 DC+	BK 6E	FR 7 DC+	BPR 6EFS	HR 6 DP
BKR 6EKP	FR 7 DP	BK 6E	FR 7 DP	BPR 6EFS	HR 7 DC+
BKR 6EKUB	FGR 7 DQE+	BK 6E-11	FR 7 DCX+	BPR 6EFS	HR 7 DP
BKR 6EN	FR 7 DC+	BK 6E-11	FR 7 DPX+	BPR 6EFS-13	HR 8 DCV+
BKR 6EN	FR 7 DP	BK 7E-11	FR 5 DC	BPR 6EFS-15	HR 7 DCY+
BKR 6E-N-11	FR 7 DC+	BK 7E-11	FR 5 DP	BPR 6EF-11	HR 7 DCX+
BKR 6E-N-11	FR 7 DCX+	BPR 2E	WR 9 DP	BPR 6EF13	HR 8 DCV+
BKR 6E-N-11	FR 7 DPX+	BPR 2ES	WR 9 DP	BPR 6EF13	HR 8 DPV
BKR 6EP N 11	FR 6 KPP 33 X+	BPR 4E	WR 9 DC+	BPR 6EIX	WR 7 KI 33 S
BKR 6EP-N-8	FR 7 KPP 33+	BPR 4E	WR 9 DP	BPR 6EIX-LPG	WR 7 KI 33 S
BKR 6EP 11	FR 6 KPP 33 X+	BPR 4ES-11	WR 9 DCX+	BPR 6ES	WR 7 DC+
BKR 6EP 11	FR 7 KPP 33 U+	BPR 4ES-11	WR 9 DPX	BPR 6ES	WR 7 DP
BKR 6EP-13	FR 6 KPP 33 X+	BPR 4ES-13	WR 9 DCX+	BPR 6ES N 11	WR 7 DCX+
BKR 6EP-8	FR 6 KPP 33+	BPR 4ES-13	WR 9 DPX	BPR 6ES-N-11	WR 7 DPX
BKR 6EQU	FGR 7 KQE 0	BPR 4EY	WR 9 DP	BPR 6ES-11	WR 7 DCX+
BKR 6EQUP	FGR 7 DQP+	BPR 4EY-11	WR 9 DC+	BPR 6ES 11	WR 7 DCX+
BKR 6ES	FR 7 DC+	BPR 4EY-11	WR 9 DCX+	BPR 6ES-11	WR 7 DPX
BKR 6ES	FR 7 DP	BPR 4EY-11	WR 9 DP	BPR 6ES-13	WR 7 DCX+
BKR 6ESZ-10	FR 7 DCX+	BPR 4EY-11	WR 9 DPX	BPR 6ES-13	WR 7 DPX
BKR 6ES-11	FR 7 DC+	BPR 4FS	HR 9 BC+	BPR 6EY	WR 7 DC+
BKR 6ES-11	FR 7 DCX+	BPR 4FS-11	HR 9 BC+	BPR 6EY	WR 7 DP
BKR 6ES-11	FR 7 DPX+	BPR 4H	WR 8 BC+	BPR 6EY-11	WR 7 DCX+
BKR 6ETUB	FGR 7 KQE 0	BPR 4HS	WR 8 BC+	BPR 6EY-11	WR 7 DPX
BKR 6EVX	FR 6 KPP 33+	BPR 4HS-10	WR 8 BC+	BPR 6E 11	WR 7 DCX+
BKR 6EVX 11	FR 6 KPP 33 X+	BPR 5E	WR 8 DC+	BPR 6E-11	WR 7 DPX
BKR 6EY	FR 7 KC+	BPR 5E	WR 8 DP	BPR 6H	WR 7 BC+
BKR 6EYA	FR 7 KC+	BPR 5EA	WR 8 DC+	BPR 6H	WR 7 BP

NGK	Bosch-Nr.	NGK	Bosch-Nr.	NGK	Bosch-Nr.
BPR 6HS	WR 7 BC+	BP 5EY-11	WR 8 DPX	BR 7HA	WR 5 AC
BPR 6HS	WR 7 BP	BP 5EZ	WR 8 DC+	BR 7HS	WR 5 AC
BPR 6HSA	WR 6 BC	BP 5EZ	WR 8 DP	BR 7HS	WR 5 AC
BPR 6HSA	WR 6 DP	BP 5HS	WR 7 BC+	BR 7HS	WR 5 AP
BPR 6HSA *	WR 6 BC	BP 5HS	WR 8 BP	BR 7HS-10	WR 5 AC
BPR 6HS-10	WR 7 BC+	BP 5HS-10	WR 7 BC+	BR 7HS-10	WR 5 AP
BPR 6HS-10	WR 7 BP	BP 6E	WR 7 DC+	BR 8EG	WR 3 CC
BPR 7E	WR 6 DC+	BP 6E	WR 7 DP	BR 8EG	WR 3 CP
BPR 7E	WR 6 DP	BP 6EF	HR 7 DC+	BR 8ES	WR 4 CC
BPR 7ES	WR 5 DC+	BP 6EF	HR 7 DP	BR 9EG	WR 3 CC
BPR 7ES-11	WR 7 DCX+	BP 6EFS	HR 7 DC+	BR 9ES	WR 3 CC
BPR 7ES-11	WR 7 DPX	BP 6EFS	HR 7 DP	BR 9ES	WR 3 CP
BPR 7EY	WR 5 DC+	BP 6EK	WR 6 DC+	BUR 5EB-11	WR 6 DC+
BPR 7EY	WR 6 DC+	BP 6EK	WR 6 DP	BUR 5EB-11	WR 6 DP
BPR 7EY	WR 6 DP	BP 6ES	WR 7 DC+	BUR 5ET	WR 8 LTC+
BPR 7HS	WR 6 BC	BP 6ES	WR 7 DP	BUR 5ETB-10	WR 7 LTC+
BPR 7HS-10	WR 6 BC	BP 6ESZ	WR 7 DC+	BUR 5ET-10	WR 8 LTC+
BPR 8ES	WR 5 DC+	BP 6ES 11	WR 7 DCX+	BUR 6EA-11	WR 6 DC+
BPR 8HS	WR 5 BC	BP 6ES-13	WR 7 DCX+	BUR 6EA-11	WR 6 DP
BP 4E	WR 8 DC+	BP 6ET	WR 6 DC+	BUR 6ET	WR 7 LTC+
BP 4E	WR 8 DP	BP 6ET	WR 6 DP	BU 5EB-11	WR 6 DC+
BP 4ES	WR 9 DC+	BP 6EY	WR 7 DC+	BU 5EB-11	WR 6 DP
BP 4ES-11	WR 9 DC+	BP 6EY	WR 7 DP	BU 6EA-11	WR 6 DC+
BP 4ES-11	WR 9 DPX	BP 6EY 11	WR 7 DCX+	BU 6EA-11	WR 6 DP
BP 4ES-13	WR 9 DC+	BP 6EZ	WR 7 DC+	BU 6EB-11	WR 5 DC+
BP 4ES-13	WR 9 DPX	BP 6EZ	WR 7 DP	BU 7EA-11	WR 5 DC+
BP 4EY	WR 9 DC+	BP 6H	WR 7 BC+	BU 7EB-11	WR 4 CC
BP 4EY-11	WR 9 DC+	BP 6HS	WR 7 BC+	BU 7EB-11	WR 4 CP
BP 4EY-11	WR 9 DCX+	BP 6HSA	WR 6 BC	B 4E	WR 8 CP
BP 4EY-11	WR 9 DPX	BP 6HS-10	WR 7 BC+	B 4ES	WR 8 CP
BP 4H	WR 8 BC+	BP 7E	WR 5 DC+	B 4H	WR 8 AP
BP 4H	WR 8 BP	BP 7EFS	HR 6 DC+	B 4H-10 *	WR 8 AP
BP 4HS	WR 8 BC+	BP 7ES	WR 6 DC+	B 5EB	WR 8 CC
BP 4HS-10	WR 8 BC+	BP 7ES	WR 6 DP	B 5EB	WR 8 CP
BP 4HS-10	WR 8 BP	BP 7ES ZN	WR 7 DC+	B 5EB-11	WR 8 CC
BP 5E	WR 8 DC+	BP 7ES ZN	WR 7 DP	B 5EB-11	WR 8 CP
BP 5E	WR 8 DP	BP 7ET	WR 6 DC+	B 5ES	WR 8 CC
BP 5EA	WR 8 DC+	BP 7ET	WR 6 DP	B 5ES	WR 8 CP
BP 5EA	WR 8 DP	BP 7EY	WR 6 DC+	B 5ES-11	WR 8 CC
BP 5EA-L	WR 7 DC+	BP 7EY	WR 6 DP	B 5ES-11	WR 8 CP
BP 5EA-L	WR 7 DP	BP 7HS	WR 5 BC	B 5HS	WR 8 AP
BP 5EA L 11	WR 7 DCX+	BP 7HS	WR 6 BC	B 5HS-15 *	WR 8 AP
BP 5EA-11	WR 8 DCX+	BP 8ES	WR 5 DC+	B 6E	WR 6 CC
BP 5EA-11	WR 8 DPX	BP 8ES-11	WR 5 DC+	B 6E	WR 7 CC
BP 5EFS	HR 8 DC+	BR 4ES	WR 8 CP	B 6E	WR 7 CP
BP 5EK-A	WR 7 DC+	BR 4ES-11	WR 8 CP	B 6EB	WR 8 CC
BP 5EK-A	WR 7 DP	BR 4HS	WR 8 AC	B 6EB	WR 8 CP
BP 5ES	WR 8 DC+	BR 5EB	WR 8 CC	B 6EB-L-11	W 5 CC
BP 5ES	WR 8 DP	BR 5EB	WR 8 CP	BR 5EB-11	WR 8 CC
BP 5ES-L	WR 7 DC+	BR 5EB-11	WR 8 CC	BR 6EB-11	WR 8 CP
BP 5ES-L	WR 7 DP	BR 5EB-11	WR 8 CP	B 6EM	WR 8 CC
BP 5ESZ	WR 8 DC+	BR 5ES	WR 8 CC	B 6EM	WR 8 CP
BP 5ESZ	WR 8 DP	BR 5ES	WR 8 CP	B 6ES	WR 6 CC
BP 5ES-11	WR 8 DCX+	BR 5ES-11	WR 8 CC	BR 6EB-11	WR 8 CC
BP 5ES-11	WR 8 DPX	BR 5ES-11	WR 8 CP	B 6ES	WR 7 CC
BP 5ES-13	WR 8 DCX+	BR 5HS	WR 8 AC	B 6ES	WR 7 CP
BP 5ES-13	WR 8 DPX	BR 6EB	WR 7 CC	B 6EW	WR 7 DC+
BP 5ET	WR 8 DCX+	BR 6EB	WR 7 CP	B 6EW	WR 7 DP
BP 5ET-10	WR 8 DCX+	BR 6EM *	WR 8 CC	B 6H	WR 7 AC
BP 5ET-10	WR 8 DPX	BR 6ES	WR 7 CC	B 6H	WR 7 AP
BP 5EY	WR 8 DC+	BR 6ES	WR 7 CP	B 6HS	WR 7 AC
BP 5EY	WR 8 DP	BR 6HS	WR 7 AC	B 6HS	WR 7 AP
BP 5EY-11	WR 8 DCX+	BR 6HS-10 *	WR 7 AC	B 6HS-10	WR 7 AC



N

NGK	Bosch-Nr.	NGK	Bosch-Nr.	NGK	Bosch-Nr.
B 6HS-10	WR 7 AP	IFR 6B-K	FR 6 KI 332 S	PFR 6J	FR 5 DPP 222
B 7E	WR 6 CC	IFR 6B 11	FR 7 KPP 33 U+	PFR 6J-11	FR 5 DPP 222
B 7E	WR 7 CC	IFR 6C	FR 7 DPP 332	PFR 6N	FR 6 DPP 332 S
B 7E	WR 7 CP	IFR 6CS	FR 7 DPP 332	PFR 6N	FR 7 KPP 33+
B 7EB	W 5 CC	IFR 6D-10	FR 7 KPP 33 U+	PFR 6N-10	FR 6 KPP 33 X+
B 7EB-11	W 5 CC	IFR 6E-11	FR 6 KPP 33 X+	PFR 6N-11	FR 6 KPP 33 X+
B 7EC *	W 5 CC	IFR 6J	FR 7 KPP 33 U+	PFR 6Q	FR 7 KPP 33+
B 7ES	W 5 CC	IFR 6J-11	FR 7 KPP 33 U+	PFR 6S-11E	FR 7 KPP 332 U
B 7ES-L	W 5 CC	IFR 6Q-G	FR 7 KI 332 S	PFR 6T-10G	FR 6 KPP 33 X+
B 7ES-11	W 5 CC	IFR 7F-D	FR 6 DPP 332 S	PFR 6X-11	FR 7 KPP 332
B 7EW	WR 7 DC+	IFR 7F-6D	FR 7 KI 332 S	PFR 6X-11	FR 7 KPP 332 U
B 7EW	WR 7 DP	IFR 7G-11	FR 5 DPP 222	PFR 7A 11	FR 6 KPP 33 X+
B 7H	WR 5 AC	IFR 7G-11K	FR 5 DPP 222	PFR 7A 11A	FR 6 KPP 33 X+
B 7H	WR 5 AP	IGR 6A-11	WR 7 KI 33 S	PFR 7B	F 5 DP O R
B 7HC *	WR 7 AC	ILFR 5B-11	FR 8 SPP 332	PFR 7G	FR 6 KPP 33+
B 7HC *	WR 7 AP	ILFR 6A	FR 6 MPP 332	PFR 7H-10	FR 5 DPP 222
B 7HS	WR 5 AC	ILFR 6B	FR 7 NI 33	PFR 7H-10	FR 6 KPP 33 X+
B 7HS	WR 5 AP	ILFR 6C11	FR 7 SE	PFR 7N-E	FR 7 KPP 33+
B 7HS-10	WR 5 AC	ILTR 5A-13G	HR 8 NPP 302	PFR 7Q	FR 6 KPP 33+
B 7HS-10	WR 5 AP	ILZFR 5B	FR 8 SPP 332	PFR 7S8EG	FR 5 KPP 332 S
B 7HZ	WR 5 AC	ILZFR 6D11	FR 7 NPP 332	PFR 7ZTG	FR 7 KI 332 S
B 7HZ	WR 5 AP	ILZKBR 7A-8G	ZR 7 SI 332 S	PLFR 5A-11	FR 8 SPP 332
B 77EC	W 3 CC	ITR 5F-13	HR 7 KPP 33+	PLFR 6A	FR 7 NI 33
B 77EC	WR 3 CC	ITR 6F-13	HR 6 DPP 33 V	PLFR 6C-10G	FR 7 NPP 332
B 77EC	WR 3 CP	IZFR 5B	FR 8 LI 332 S	PLKR 7A	YR 6 NPP 332
B 8EE *	W 3 CC	IZFR 6B	FR 7 LI 332 S	PLKR 7B8E	YR 6 NPP 332
B 8EE *	WR 3 CC	IZFR 6K-11-Z	FR 5 DPP 222	PLZFR 6A11S	FR 7 NPP 332
B 8EE *	WR 3 CP	IZFR 6P8	FR 6 HI 332	PLZKAR 6A-11	VR 7 SPP 33
B 8EG	WR 3 CC	IZKR 7B	YR 7 LPP 332 W	PLZKBR 7A-G	ZR 7 SI 332 S
B 8EG	WR 3 CP	LFR 5A-11	FR 8 ME	PMR 7A	UR 6 DE
B 8ES	WR 4 CP	LFR 6D	FGR 6 NQE 0	PTR 5A-13	HR 7 MPP 302 X
B 8ES-11	WR 4 CP	LFR 6D X5	FGR 6 NQE 0	PTR 5D-10	HR 8 DPP 22 U
B 8H	WR 5 AC	LFR 6D X6	FGR 6 NQE 0	PTR 5F-11	HR 7 KPP 33+
B 8H	WR 5 AP	LKR 7C	YR 7 NE	PTR 6D-13	HR 7 KPP 33+
B 9E	W 3 CC	LZKAR 6AP-11	VR 7 SPP 33	PTR 6F-13	HR 7 KPP 33+
B 9E	WR 3 CC	LZKAR 7A	VR 8 SC+	PTZFR 5A-15	HR 9 LPP 22 Y
B 9E	WR 3 CP	LZKR6B-10E	YR 8 SEU	PZFR 5D-1	FR 7 HPP 33+
B 9ES	W 3 CC	PFR 5A-11	FR 8 DPP 33+	PZFR 5D-11	FR 7 HPP 33+
DCPR 7E	YR 7 DC+	PFR 5B 11	FR 7 KPP 33 U+	PZFR 5J-11	FR 7 HPP 332 W
DCPR 7EA-9	YR 6 DES	PFR 5C 11	FR 7 KPP 33 U+	PZFR 5N-11 T	FR 7 HPP 332 W
DCPR 7E-N-10	YR 7 DC+	PFR 5G 11	FR 7 KPP 33 U+	PZFR 5Q-11	FR 7 HPP 33+
DCPR 8E	YR 6 DES	PFR 5J 11	FR 7 KPP 33 U+	PZFR 6	FR 7 LI 332 S
DCPR 8E	YR 7 DC+	PFR 5J 11	FR 8 DPP 33+	PZFR 6F-11	FR 7 KPP 33 U+
DCPR 8EKC	YR 7 DC+	PFR 5K 11	FR 7 KPP 33 U+	PZFR 6R	FR 6 HI 332
DCPR 8EKP	YR 6 LDE	PFR 5N 11	FR 7 KPP 33 U+	SILZKR 7A-S	ZR 6 SII 3320
DCPR 8EN	YR 7 DC+	PFR 5R-11	FR 8 DPP 33+	TR 5	HR 8 DCV+
DCP 7E	Y 6 DC	PFR 6A 11	FR 6 KPP 33 X+	TR 5B 13	HR 8 MCV+
DCP 7E	YR 7 DC+	PFR 6A 11A	FR 6 KPP 33 X+	TR 5GP	HR 8 DPP 22 U
DIFR 6A-13G	FR 7 DII 35 V	PFR 6B	F 5 DP O R	TR 55	HR 8 DCV+
FR 5CP	FR 8 DPP 33+	PFR 6B	FR 5 DPP 222	TR 55GP	HR 7 KPP 33+
FR 5-1	FR 7 DC+	PFR 6B	FR 6 KI 332 S	TR 6AP-13	HR 7 KPP 33+
FR 6EI	FR 6 KI 332 S	PFR 6B-11	F 5 DP O R	TR 6B-13	HR 8 MCV+
GR 4	WR 9 DC+	PFR 6B-11	FR 5 DPP 222	UR 5	HR 9 BC+
GR 4	WR 9 DP	PFR 6B-9	F 5 DP O R	V-LINE 1	WR 7 LTC+
IFR 5A-11	FR 8 DPP 33+	PFR 6E-10	FR 6 KPP 33 X+	V-LINE10	WR 7 DCX+
IFR 5E-11	FR 8 DPP 33+	PFR 6E-9	FR 6 KPP 33 X+	V-LINE10	WR 7 DPX
IFR 5E13	FR 8 KI 33 V	PFR 6F 11	FR 6 KPP 33 X+	V-LINE11	FR 7 DC+
IFR 5G-11	FR 8 DPP 33+	PFR 6F 11A	FR 6 KPP 33 X+	V-LINE11	FR 7 DCX+
IFR 5J-11	FR 8 DPP 33+	PFR 6G	FR 6 KPP 33+	V-LINE11	FR 7 DPX+
IFR 5N 10	FR 7 KPP 33 U+	PFR 6G 11	FR 6 KPP 33 X+	V-LINE12	FR 7 DC+
IFR 6A-11	FR 6 KPP 33 X+	PFR 6G-9	FR 7 DPP+	V-LINE12	FR 7 DP
IFR 6A-11T	FR 6 KPP 33 X+	PFR 6G-9	FR 7 KI 332 S	V-LINE13	WR 7 DCX+
IFR 6B	FR 7 KPP 33+	PFR 6H-10	FR 6 KPP 33 X+	V-LINE13	WR 7 DPX

NGK	Bosch-Nr.	NGK	Bosch-Nr.	NGK	Bosch-Nr.
V-LINE14	FR 7 DC+	ZFR 6J-11	FR 7 LCX+	6465	FR 7 DC+
V-LINE14	FR 7 DCX+	ZFR 6J-11	FR 7 LPX	6465	FR 7 DCX+
V-LINE14	FR 7 DPX+	ZFR 6K-11	FR 7 LCX+	6465	FR 7 DPX+
V-LINE15	WR 8 LC+	ZFR 6P-G	FR 7 HC+	6466	HR 7 DC+
V-LINE16	FR 8 DC+	ZFR 6T-11G	FR 7 HC+	6466	HR 7 DP
V-LINE16	FR 8 DP	ZFR 6U11	FR 7 LCX+	6711	FR 7 LCX+
V-LINE17	FR 7 DC+	ZF 5A	FR 8 LC	6799	VR 8 SC+
V-LINE17	FR 7 DP	ZGR 5A	WR 8 LC+	6895	FR 7 LDC+
V-LINE18	WR 7 BC+	ZG 5A	WR 8 LC+	7265	WR 6 DC+
V-LINE19	WR 6 DC+	ZKBR 7AP-HTU	ZGR 6 STE 2	7265	WR 6 DP
V-LINE19	WR 6 DP	ZKER7A10EG	Y 6 LER 02	7281	WR 8 DC+
V-LINE 2	WR 7 DC+	ZKR 7A-10	YR 7 DC+	7281	WR 8 DP
V-LINE 2	WR 7 DP	1183	HR 7 DC+	7718	ZR 6 SII 3320
V-LINE20	FR 7 LDC+	1183	HR 7 DP	7963	FR 6 KPP 33+
V-LINE21	WR 8 LTC+	2268	WR 7 DC+	PFR 6G	FR 6 KPP 33+
V-LINE22	WR 8 LTC+	2268	WR 7 DP	BKR 6EVX	FR 6 KPP 33+
V-LINE23	FLR 8 LDCU+	2364	WR 8 DC+	BKR 6EVX 11	FR 6 KPP 33 X+
V-LINE24	FR 7 LDC+	2364	WR 8 DP	IFR 6J-11	FR 6 KPP 33 X+
V-LINE25	HR 8 MCV+	2465	HR 7 MPP 302 X	PFR 6E-10	FR 6 KPP 33 X+
V-LINE26	FR 7 LDC+	2470	WR 8 LTC+	PFR 6T-10G	FR 6 KPP 33 X+
V-LINE27	FR 7 LDC+	2876	WR 7 LTC+	PFR 6G 11	FR 6 KPP 33 X+
V-LINE28	FR 7 DC+	2941	WR 8 LC+	BKR 6EIX 11	FR 7 KPP 33 U+
V-LINE28	FR 7 DP	3045	FR 7 LDC+	BKR 6EIX 11 P	FR 7 KPP 33 U+
V-LINE29	FR 7 LDC+	3153	WR 8 DC+	BKR 6EIX P	FR 7 KPP 33 U+
V-LINE 3	WR 7 BC+	3153	WR 8 DP	BKR 6EIX	FR 7 KPP 33 U+
V-LINE 3	WR 7 BP	3408	FR 7 HC+	PFR 5B 11	FR 7 KPP 33 U+
V-LINE30	FGR 7 DQP+	3546	FR 6 KPP 33 X+	BCP 5ES	FR 8 DP
V-LINE32	FR 8 DC+	3577	WR 7 DCX+	BP6EY	WR 7 DP
V-LINE32	FR 8 DP	3577	WR 7 DPX	BPR6S	WR 7 DP
V-LINE33	FR 8 DCX+	3975	WR 7 BC+	BP5EK-A	WR 7 DP
V-LINE34	FR 7 HPP 33+	3978	FR 5 DPP 222	BP 6ES	WR 7 DP
V-LINE35	FR 8 DC+	4080	FR 8 LI 332 S	BP6ES	WR 7 DP
V-LINE36	FR 8 DC+	4292	FR 8 DPP 33+	DCPR 7E	YR 7 DC+
V-LINE36	FR 8 DP	4388	FR 7 LDC+	PRESTOLITE	Bosch-Nr.
V-LINE37	FR 7 KPP 33+	4483	FLR 8 LDCU+	14E 22	WR 6 BC
V-LINE38	FR 7 DC+	4553	WR 7 BC+	14E 4	WR 8 AP
V-LINE38	FR 7 DP	4553	WR 7 BP	14E 42	WR 7 BC+
V-LINE39	FR 7 KCX+	4619	FR 7 DC+	14E62	WR 8 AP
V-LINE 4	WR 7 DC+	4619	FR 7 DP	14G 2	WR 6 CC
V-LINE 4	WR 7 DP	4783	FR 8 DC+	14G 2	WR 7 CC
V-LINE 5	HR 7 DC+	4783	FR 8 DP	4856	WR 7 CP
V-LINE 5	HR 7 DP	4856	FR 7 DC+	4856	WR 6 DC+
V-LINE 6	WR 8 DC+	4856	FR 7 DP	5282	WR 6 DP
V-LINE 6	WR 8 DP	5282	FR 7 DC+	5282	WR 7 DC+
V-LINE 7	HR 7 DC+	5282	FR 7 DCX+	5282	WR 7 DP
V-LINE 7	HR 7 DP	5339	FR 7 DPX+	5339	WR 8 DC+
V-LINE 8	WR 8 DC+	5339	WR 7 DCX+	5339	WR 8 DP
V-LINE 8	WR 8 DP	5339	WR 7 DPX	5461	WR 8 DC+
V-LINE 9	WR 8 DC+	5461	FR 7 LDC+	14G52	WR 8 DC+
V-LINE 9	WR 8 DP	5637	WR 7 DC+	14G52	WR 8 DP
ZFR 5A-11	FR 8 LCX	5637	WR 7 DP		
ZFR 5A-11	FR 8 LPX	5692	YR 7 DC+		
ZFR 5E-11	FR 7 HC 0 X	5932	WR 8 LTC+		
ZFR 5F-11	FR 8 LCX	6129	FR 7 DC+	RENAULT	Bosch-Nr.
ZFR 5J-11	FR 8 LCX	6129	FR 7 DP	RFC 50LZ2E	FR 7 LDC+
ZFR 5P-G	FR 7 HC+	6141	FR 6 KPP 33 X+		
ZFR 6A-11	FR 7 LCX+	6237	FR 7 DC+		
ZFR 6A-11	FR 7 LPX	6237	FR 7 DP		
ZFR 6BPG	FR 7 KPP 33+	6342	FR 7 LDC+	SEAT ERSATZTEILE	Bosch-Nr.
ZFR 6F-11	FR 7 LCX+	6343	FGR 7 DQP+	003 949 405	FR 5 DC
ZFR 6F-11	FR 7 LPX	6345	FR 8 DC+		
ZFR 6F-11G	FR 7 LCX+	6345	FR 8 DP		
ZFR 6F-11G	FR 7 LPX	6418	FR 7 KPP 33 U+		



S


SINTEROM	Bosch-Nr.	UNIPART	Bosch-Nr.	UNIPART	Bosch-Nr.
M14P225	WR 7 AC	GSP 4357	WR 7 DP	GSP 6462	WR 7 DC+
M14P225	WR 7 AP	GSP 4362	WR 7 DC+	GSP 6462	WR 7 DP
		GSP 4362	WR 7 DP	GSP 6553	HR 6 DC+
TORCH	Bosch-Nr.	GSP 4362B	WR 7 DC+	GSP 6563	HR 8 DC+
DK7RTC	YR 7 DC+	GSP 4362B	WR 7 DP	GSP65721	FR 8 DC+
F6RTC	WR 8 DC+	GSP 4362X	WR 7 DC+	GSP65721	FR 8 DP
K6RF-11	FR 8 DCX+	GSP 4362X	WR 7 DP	GSP 6573	HR 8 DC+
K6RTC	FR 8 DC+	GSP43622	WR 8 LTC+	GSP 664	FR 7 DC+
K6RTC	FR 8 DP				
K7REP	FR 7 DC+	GSP 4366	WR 6 BC	GSP 664	FR 7 DP
K7REP	FR 7 DP	GSP 4366	WR 7 BC+	GSP 665	FR 7 DC+
K7RF-11	FR 7 DCX+	GSP 4367	WR 8 DCX+	GSP 665	FR 7 DP
		GSP 4367	WR 8 DPX	GSP 6652	FR 6 DC+
		GSP 4376	WR 8 BC+	GSP66527	FR 7 KPP 33 U+
K7RTCU	FR 7 DC+	GSP 4382	WR 8 DC+	GSP 66527	FR 7 KPP 33 U+
		GSP 4382	WR 8 DP	GSP 6658	FR 6 DC+
		GSP 4452	WR 6 DC+	GSP 6662	FR 7 DC+
		GSP 4452	WR 6 DP	GSP 6662	FR 7 DP
		GSP 4462	WR 7 DC+	GSP 6662	FR 8 DC+
TORO	Bosch-Nr.	GSP 4462	WR 7 DP	GSP 6662	FR 8 DP
F6RTC	WR 8 DC+	GSP 4472	WR 8 DC+	GSP 6663	HR 6 DC+
		GSP 4472	WR 8 DP	GSP 684	FR 6 DC+
		GSP 4552	FR 6 DC+	GSP 684	FR 6 DP
		GSP 4553	HR 5 DC	GSP 685	FR 6 DC+
UNIPART	Bosch-Nr.	GSP 4562	FR 7 DC+	GSP 7662	FR 7 DC+
C2A 1535	FR 7 KPP 33 U+	GSP 4562	FR 7 DP	GSP 7662	FR 7 DCX+
GSP 130	WR 8 CC	GSP 4563	HR 6 DC+	GSP 7662	FR 7 DPX+
GSP 130	WR 8 CP	GSP 4563	HR 7 DC+	GSP 9652	FR 7 KPP 33 U+
		GSP 4563	HR 7 DP	XHM 279	FR 6 DC+
GSP 131	WR 8 DC+	GSP 4573	HR 7 DC+	XHM 279	FR 6 DP
GSP 131	WR 8 DP	GSP 4573	HR 7 DP		
GSP 141	WR 8 DC+	GSP 461	HR 6 DC+		
GSP 141	WR 8 DP	GSP 461	HR 6 DP		
GSP 151	WR 7 DC+	GSP 4642	FR 5 DC		
GSP 151	WR 7 DP	GSP 4642	FR 5 DP	VALEO	Bosch-Nr.
GSP 160	WR 8 CC	GSP 4652	FR 6 DC+	C60H	HR 5 DC
GSP 160	WR 8 CP	GSP 4652	FR 6 DP	C64H	HR 6 DC+
GSP 163	WR 7 DC+	GSP 4657	FR 6 LDC	C68H	HR 7 DC+
GSP 163	WR 7 DP	GSP 4662	FR 7 DC+		
GSP 171	WR 6 DC+	GSP 4662	FR 7 DP	C68H	HR 7 DP
GSP 171	WR 6 DP	GSP 4663	HR 7 DC+	C72H	HR 8 DC+
GSP 181	WR 6 DC+	GSP 4663	HR 7 DP	F72H	FR 6 DC+
GSP 181	WR 6 DP	GSP 4664	HR 8 BC	F72H3E	FR 6 DC+
GSP 191	WR 5 DC+	GSP 531	WR 8 BC+	F74H	FR 7 DC+
GSP 244	WR 8 DC+	GSP 531	WR 8 BP	F74H	FR 7 DP
GSP 244	WR 8 DP	GSP 540	WR 8 AP	F82H	FR 8 DC+
GSP 263	WR 7 DC+	GSP 541	WR 7 BC+	F82H	FR 8 DP
GSP 263	WR 7 DP	GSP 550	WR 7 AC	RC72H11	HR 7 DCX+
GSP 264	WR 7 DC+	GSP 550	WR 7 AP	RF64H	FR 5 DC
GSP 264	WR 7 DP	GSP 560	WR 7 AC		
GSP 281	WR 6 DC+	GSP 560	WR 7 AP	RF64H	FR 5 DP
GSP 281	WR 6 DP	GSP 571	WR 5 BC	RF72H	FR 6 DC+
GSP 331	HR 7 DC+	GSP 634	FR 8 DCX+	RF72HZ3YE	FR 6 LTC
GSP 331	HR 7 DP	GSP 634	FR 8 DPX	RF74H	FR 7 DC+
GSP 361	HR 6 DC+	GSP 6356	WR 6 BC	RF74H	FR 7 DP
GSP 381	HR 5 DC	GSP 6362	WR 8 DC+	RF74HZ2	FR 7 LDC+
GSP 42561	WR 5 AC	GSP 6362	WR 8 DP	RF74HZ3YE	FR 7 LDC+
GSP 42561	WR 5 AP	GSP 6362X	WR 8 DC+	RF80H	FR 7 DC+
GSP 4342	WR 5 DC+	GSP 6362X	WR 8 DP	RF80H	FR 7 DP
GSP 4347	WR 5 DC+	GSP 6366	WR 8 BC+	RF80H11	FR 7 DCX+
GSP 4352	WR 6 DC+	GSP 6382	WR 9 LE	RF80H11	FR 7 DPX+
GSP 4352	WR 6 DP	GSP 6382X	WR 9 LE	R64H	WR 5 DC+
GSP 4356	WR 5 BC	GSP 6452	WR 6 DC+	R70H	WR 6 DC+
GSP 4357	WR 7 DC+	GSP 6452	WR 6 DP	R70H	WR 6 DP



VALEO	Bosch-Nr.	WEVER	Bosch-Nr.	
R76H	WR 7 DC+	065 136	WR 6 DC+	
R76H	WR 7 DP	065 136	WR 6 DP	
R76H11	WR 7 DCX+	103 861	WR 5 AC	
R84H	WR 8 DC+	103 861	WR 5 AP	
R84H	WR 8 DP	165 308	WR 6 DC+	
R88N	WR 7 BC+	165 308	WR 6 DP	
R90H	WR 9 DC+	165 316	WR 7 DC+	
246010	WR 8 DC+	165 316	WR 7 DP	
246012	HR 7 DC+	165 324	WR 8 DCX+	
246012	HR 7 DP	165 324	WR 8 DPX	
246013	WR 5 DC+	211 300	FR 7 DC+	
246015	WR 7 DC+	211 300	FR 7 DP	
246015	WR 7 DP	211 334	FR 6 DC+	
64H	WR 5 DC+	211 375	WR 7 DC+	
67H	WR 4 CP	211 375	WR 7 DP	
70H	WR 6 DC+	221 853	WR 8 LC+	
70H	WR 6 DP			
70H3E	WR 6 DC+			
70H3E	WR 6 DP			
76H	WR 7 DC+			
76H	WR 7 DP			
76H3E	WR 7 DC+	AU 14DVRM 1.0	FR 8 DCX+	
76H3E	WR 7 DP	AU 14DVRM 1.1	FR 8 DCX+	
84H	WR 8 DC+	AU 17DVRM	FR 7 DCX+	
84H	WR 8 DP	1.0	FR 7 DCX+	
88N	WR 8 BC+	AU 17DVRM 1.1	FR 7 DCX+	
90H	WR 9 DC+	A 14D	WR 8 CC	
		A 14DV	WR 8 DC+	
		A 14DVR	WR 8 DC+	
VOLVO	Bosch-Nr.			
30731878 X4	HR 7 KPP 33+	A 14DVRM	WR 8 DC+	
31216184 X6	FR 7 NI 33	A 14DVRM 1.0	WR 8 DCX+	
31216297 X4	HR 6 DPP 33 V	A 14DVRM 1.1	WR 8 DCX+	
8687990 X8	FR 7 KPP 33 U+	A 14V	WR 8 BC+	
		A 14VM	WR 8 BC+	
		A 14VP	WR 8 BC+	
		A 14V-2	WR 8 BC+	
		A 17DV	WR 7 DC+	
		A 17DVM	WR 7 DC+	
		A 17DVM-10	WR 7 DCX+	
WEVER	Bosch-Nr.			
002 469	HR 6 DC+	A 17DVR	WR 7 DC+	
015 156	FR 6 LTC	A 17DVRM	FR 7 DPX+	
015 206	FR 7 LDC+	A 17DVRM	WR 7 DC+	
015 248	WR 7 LTC+	A 17DVRM	WR 7 DCX+	
015 263	WR 8 LTC+	A 17DVRM 1.1	WR 7 DCX+	
019 695	WR 7 BC+	A 17DV-10	WR 7 DCX+	
019 802	WR 7 DC+	A 17V	WR 7 BC+	
019 802	WR 7 DP	A 20D	W 5 CC	
019 810	WR 7 AC	A 23V	WR 5 BC	
019 836	WR 5 DC+	A 23-2	WR 5 AC	
033 076	FR 7 LDC+	TU 17DVRM 1.0	FR 7 DCX+	
033 142	HR 8 DC+	T 17DVRM	WR 7 DC+	
049 411	WR 7 BC+	T 17DVRM 1.0	WR 7 DCX+	
054 924	HR 7 DC+			
054 924	HR 7 DP			
062 695	WR 6 DC+			
062 695	WR 6 DP			
065 094	WR 8 DC+			
065 094	WR 8 DP			
065 102	WR 8 DC+			
065 102	WR 8 DP			
065 110	WR 7 DC+			
065 110	WR 7 DP			




V





Special cases

AG	For vehicles with automatic transmission
AUS	Exhaust end
BFK	For unleaded fuel
BGB	Product for gas operation only
BHK	For leaded fuel
DOV	Dual ignition, 2 different spark plugs are required per cylinder
DOZ	Dual ignition, two identical spark plugs are required per cylinder
EIN	Inlet end
ELG	Electrode gap must be set for operation with gas
FGB	For countries with a speed limit of 130 km/h
FGK	For vehicles with closed-loop catalytic converter
GS	For vehicles with manual transmission
HZY	For rear cylinder bank
KAT	For vehicles with catalytic converter
KUT	For vehicles with open-loop catalytic converter
KVE	For predominantly short journeys
KZO	Cold climates
NOR	Standard version
NV	Low compression
OKA	For vehicles without catalytic converter
S16	Width across flats 16 mm
S21	Width across flats 21 mm
SOV	Solex 4A1 carburetor fitted
ST	For urban use
SW	For sporty driving style
TW	The product fitted must be identified on the vehicle or engine.
VZY	For front cylinder bank
W16	
WI1	Replacement interval 100,000 km
WI2	Replacement interval 20,000 km
WI3	Replacement interval 30,000 km
WI4	Replacement interval 40,000 km
WI6	Replacement interval 60,000 km
WI9	Replacement interval 90,000 km
WW	Optional



Reliable diagnosis. Time saving repairs
Bosch diagnostics and service parts.

Everything from a single source. Bosch has a complete program of diagnostic equipment and service parts to increase efficiency in your workshop. As a leading supplier to vehicle manufacturers, Bosch also ensures that all products meet the highest quality standards.

Competence and quality:
Assuring the success of your workshop



BOSCH

1 987 AP2 177/201202

Robert Bosch (Australia)
Pty Ltd
Head Office Address
1555 Centre Road
Clayton Vic. 3168

Enquiries : Australia
Phone : 1300 307 040
Fax : 1300 307 041
www.bosch.com.au
customerservice.AA@au.bosch.com

Enquiries : New Zealand
Phone : 0800 452 896
www.bosch.co.nz